

The American Bonanza Society's Beechcraft Pilot Proficiency Program (BPPP)

Guide to Initial Pilot Checkout: Normally Aspirated Barons

Models 95-55, A55, B55, C55, D55, E55, 58, G58

December 2012

ABS/BPPP Guide to Initial Pilot Checkout: Normally Aspirated Barons

The ABS/BPPP Guide to Initial Pilot Checkout for Normally Aspirated Barons Written by

Thomas P. Turner, Executive Director, ABS Air Safety Foundation

ABS Air Safety Foundation Board of Directors (2012-2013)

Keith Kohout, President

Robert Goff, Vice President

Robert Hyde, Secretary

Ward Combs, Treasurer

Thomas Rosen

Dr. Lorne Sheren

Dr. John Annable

Ron Timmermans

Cameron Brown

ABS Executive Director

J. Whitney Hickman

ABS/BPPP Guide to Initial Pilot Checkout: Normally Aspirated Barons

Contents

	<u>Page</u>
Using this <i>Guide</i>	4
Aircraft systems review checklist	5
Knowledge questions	13
Pilot and instructor preflight check and briefing	. 14
Aircraft preflight check	15
Flight training general recommendations	16
By the numbers	. 17
Flight training syllabus	. 18

Using this Guide

The American Bonanza Society Air Safety Foundation highly encourages pilots receiving initial checkout (transition) training in a Beechcraft Baron to fly with an authorized instructor knowledgeable about the specific model of airplane to be flown, and current in its operation. Resources include ABS' Beechcraft Pilot Proficiency Program (BPPP), a wholly owned subsidiary of the ABS Air Safety Foundation, and individual Certificated Flight Instructors who have received systems, pilot techniques and instructor standardization training through the ABS Flight Instructor Academy. Information about BPPP live and online training, as well as a list of BPPP -standardized flight instructors, is available at www.bonanza.org.

Although ABS is significantly increasing the number of its standardized instructors, and the BPPP Online+Flight program serves as a thorough, convenient and affordable initial checkout experience, occasionally a pilot new to flying Beech airplanes or transitioning from one model of Beechcraft to another does not have the opportunity to complete BPPP training or fly with a BPPP-trained instructor. For that event the ABS Air Safety Foundation has created this training outline. It is intended for experienced flight instructors who may not have Beech experience, to address the most vital topics and operations during the critical transition into a Baron. This outline is not intended as a substitute for a thorough checkout by an instructor knowledgeable about the specific make and model and current in flying the type. It cannot address all topics. and completing training described by the outline alone does not meet all the requirements of a Flight Review or an Instrument Proficiency Check, or corresponding requirements governing operations in countries other than the United States. Further, a necessary and thorough avionics checkout is outside the scope of this Guide because of the wide variety of avionics installed in individual aircraft. The Guide to Initial Pilot Checkout drives the pilot and instructor into the manuals to learn the basic safety and operating characteristics of Beech airplanes, to assist the pilot until such time he/she is able to complete type-specific training with a Beechknowledgeable flight instructor.

Several supplemental documents referred to in this *Guide* are available for download from the *Guide to Initial Pilot Checkout* web page.

The *Guide to Initial Pilot Checkout* also serves as a training document for instructor pilots in the ABS Flight Instructor Academy.



Pilots completing this syllabus earn 50 points toward the **ABS AVIATOR** program. Earning recognition as an ABS AVIATOR may qualify the pilot for discounts on his/her aircraft insurance—ask your insurance agent or broker. See the ABS AVIATOR description at www.bonanza.org for program details.

Please direct any questions to absmail@bonanza.org or 316-945-1700. Enjoy your introduction to the Beechcraft Baron!

Transition Training Checklist

Aircraft systems review

ABS recommends both the pilot and the instructor independently read the entire Pilot's Operating Handbook (POH) and all POH Supplements for optional, installed equipment and STCs before beginning training. Then, review and discuss system design and operation with special emphasis on (but not limited to) the items listed below.

ITEM	TOPIC	TASK				
1	POH Section II, Limitations	Airspeed limitations				
		Instrument markings				
		Weight and center of gravity limitations				
		Approved maneuvers and entry speeds				
		Minimum fuel required in each main tank for take- off and approved maneuvers				
		Flight in icing conditions prohibited (unless specifically approved with "known ice" paperwork)				
		Kinds of Operations and Equipment List (KOEL)				
		See the article on using the KOEL on the ABS website Guide to Initial Pilot Checkout page.				
		Any limitations contained in POH Supplements for installed optional or aftermarket equipment.				
2	POH Section III,	Emergency airspeeds				
	Emergency Procedures	All Emergency Procedures checklists				
3	POH Section IV,	Airspeeds for Safe Operation				
	Normal Procedures	All Normal Procedures checklists				
		Supplemental oxygen endurance calculations (if equipped)				
4	POH Section V, Performance	Compute expected airplane performance for conditions the pilot anticipates to be "normal" and "possible" for his/her operation, to confirm the pilot's ability to use the charts.				
		 Associated Conditions and Airspeeds necessary to get computed performance. 				
		Normal and emergency takeoff, climb and landing charts.				

ITEM	TOPIC	TASK				
5	POH Section VI, Weight	Seating, baggage and equipment arrangements				
	And Balance	Center of gravity (CG) shift with fuel burn				
		Necessity of computing landing condition CG as well as takeoff condition				
		Discuss limits to flight endurance as needed to remain within CG limits for landing				
		Compute sample weight and balance for conditions the pilot anticipates to be "normal" and "possible" to confirm his/her ability to use the charts				
		See "How to Make Weight and Balance Calculations" on the <i>Guide to Initial Pilot Checkout</i> page at www.bonanza.org.				
		Adjustment to weight and balance limitations or characteristics from any POH Supplements for optional or aftermarket equipment				
6	POH Section VII, Systems Description:	Procedure to properly secure and check the forward cabin door				
	Doors, Windows and Exits	Operation of emergency exits				
	Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Sup- plements, some items reference Section II, Limitations, Section V, Performance, or other sources.	Operation of aft cargo or utility doors				
		Passenger emergency exit briefing				
		Airspeed limitation on pilot's storm window				
		 Procedures following open forward cabin door on takeoff and in flight 				
		See "Forward Door Opening in Barons with Vortex Generators" on the <i>Guide to Initial Pilot Checkout</i> page at www.bonanza.org.				
7	POH Section VII, Systems	Seat adjustment				
	Description:	Seat belt and shoulder harness use for pilots and				
	Seats	passengers				
	Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Sup- plements, some items reference Section II, Limitations, Section V, Performance, or other sources.					

ITEM	TOPIC	TASK
8	POH Section VII, Systems Description: Flight Controls Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Operation of throw-over control yoke, if equipped Adjustment of rudder pedals Trim system Operation Position indication Takeoff position Electric pitch trim Operation Preflight check Pitch trim runaway emergency procedure Autopilot Operating modes Annunciation Preflight check Coupled operations Flight Director operation
9	POH Section VII, Systems Description: Flaps Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Flap switch operation Flap position indicating system Flap limit speeds
10	POH Section VII, Systems Description: Engine and Propeller Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Cowling latch operation Cowl flap operation, and when to open cowl flaps Starter Operation, including STARTER ENERGIZED annunicator if equipped Starter limitations Manifold pressure gauge

ITEM	TOPIC	TASK	
10	POH Section VII, Systems	Fuel flow indicator	
	Description:		Pressure vs. rate of flow
	Engine and Propeller	Direct indicator vs. electrical	
	(continued) Note: Although most information on this topic comes from Section VII or	Potential hazard of direct indicator fuel flow in the panel	
	the POH or appropriate POH Supplements, some items reference	Starting	
	Section II, Limitations, Section V,	Normal, hot and flooded start procedures	
	Performance, or other sources.	Ammeter/Loadmeter indications after engine start	
		Takeoff and climb power recommendations	
		Mixture control during takeoff	
		High density altitude takeoffs	
		Leaning during climb	
		Automatic leaning in airplanes with IO-550 engines and altitude compensating fuel pumps	
		Leaning using the Exhaust Gas Temperature (EGT) indicator or engine monitor	
		Alternative leaning techniques	
		Rich of Peak EGT (ROP)	
		 Lean of Peak EGT (LOP) 	
		Powerplant limitations	
		Powerplant instrument markings	
		Engine preheat recommendations	
		Continental Motors recommendation on minimum cruise RPM (CSB09-11)	
		Affects IO-520 and IO-550 engines	
		Avoid continuous operation below 2300 RPM in cruise	

ITEM	TOPIC	TASK
11	POH Section VII, Systems	Total fuel quantity
	Description:	Usable and unusable fuel
	Fuel System	Fuel system limitations
	Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Sup-	Minimum fuel quantity in each main tank for takeoff
	plements, some items reference Section II, Limitations, Section V,	Use of auxiliary fuel tanks
	Performance, or other sources.	Maximum continuous slip
		Fuel system preflight inspection
		Fuel strainer locations
		Fuel vent locations
		Recommendation to run engines in CROSSFEED for one minute each before taxiing from the ramp
		Use of the auxiliary fuel pump
		Confirming fuel quantity before start
		If equipped with individually selectable auxiliary fuel tanks:
		Quantity and routing of return fuel
		Tank selection and checks before takeoff
		Fuel management strategy
		Takeoff tank fuel selection
		Takeoff and land on MAIN tanks only
		Do NOT switch tanks after engine run-up and before takeoff
		 When you will burn from each tank in cruise, and for how long
		Consider a written fuel tank switching plan to complete before takeoff
		Timers and other reminders to switch tanks
		Confirming fuel state en route

ITEM	TOPIC	TASK
11 12	POH Section VII, Systems Description: Fuel System (continued) Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources. POH Section VII, Systems Description: Landing Gear Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	TASK Tank selection for descent and landing Select a main fuel tank at Top of Descent (TOD) that has sufficient fuel for approach, landing, goaround and climb if necessary without switching tanks again Do NOT switch tanks in the traffic pattern or after intercepting the approach inbound Landing gear switch operation Maximum extension speed Landing gear position indicators Single light/nose pointer system (as applicable) Three green light system (as applicable) Landing gear warning horn and annunciator (as appropriate) Landing gear squat switch(es) do not always prevent gear retraction on the ground Throttle position to retract gear (as appropriate) Confirming gear extension Sound Aerodynamic effect (attitude change) Performance effect (power, vertical speed) Position indicators check Optional external gear mirrors check Manual extension procedure Use the checklist Landing gear motor circuit breaker

ITEM	TOPIC	TASK
12	POH Section VII, Systems Description: Landing Gear (continued) Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Sup- plements, some items reference Section II, Limitations, Section V, Performance, or other sources.	
13	POH Section VII, Systems Description: Brakes Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Brakes operation Presence or lack of brakes on the copilot's side If there are no brakes on the copilot's side, need to brief on how instructor will command the pilot to increase braking when needed Parking brake operation Apply brake pressure, then trap pressure by pulling the parking brake valve Do not leave parking brake set for long periods
14	POH Section VII, Systems Description: Electrical System Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Normal and battery systems Monitoring systems and annunciators Emergency operation Monitoring and load shedding

ITEM	TOPIC	TASK
15	POH Section VII, Systems Description: Environmental System Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Cabin ventilation system operation Heater operation Maximum defroster operation Air conditioning system operation Limitations Reduce all performance by 5% when air conditioner is operating (as applicable)
16	POH Section VII, Systems Description: Pitot/Static System Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	Optional emergency static air source operation Instrument calibration/corrections while using the emergency system
17	POH Section VII, Systems Description: Instrument Air System Note: Although most information on this topic comes from Section VII or the POH or appropriate POH Supplements, some items reference Section II, Limitations, Section V, Performance, or other sources.	 Pressure vs. vacuum system (as appropriate) Normal "green arc" indication on the cockpit gauge Source Failure Indicators Indications on one engine during start/shutdown Pneumatic deice boots operation Auto and Manual modes Instrument Air Gauge indications
18	POH Section IV, Normal Procedures	Review preflight inspection checklist

Knowledge Questions

At a minimum, the pilot must be able to answer these questions:

- 1. What is the total usable fuel?
- 2. What is the endurance with a one-hour reserve at 75% power (or Full Throttle/2500 RPM) at 8000 feet?
- 3. What is each engine's maximum and minimum oil capacity in quarts?
- 4. How much payload can the airplane carry with all fuel tanks full?
- 5. How much fuel can you carry under the following conditions?
 - Total front seat occupants weight = 400 lbs
 - Total Seats 3/4 occupant weight is 300 lbs
 - Total aft baggage weight is 70 lbs
- 6. Assuming you load that amount of fuel for takeoff and with that cabin load, after burning 80 gallons of fuel will the center of gravity be within limits?
- 7. What is the maximum demonstrated crosswind component?
- 8. What are the indications of a vacuum/instrument air system failure?
- 9. What is your fuel management strategy for a four-hour flight?
- 10. When should you extend the landing gear during an instrument approach?
- 11. When should you extend the landing gear during a visual/VFR traffic pattern approach?
- 12. How do you verify landing gear extension?
- 13. When should you retract flaps after landing?
- 14. When should the cowl flaps be open?
- 15. How will you lean the mixture for takeoff? Climb? Cruise? Descent? Landing?
- 16. How many fuel drains are there?
- 17. What is the procedure for an unlatched forward cabin door on takeoff? In flight?
- 18. When and how do you use the auxiliary fuel pump?
- 19. From the moment you taxi onto the runway for departure, what is the sequence of events (airplane configurations, actions, airspeeds, attitudes) for a normal takeoff without obstacles?
- 20. What is the sequence of events for takeoff with a 50-foot obstacle at the end of a 3000-foot runway?
- 21. What should be your actions following a loss of engine power in cruise flight?
- 22. What should you do if an engine loses power immediately after takeoff?
- 23. What should you do if an engine loses power at altitude?
- 24. What is the procedures for a single engine approach and landing?
- 25. What is the Emergency Descent procedure?
- 26. If the landing gear will not extend, what should you do?

Pilot and Instructor Preflight Check and Briefing

ITEM	TOPIC	TASK					
1	Comply with all regulatory,	FAR 61, 91requirements for Pilot-in-Command					
	certification and recency of experience requirements applicable to the flight.	FAR 91.109 requirements for instructional flight in aircraft with single flight control					
	3	See the ABS website <i>Guide to Initial Pilot Checkout</i> page for sources of dual control rental if needed.					
2	Comply with any insurance requirements.	Ensure the pilot is authorized to receive instruction in the airplane under the owner's aircraft insurance policy (see "Approved Pilots" in the policy)					
		Ensure the flight instructor meets the aircraft insurance policy Open Pilot Warranty or is otherwise authorized to provide flight instruction under the owner's insurance policy.					
		Review and comply with any insurance policy pilot checkout and/or dual instruction requirements be- fore solo and/or carrying passengers.					
		Contact the aircraft owner's insurance agent or broker to answer any questions before flying.					
3	Assess pilot and instructor readiness for flight.	IMSAFE model					
4	Briefing	Review the pilot's completed BPPP Speed Sheet					
		Review flight syllabus and goals					

Aircraft Preflight Check

ITEM	TOPIC	TASK					
1	Aircraft documents	Required documents (FAR Parts 91)					
		• Required inspections and certifications (FAR Parts 43, 91)					
		Current GPS database, if IFR GPS is to be used					
2	Compliance with recurring	Including but not limited to:					
	and one-time Airworthiness Directives	Uplock rollers last lubed and when next due					
		Spar web dye penetrant check last performed and when next due					
		See the following items on the ABS website <i>Guide to Initial Pilot Checkout</i> page:					
		How to conduct an Airworthiness Directives search for your aircraft					
		 Checklist for subscribing to receive Airworthiness Directives (ADs) and Special Airworthiness Information Bulletins (SAIBs) by email 					
		Spar web AD 90-08-14 and MSB 2261 rev 1					
3	Tracking airplane mainte- nance and inspection status	Discuss creating an aircraft status board or spreadsheet.					
4	Preflight inspection	Conduct preflight inspection of the aircraft using the POH checklist, with special emphasis on:					
		 Landing gear manual handcrank stowed and accessible (not blocked by spar cover) 					
		 Main landing gear roller bearings free to rotate 					
		 Main landing gear uplock and downlock springs and cables 					
		Condition of aft fuselage and empennage					
		Determining fuel available in each tank.					

Flight Training

General recommendations

These recommendations come from experience as techniques for avoiding the most common causes of Baron accidents:

- Do not perform touch and goes. There is a high correlation between touch and goes and inadvertent landing gear retraction on the runway. A large number of loss-of control crashes also occur during the high-workload on-runway phase of a touch and go. Make all landings to a full stop and take time to reconfigure for another takeoff and traffic pattern.
- Do not retract flaps during the landing rollout. Reconfigure the airplane only after coming to a stop on the taxiway after clearing the runway.
- Be familiar with the weight and balance of your airplane. As fuel burns the CG may move aft. You should compute two weight and balance problems or each flight—one with fuel and cabin load prior to takeoff, the other with the fuel calculated to be remaining when you arrive at your destination or alternate. You may be under maximum gross weight and within the CG envelope at departure but beyond the aft limit upon reaching your destination.
- Plan on having a minimum of one hour of fuel on board upon arriving at your destination or alternate. Avoid a planned fuel stop within one hundred miles or one hour of your destination. There is a great temptation to fly over the fuel stop and continue to your destination.
- Airspeed and therefore attitude control is critical in all phases of flight. Do not climb out too steeply,
 to avoid rapid airspeed loss in the event of en engine failure shortly after takeoff. Fly the proper airspeeds on approach to avoid "floating" and possible runway overshoots on landing. Use attitude
 and airspeed discipline in your everyday flying so you'll be able to fly attitudes and airspeeds accurately in the event of an engine failure.
- Always use checklists to verify your actions. Before landing use GUMP:
 - Confirm the Gas (fuel) selector is on a main tank that has adequate fuel for approach, landing and, if necessary, missed approach or balked landing and climb before you begin your descent from cruise flight.
 - Make sure the Undercarriage (landing gear) lever is down and indicators confirm gear down.
 - Set the Mixture to full rich or as required by field elevation.
 - Put the Propeller control the high RPM.
- Undertake a program to insure your currency. Each month select a new area of concentration. Examples include: instrument currency; night operations; short, soft and crosswind takeoffs and landings; GPS operations; slow flight and stall recognition and recovery; simulated single-engine flight; etc. See training opportunities recognized by the ABS AVIATOR program for ideas.

A checkout following the checklists in this *Guide* covers only the basic information absolutely necessary for initial transition training. Plan on completing BPPP (Online+Flight or LIVE) as soon as possible to learn much more about your Baron and how to safely fly it to is maximum potential. See www.bonanza.org for course descriptions and details.



By the Numbers: Power, Attitude, Configuration (PAC) Chart

Normally Aspirated Barons

CONDITION	MP	RPM	ATTITUDE	GEAR	FLAPS	KIAS	VSI	TRIM
Initial climb	FT	MAX	+7°	UP upon positive rate	UP	Per POH	↑xxx	Per POH
Cruise climb	FT	2500	+7°	UP	UP	120	↑xxx	As req'd
Cruise	As desired	As desired	Level	UP	UP	XXX	0	0 to 2 down
En route descent	As desired	As desired	-2°	UP	UP	Green arc	As desired	As needed
Approach (level)	15" 17"	2300 - 2500	+0° +2°	UP	UP APPROACH	120	0	+3° to +5°
Precision descent	15" 17"	2300 - 2500	+0° +2°	DOWN	UP APPROACH	120	↓500 - 600 fpm	+0° to -3°
Nonprecision descent	13" 15"	2300 - 2500	+0° +2°	DOWN	UP APPROACH	120	↓800 - 1000 fpm	+3° to +5°
MDA level	20" 22"	2300 - 2500	+0° +2°	DOWN	UP APPROACH	120	0	+3° to +5°
Missed approach	FT	2500	+7°	UP	UP	120	↑xxx	+3° to +5°
Single engine climb (prop wind-milling)	FT	MAX	+3°	UP	UP	Vyse (Blue line)	↑xxx	As needed
Single engine climb (prop feathered)	FT	MAX	+7°	UP	UP	Vyse (Blue line)	↑XXX	As needed

Reducing manifold pressure by one inch results in a roughly 100-fpm descent.

A 5-inch reduction in MP results in a 500 fpm descent.

The "By the Numbers" technique has been taught since World War II to provide a simple, consistent way to conduct flight, especially instrument flight, yet it is not widely taught to pilots of personal airplanes like the Baron. For attitude reference, adjust the airplane bar to the horizon during level cruise flight and do not adjust further. Power settings and airplane configurations will result in the approximate performance tabulated. Adjust these numbers as necessary for your airplane under current conditions.

Flight Training Syllabus

Syllabus items may take several flights to accomplish, and may be presented in any order as conditions require and/or at the discretion of your instructor. Your instructor may incorporate Scenario-Based Training (SBT) techniques but should ensure that, at a minimum, all listed Tasks are covered during your checkout.

There is no set amount of time required to complete the checkout. An inexperienced or non-current pilot, or a pilot not experienced flying high-performance single— or twin-engine piston airplanes, may require longer to complete the training than a current pilot experienced flying similar aircraft. In all cases the instructor should use the Federal Aviation Administration's guidance from the Practical Test Standards, including judgment that the pilot "demonstrates mastery of the aircraft in the tasks performed with the successful outcome of each task performed never seriously in doubt."

Upon completion of the syllabus the instructor shall log all ground and flight instruction time in the pilot's log book in accordance with Federal Air Regulations. The instructor may reference the use of the ABS/BPPP Guide to Initial Pilot Checkout as a reference for such training, but doing so does not imply ABS, ABS Air Safety Foundation or BPPP endorsement of the instruction received.

The instructor may endorse the pilot for a Flight Review and/or an Instrument Proficiency check entirely at the instructor's discretion. Whether or not the instructor provides such endorsements, he/she should recommend additional study, practice, and/or dual flight instruction for the pilot to improve his/her skills, and suggest a regimen of recurrent training that should include participation in BPPP online or live training to learn more about the Beechcraft Bonanza or Debonair.

Flight Training Syllabus

ITEM	TASK	AMPLIFICATION
1	Preflight inspection	Orderly habit patternSpecial emphasis itemsChecklist use
2	Startup and taxi	 Cockpit flows and checklists Develop an orderly cockpit for single-pilot operations Do not program avionics (GPS) while taxiing
3	Takeoff and initial climb	 Flows and checklist use Predeparture breifing Technique and speeds per the POH performance charts Normal takeoff Crosswind takeoff Short-field takeoff Soft-field takeoff Engine management including mixture control Use of the Power, Attitude and Configuration (PAC) recommendations Forward cabin door unlatched: Do not present in Barons equipped with vortex generators Do not attempt to close the door in flight The airplane flies nearly the same with the door open Land and then secure the door Pilot distraction is the biggest hazard
4	Cruise climb	 Flows and checklist use Engine and mixture management Step climb Oxygen use (as applicable)

ITEM	TASK	AMPLIFICATION
5	Level-off and cruise	Flows and checklist use
		Engine and mixture management
		Fuel management
6	Normal maneuvering	Standard rate turns
		Normal (30° bank) turns
7	Steep turns	Begin below weight-adjusted V _A
		 Reduce published V_A by 2 knots for every 100 pounds below maximum weight
		Remain above Vyse
8	Slow flight	Mixture: Full Rich
		Cowl flaps: Open
		Monitor cylinder head temperature (CHT) and oil temperature. Exit slow flight if either becomes excessive.
9	Spiral tendency demonstra-	Enter at 100 to 120 knots
	tion and recovery	Allow the airplane to roll to 50° to 60° bank (do not exceed 60°)
		Recover at V _A or 60° bank, whichever is reached first
		Wings level
		Gear down as needed
		Power idle until in a climb attitude
		Normal climb attitude
		In recovery, forward pressure will be needed on the controls to prevent excessive pitch up and po- tential overstress
		See the article "Demonstrating the Spiral Tendency and Recovery" on the ABS website Guide to Initial Pilot Checkout page.
10	Stall recognition and recov-	Mixture: Full Rich or as required by altitude
	ery	Keep ailerons neutral and ball centered prior to stall and during recovery (instructor may need to block movement of the controls)
	1	

20

ITEM	TASK	AMPLIFICATION
10	Stall recognition and recovery (continued)	Approach to landing stalls
1		Power idle
		Gear down
		Full flaps
		Descend ~500 fpm
		Trim off pressures
		 Increase Angle of Attack until the wing stalls
		Recover
		Takeoff and departure stalls
		Power: 20" MP to full throttle
		Gear up
		Flaps up
		Trim set for takeoff
		Climb steeply
		 Increase Angle of Attack until the wing stalls
		Recover
		Accelerated stalls (Approach and/or Takeoff)
		Bank no more than 30°
		 Stall occurs at a higher indicated airspeed ("accelerated")
		Balked landing (Trimmed) stalls
		 Takeoff stalls with pitch trim set to the typi- cal landing position
		6 to 9 units up

ITEM	TASK	AMPLIFICATION
11	Simulated engine failure/ single engine maneuvering	Demonstrate only at altitude in VMC after clearing for traffic, including below
		Do not initiate a simulated engine failure below 5000 ft AGL
		Do not initiate a simulated engine failure below Vyse (Blue Line) speed
		Reduce engine temperatures gradually prior to initiating demonstration
		Simulate engine failure, troubleshooting (if time permits) and feathering
		Simulate engine failure with a gradual throttle reduction
		Do not initiate failure with mixture or fuel selector controls
		Single-engine maneuvering
		Air start
		Simulated engine failure to zero thrust
		12"MP/prop on detent
		Single engine maneuvering
		Single engine approach and landing
		If initiating a simulated or actual go-around from below 500 feet AGL, advance both engines to climb power and discontinue single-engine maneuvering
12	Manual landing gear exten-	Checklist use
	sion	Slow to 100-110 knots
		Continually check for traffic during demonstration
		Pilot should move the seat aft and recline the seat back. The front passenger should move the seat forward for better access to the manual gear hand crank.
		Extend the gear without using the autopilot (simulating a total electrical failure)
		Discuss using the autopilot during gear extension
		See the article "Manual Landing Gear Extension Technique" on the ABS website <i>Guide to Initial Pilot Checkout</i> page.

ITEM	TASK	AMPLIFICATION
13	Instrument procedures	VFR only pilots
		PACs demonstration
		Approach level
		500 fpm descent
		800 fpm descent
		Missed approach
		Basic attitude flight
		Recovery from unusual flight attitudes
		 Level, 180° escape turn
		Use of autopilot for escaping IMC
		IFR pilots wishing to exercise instrument rating privileges
		 PACs demonstration
		Approach level
		 Precision approach descent
		Non-precision approach descent
		MDA level off/Circling
		Missed approach
		Flows and checklist use
		 Approach set-up and briefing
		 Instrument Proficiency Check items as required by Part 91 and IFR Practice Test Standards Rating Task Table (p. 1-vii)
14	Visual approach and landing	Flows and checklist use
		Normal and crosswind landing
		Short-field landing
		Soft-field landing
		No-flap landing
		Simulated single-engine landing (zero thrust)
		Rejected landing ("go-around")
		Do not perform touch and goes
		Do not reconfigure the airplane during the landing roll. Clear the runway and come to a stop on the taxiway before retracting flaps, etc.

ABS/BPPP Guide to Initial Pilot Checkout: Normally Aspirated Barons

ITEM	TASK	AMPLIFICATION
15	Taxi and shutdown	Flows and checklist use
16	Post-flight inspection	Exterior walk-around to detect and issues that should be addressed before the next flight
17	Debriefing	Review of all tasks and maneuvers
		Any questions from the pilot
		Suggestions for additional study, practice and/or dual flight instruction
		Suggestions for a regimen of regular recurrent training, including participation in BPPP online or live instruction
		Discussion of personal minimums, especially in the pilot's first 100 hours in the specific aircraft
		Logbook entries
		Endorsements at the discretion of the instructor

ABS welcomes pilot and instructor comments on the Guide to Initial Pilot Checkout, as well as suggestions for additional and improvement. Please post your reviews and comments on the ABS Hangar Flying bulletin board Flight Instruction forum, or send them to asf@bonanza.org.

I hope this Guide has made you a better pilot and instructor.

Thomas P. Turner Executive Director

ABS Air Safety Foundation