

Section 5.0

HARNESSES APPLICATION (5/8")

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-1/(5-2 Blank)	G

Franklin

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
6A-350-C1 (28°, 220HP)	M6056	M6054	M6055	X							9
6A-350-C1 (28°, 220HP)	M2772	M2773	M2774					X			9
6A-350-C1A (28°, 220HP)	M6056	M6054	M6055	X							9
6A-350-C1A (28°, 220HP)	M2772	M2773	M2774					X			9
6A-350-C2 (28°, 215HP)	M6056	M6054	M6055	X							9
6A-350-C2 (28°, 215HP)	M2772	M2773	M2774					X			9
6A-350-C2A (28°, 212HP)	M6056	M6054	M6055	X							9
6A-350-C2A (28°, 212HP)	M2772	M2773	M2774					X			9
6A-350-D1 (28°, 200HP)	M6056	M6054	M6055	X							9
6A-350-D1 (28°, 200HP)	M2772	M2773	M2774					X			9
6A-350-D1A (28°, 230HP)	M6056	M6054	M6055	X							9
6A-350-D1A (28°, 230HP)	M2772	M2773	M2774					X			9
6A-350-D1B (28°, 220HP)	M6056	M6054	M6055	X							9
6A-350-D1B (28°, 220HP)	M2772	M2773	M2774					X			9
6A4-150-B3 (28°, 150HP)	M6056	M6054	M6055	X							
6A4-150-B31 (28°, 150HP)	M6056	M6054	M6055	X							
6A4-150-B31 (28°, 150HP)	M2772	M2773	M2774					X			
6A4-150-B4 (28°, 150HP)	M6056	M6054	M6055	X							
6A4-150-B4 (28°, 150HP)	M2772	M2773	M2774					X			
6A4-165-B3 (32°, 165HP)	M6056	M6054	M6055	X							
6A4-165-B3 (32°, 165HP)	M2772	M2773	M2774					X			
6A4-165-B4 (32°, 165HP)	M6056	M6054	M6055	X							
6A4-165-B4 (32°, 165HP)	M2772	M2773	M2774					X			
6A4-165-B6 (32°, 165HP)	M6056	M6054	M6055	X							
6A4-165-B6 (32°, 165HP)	M2772	M2773	M2774					X			

HARNESSES 5/8"

Great Plains

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
GREAT PLAINS-Volkswagen (30°, 65HP)	M2266			X							
Type 1-1600 (25°, 57HP)	M2266			X							
Type 1-1835 (25°, 65HP)	M2266			X							
Type 1-2180 (25°, 76HP)	M2266			X							
Type 4-2400 (25°, 85HP)	M2266			X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-3	G

Grob

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
GROB-Volkswagen (30°,65HP)	M2266			X									

HAPI

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
HAPI-Volkswagen-E (30°,65HP)	M2266			X									
HAPI-Volkswagen-G (30°,65HP)	M2266			X									

Limbach

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
LIMBACH-Volkswagen (30°,65HP)	M2266			X									

Monnett

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
MONNETT-Volkswagen (30°,65HP)	M2266			X									

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-4	G

Mosler

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness								Notes	
				4200; 4300	6200; 6300	600	SA-20; SA-200	S6-20; S6-200	SA-1200	S6-1200		D2000; D3000
MOSLER-Volkswagen (30°,65HP)	M2266			X								

Superior Air Parts

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness								Notes	
				4200; 4300	6200; 6300	600	SA-20; SA-200	S6-20; S6-200	SA-1200	S6-1200		D2000; D3000
IO-360 (25°,180HP)	M4001	M1795	M2992	X								
O-360 (25°,180HP)	M4001	M1795	M2992	X								

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness								Notes	
				4200; 4300	6200; 6300	600	SA-20; SA-200	S6-20; S6-200	SA-1200	S6-1200		D2000; D3000
A-65-1 (30°,65HP)	M2045	M1960	M1970	X								
A-65-1 (30°,65HP)	M2351	M2353	M2352				X					
A-65-3 (30°,65HP)	M2045	M1960	M1970	X								
A-65-3 (30°,65HP)	M2351	M2353	M2352				X					
A-65-6 (30°,65HP)	M2045	M1960	M1970	X								
A-65-6 (30°,65HP)	M2351	M2353	M2352				X					
A-65-6J (30°,65HP)	M2045	M1960	M1970	X								
A-65-6J (30°,65HP)	M2351	M2353	M2352				X					
A-65-7 (30°,65HP)	M2045	M1960	M1970	X								
A-65-7 (30°,65HP)	M2351	M2353	M2352				X					
A-65-8 (30°,65HP)	M2045	M1960	M1970	X								
A-65-8 (30°,65HP)	M2351	M2353	M2352				X					
A-65-8F (30°,65HP)	M2045	M1960	M1970	X								
A-65-8F (30°,65HP)	M2351	M2353	M2352				X					
A-65-8FJ (30°,65HP)	M2045	M1960	M1970	X								
A-65-8FJ (30°,65HP)	M2351	M2353	M2352				X					
A-65-8J (30°,65HP)	M2045	M1960	M1970	X								
A-65-8J (30°,65HP)	M2351	M2353	M2352				X					
A-65-9 (30°,65HP)	M2351	M2353	M2352				X					
A-65-9 (30°,65HP)	M2045	M1960	M1970	X								
A-65-9F (30°,65HP)	M2351	M2353	M2352				X					
A-65-9F (30°,65HP)	M2045	M1960	M1970	X								
A-65-9FJ (30°,65HP)	M2351	M2353	M2352				X					

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-5	G

HARNESSES 5/8"

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
A-65-9FJ (30°, 65HP)	M2045	M1960	M1970	X							
A-65-9J (30°, 65HP)	M2351	M2353	M2352				X				
A-75-3 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-6 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-6J (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8F (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8FJ (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8J (30°, 75HP)	M2045	M1960	M1970	X							
A-75-9 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-9J (30°, 75HP)	M2045	M1960	M1970	X							
C-125-2 (28°, 125HP)	M2130	M2132	M2131					X			
C-145-2 (26°, 145HP)	M2932	M2930	M2931		X						
C-145-2 (26°, 145HP)	M1884	M1920	M1915			X					
C-145-2 (26°, 145HP)	M2130	M2132	M2131				X				
C-145-2H (26°, 145HP)	M2932	M2930	M2931		X						
C-145-2H (26°, 145HP)	M1884	M1920	M1915			X					
C-145-2H (26°, 145HP)	M2130	M2132	M2131				X				
C-145-2HP (26°, 145HP)	M2932	M2930	M2931		X						
C-145-2HP (26°, 145HP)	M1884	M1920	M1915			X					
C-145-2HP (26°, 145HP)	M2130	M2132	M2131				X				
C-75-12 (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12 (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12F (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12F (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12FH (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12FH (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12FHJ (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12FHJ (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12FJ (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12FJ (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12J (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12J (30°, 75HP)	M2007	M2013	M2012				X				
C-75-15 (30°, 75HP)	M1780	M1755	M1745	X							
C-75-15 (30°, 75HP)	M2007	M2013	M2012				X				
C-75-15F (30°, 75HP)	M1780	M1755	M1745	X							
C-75-15F (30°, 75HP)	M2007	M2013	M2012				X				
C-75-8 (30°, 75HP)	M2045	M1960	M1970	X							
C-75-8 (30°, 75HP)	M2351	M2353	M2352				X				
C-75-8F (30°, 75HP)	M2045	M1960	M1970	X							
C-75-8F (30°, 75HP)	M2351	M2353	M2352				X				
C-75-8FH (30°, 75HP)	M2045	M1960	M1970	X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-6	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
C-75-8FH (30°,75HP)	M2351	M2353	M2352				X				
C-75-8FHJ (30°,75HP)	M2045	M1960	M1970	X							
C-75-8FHJ (30°,75HP)	M2351	M2353	M2352				X				
C-75-8FJ (30°,75HP)	M2045	M1960	M1970	X							
C-75-8FJ (30°,75HP)	M2351	M2353	M2352				X				
C-75-8J (30°,75HP)	M2045	M1960	M1970	X							
C-75-8J (30°,75HP)	M2351	M2353	M2352				X				
C-85-12 (30°,85HP)	M1780	M1755	M1745	X							
C-85-12 (30°,85HP)	M2007	M2013	M2012				X				
C-85-12F (30°,85HP)	M1780	M1755	M1745	X							
C-85-12F (30°,85HP)	M2007	M2013	M2012				X				
C-85-12FH (30°,85HP)	M1780	M1755	M1745	X							
C-85-12FH (30°,85HP)	M2007	M2013	M2012				X				
C-85-12FHJ (30°,85HP)	M1780	M1755	M1745	X							
C-85-12FHJ (30°,85HP)	M2007	M2013	M2012				X				
C-85-12FJ (30°,85HP)	M1780	M1755	M1745	X							
C-85-12FJ (30°,85HP)	M2007	M2013	M2012				X				
C-85-12J (30°,85HP)	M1780	M1755	M1745	X							
C-85-12J (30°,85HP)	M2007	M2013	M2012				X				
C-85-14 (30°,85HP)	M1780	M1755	M1745	X							
C-85-14 (30°,85HP)	M2007	M2013	M2012				X				
C-85-14F (30°,85HP)	M1780	M1755	M1745	X							
C-85-14F (30°,85HP)	M2007	M2013	M2012				X				
C-85-15 (30°,85HP)	M1780	M1755	M1745	X							
C-85-15 (30°,85HP)	M2007	M2013	M2012				X				
C-85-15F (30°,85HP)	M1780	M1755	M1745	X							
C-85-15F (30°,85HP)	M2007	M2013	M2012				X				
C-85-8 (30°,85HP)	M2045	M1960	M1970	X							
C-85-8 (30°,85HP)	M2351	M2353	M2352				X				
C-85-8F (30°,85HP)	M2045	M1960	M1970	X							
C-85-8F (30°,85HP)	M2351	M2353	M2352				X				
C-85-8FHJ (30°,87HP)	M2045	M1960	M1970	X							
C-85-8FHJ (30°,87HP)	M2351	M2353	M2352				X				
C-85-8FJ (30°,87HP)	M2045	M1960	M1970	X							
C-85-8FJ (30°,87HP)	M2351	M2353	M2352				X				
C-85-8J (30°,87HP)	M2045	M1960	M1970	X							
C-85-8J (30°,87HP)	M2351	M2353	M2352				X				
C-90-12F (25°,95HP)	M1780	M1755	M1745	X							
C-90-12F (25°,95HP)	M2007	M2013	M2012				X				
C-90-12FH (25°,95HP)	M1780	M1755	M1745	X							
C-90-12FH (25°,95HP)	M2007	M2013	M2012				X				
C-90-12FJ (25°,95HP)	M1780	M1755	M1745	X							
C-90-12FJ (25°,95HP)	M2007	M2013	M2012				X				
C-90-12FP (25°,95HP)	M1780	M1755	M1745	X							

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-7	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
C-90-12FP (25°, 95HP)	M2007	M2013	M2012				X				
C-90-14F (25°, 95HP)	M1780	M1755	M1745	X							
C-90-14F (25°, 95HP)	M2007	M2013	M2012				X				
C-90-14FH (25°, 95HP)	M1780	M1755	M1745	X							
C-90-14FH (25°, 95HP)	M2007	M2013	M2012				X				
C-90-14FJ (25°, 95HP)	M1780	M1755	M1745	X							
C-90-14FJ (25°, 95HP)	M2007	M2013	M2012				X				
C-90-16F (25°, 95HP)	M1780	M1755	M1745	X							
C-90-16F (25°, 95HP)	M2007	M2013	M2012				X				
C-90-8F (25°, 95HP)	M2045	M1960	M1970	X							
C-90-8F (25°, 95HP)	M2351	M2353	M2352				X				
C-90-8FJ (25°, 95HP)	M2045	M1960	M1970	X							
C-90-8FJ (25°, 95HP)	M2351	M2353	M2352				X				
E-165-2 (26°, 165HP)	M6068	M6066	M6067		X						
E-165-2 (26°, 165HP)	M2176	M2178	M2177					X			
E-165-3 (26°, 165HP)	M6068	M6066	M6067		X						
E-165-3 (26°, 165HP)	M2176	M2178	M2177					X			
E-165-4 (26°, 165HP)	M6068	M6066	M6067		X						
E-165-4 (26°, 165HP)	M2176	M2178	M2177					X			
E-185-1 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-1 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-10 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-10 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-11 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-11 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-2 (26°, 185HP)	M6068	M6066	M6067		X						
E-185-2 (26°, 185HP)	M2176	M2178	M2177					X			
E-185-3 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-3 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-5 (26°, 185HP)	M6068	M6066	M6067		X						
E-185-5 (26°, 185HP)	M2176	M2178	M2177					X			
E-185-8 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-8 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-9 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-9 (26°, 205HP)	M2176	M2178	M2177					X			
E-225-2 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-2 (26°, 225HP)	M2176	M2178	M2177					X			
E-225-4 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-4 (26°, 225HP)	M2176	M2178	M2177					X			
E-225-8 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-8 (26°, 225HP)	M2176	M2178	M2177					X			
E-225-9 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-9 (26°, 225HP)	M2176	M2178	M2177					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-8	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
GO-300-A (28°,175HP)	M2938	M2936	M2937	X																
GO-300-A (28°,175HP)	M2023	M2027	M2026		X															
GO-300-A (28°,175HP)	M2345	M2347	M2346							X										
GO-300-B (28°,175HP)	M2938	M2936	M2937	X																
GO-300-B (28°,175HP)	M2023	M2027	M2026		X															
GO-300-B (28°,175HP)	M2345	M2347	M2346							X										
GO-300-C (28°,175HP)	M2938	M2936	M2937	X																
GO-300-C (28°,175HP)	M2023	M2027	M2026		X															
GO-300-C (28°,175HP)	M2345	M2347	M2346							X										
GO-300-D (28°,175HP)	M2938	M2936	M2937	X																
GO-300-D (28°,175HP)	M2023	M2027	M2026		X															
GO-300-D (28°,175HP)	M2345	M2347	M2346							X										
GO-300-E (28°,175HP)	M2938	M2936	M2937	X																
GO-300-E (28°,175HP)	M2023	M2027	M2026		X															
GO-300-E (28°,175HP)	M2345	M2347	M2346							X										
IO-470-A (24°,240HP)	M2828	M2829	M2830	X																
IO-470-A (24°,240HP)	M1878				X															
IO-470-A (24°,240HP)	M1978	M2010	M2005							X										
IO-470-C (26°,250HP)	M2828	M2829	M2830	X																
IO-470-C (26°,250HP)	M1878				X															
IO-470-C (26°,250HP)	M1978	M2010	M2005							X										
IO-470-D (20°,260HP)	M2828	M2829	M2830	X																
IO-470-D (20°,260HP)	M1878				X															
IO-470-D (20°,260HP)	M1978	M2010	M2005							X										
IO-470-E (20°,260HP)	M2828	M2829	M2830	X																
IO-470-E (20°,260HP)	M1878				X															
IO-470-E (20°,260HP)	M1978	M2010	M2005							X										
IO-470-F (20°,260HP)	M2828	M2829	M2830	X																
IO-470-F (20°,260HP)	M1878				X															
IO-470-F (20°,260HP)	M1978	M2010	M2005							X										
IO-470-G (26°,250HP)	M2828	M2829	M2830	X																
IO-470-G (26°,250HP)	M1878				X															
IO-470-G (26°,250HP)	M1978	M2010	M2005							X										
IO-470-H (20°,260HP)	M2828	M2829	M2830	X																
IO-470-H (20°,260HP)	M1878				X															
IO-470-H (20°,260HP)	M1978	M2010	M2005							X										
IO-470-J (22°,225HP)	M2828	M2829	M2830	X																
IO-470-J (22°,225HP)	M1878				X															
IO-470-J (22°,225HP)	M1978	M2010	M2005							X										
IO-470-K (22°,225HP)	M2828	M2829	M2830	X																
IO-470-K (22°,225HP)	M1878				X															
IO-470-K (22°,225HP)	M1978	M2010	M2005							X										
IO-470-L (20°,260HP)	M2828	M2829	M2830	X																
IO-470-L (20°,260HP)	M1878				X															
IO-470-L (20°,260HP)	M1978	M2010	M2005							X										

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-9	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
IO-470-LO (20°,260HP)	M2828	M2829	M2830	X																
IO-470-LO (20°,260HP)	M1878					X														
IO-470-LO (20°,260HP)	M1978	M2010	M2005							X										
IO-470-M (20°,260HP)	M2828	M2829	M2830	X																
IO-470-M (20°,260HP)	M1878					X														
IO-470-M (20°,260HP)	M1978	M2010	M2005							X										
IO-470-N (20°,260HP)	M2828	M2829	M2830	X																
IO-470-N (20°,260HP)	M1878					X														
IO-470-N (20°,260HP)	M1978	M2010	M2005							X										
IO-470-P (26°,250HP)	M2828	M2829	M2830	X																
IO-470-P (26°,250HP)	M1878					X														
IO-470-P (26°,250HP)	M1978	M2010	M2005							X										
IO-470-R (26°,250HP)	M2828	M2829	M2830	X																
IO-470-R (26°,250HP)	M1878					X														
IO-470-R (26°,250HP)	M1978	M2010	M2005							X										
IO-470-S (20°,260HP)	M2828	M2829	M2830	X																
IO-470-S (20°,260HP)	M1878					X														
IO-470-S (20°,260HP)	M1978	M2010	M2005							X										
IO-470-T (26°,250HP)	M2828	M2829	M2830	X																
IO-470-T (26°,250HP)	M1878					X														
IO-470-T (26°,250HP)	M1978	M2010	M2005							X										
IO-470-U (20°,260HP)	M2828	M2829	M2830	X																
IO-470-U (20°,260HP)	M1878					X														
IO-470-U (20°,260HP)	M1978	M2010	M2005							X										
IO-470-V (20°,260HP)	M2828	M2829	M2830	X																
IO-470-V (20°,260HP)	M1878					X														
IO-470-V (20°,260HP)	M1978	M2010	M2005							X										
IO-470-VO (20°,260HP)	M2828	M2829	M2830	X																
IO-470-VO (20°,260HP)	M1878					X														
IO-470-VO (20°,260HP)	M1978	M2010	M2005							X										
IO-520-A (22°,285HP)	M2828	M2829	M2830	X																
IO-520-A (22°,285HP)	M1878					X														
IO-520-A (22°,285HP)	M1978	M2010	M2005							X										
IO-520-B (22°,285HP)	M2828	M2829	M2830	X																
IO-520-B (22°,285HP)	M1878					X														
IO-520-B (22°,285HP)	M1978	M2010	M2005							X										
IO-520-BA (22°,285HP)	M2828	M2829	M2830	X																
IO-520-BA (22°,285HP)	M1878					X														
IO-520-BA (22°,285HP)	M1978	M2010	M2005							X										
IO-520-BB (22°,285HP)	M2828	M2829	M2830	X																
IO-520-BB (22°,285HP)	M1878					X														
IO-520-BB (22°,285HP)	M1978	M2010	M2005							X										
IO-520-C (22°,285HP)	M2828	M2829	M2830	X																
IO-520-C (22°,285HP)	M1878					X														
IO-520-C (22°,285HP)	M1978	M2010	M2005							X										

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-10	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		600	SA-20; SA-200		S6-20; S6-200		D2000; D3000	Notes
				6200; 6300	600		SA-1200	S6-1200				
IO-520-CB (22°, 285HP)	M2828	M2829	M2830	X								
IO-520-CB (22°, 285HP)	M1878				X							
IO-520-CB (22°, 285HP)	M1978	M2010	M2005				X					
IO-520-D (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-D (22°, 300HP)	M1878				X							
IO-520-D (22°, 300HP)	M1978	M2010	M2005				X					
IO-520-E (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-E (22°, 300HP)	M1878				X							
IO-520-E (22°, 300HP)	M1978	M2010	M2005				X					
IO-520-F (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-F (22°, 300HP)	M1878				X							
IO-520-F (22°, 300HP)	M1978	M2010	M2005				X					
IO-520-J (22°, 285HP)	M2828	M2829	M2830	X								
IO-520-J (22°, 285HP)	M1878				X							
IO-520-J (22°, 285HP)	M1978	M2010	M2005				X					
IO-520-K (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-K (22°, 300HP)	M1878				X							
IO-520-K (22°, 300HP)	M1978	M2010	M2005				X					
IO-520-L (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-L (22°, 300HP)	M1878				X							
IO-520-L (22°, 300HP)	M1978	M2010	M2005				X					
IO-520-M (22°, 285HP)	M2828	M2829	M2830	X								
IO-520-M (22°, 285HP)	M1878				X							
IO-520-M (22°, 285HP)	M1978	M2010	M2005				X					
IO-520-MB (22°, 285HP)	M2828	M2829	M2830	X								
IO-520-MB (22°, 285HP)	M1878				X							
IO-520-MB (22°, 285HP)	M1978	M2010	M2005				X					
IO-520-N (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-N (22°, 300HP)	M1878				X							
IO-520-N (22°, 300HP)	M1978	M2010	M2005				X					
IO-520-NB (22°, 300HP)	M2828	M2829	M2830	X								
IO-520-NB (22°, 300HP)	M1878				X							
IO-520-NB (22°, 300HP)	M1978	M2010	M2005				X					
IO-550-A (22°, 300HP)	M2828	M2829	M2830	X								
LTSIO-520-AE (20°, 250HP)	M1978	M2010	M2005				X					
O-200-A (25°, 100HP)	M1780	M1755	M1745	X								
O-200-A (25°, 100HP)	M2007	M2013	M2012				X					
O-200-B (25°, 100HP)	M1780	M1755	M1745	X								
O-200-B (25°, 100HP)	M2007	M2013	M2012				X					
O-200-C (25°, 100HP)	M1780	M1755	M1745	X								
O-200-C (25°, 100HP)	M2007	M2013	M2012				X					

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-11	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes	
O-300-A (26°,145HP)	M2932	M2930	M2931	X																	
O-300-A (26°,145HP)	M1884	M1920	M1915			X															
O-300-A (26°,145HP)	M2130	M2132	M2131							X											
O-300-B (26°,145HP)	M2932	M2930	M2931	X																	
O-300-B (26°,145HP)	M1884	M1920	M1915			X															
O-300-B (26°,145HP)	M2130	M2132	M2131							X											
O-300-C (26°,145HP)	M2932	M2930	M2931	X																	
O-300-C (26°,145HP)	M1884	M1920	M1915			X															
O-300-C (26°,145HP)	M2130	M2132	M2131							X											
O-300-D (26°,145HP)	M2932	M2930	M2931	X																	
O-300-D (26°,145HP)	M1884	M1920	M1915			X															
O-300-D (26°,145HP)	M2130	M2132	M2131							X											
O-300-E (26°,145HP)	M2932	M2930	M2931	X																	
O-300-E (26°,145HP)	M1884	M1920	M1915			X															
O-300-E (26°,145HP)	M2130	M2132	M2131							X											
O-470-11 (26°,213HP)	M6068	M6066	M6067	X																	
O-470-11 (26°,213HP)	M2176	M2178	M2177							X											
O-470-11B (26°,213HP)	M6068	M6066	M6067	X																	
O-470-11B (26°,213HP)	M2176	M2178	M2177							X											
O-470-11B-C1 (26°,213HP)	M6068	M6066	M6067	X																	
O-470-11B-C1 (26°,213HP)	M2176	M2178	M2177							X											
O-470-11-C1 (26°,213HP)	M6068	M6066	M6067	X																	
O-470-11-C1 (26°,213HP)	M2176	M2178	M2177							X											
O-470-13 (26°,225HP)	M6068	M6066	M6067	X																	
O-470-13 (26°,225HP)	M2176	M2178	M2177							X											
O-470-13A (26°,225HP)	M6068	M6066	M6067	X																	
O-470-13A (26°,225HP)	M2176	M2178	M2177							X											
O-470-15 (26°,213HP)	M6068	M6066	M6067	X																	
O-470-15 (26°,213HP)	M2176	M2178	M2177							X											
O-470-4 (26°,225HP)	M6068	M6066	M6067	X																	
O-470-4 (26°,225HP)	M2176	M2178	M2177							X											
O-470-A (26°,225HP)	M2828	M2829	M2830	X																	
O-470-A (26°,225HP)	M1878					X															
O-470-A (26°,225HP)	M1978	M2010	M2005							X											
O-470-B (24°,240HP)	M2828	M2829	M2830	X																	
O-470-B (24°,240HP)	M1878					X															
O-470-B (24°,240HP)	M1978	M2010	M2005							X											
O-470-B-C1 (24°,240HP)	M2828	M2829	M2830	X																	
O-470-B-C1 (24°,240HP)	M1878					X															
O-470-B-C1 (24°,240HP)	M1978	M2010	M2005							X											
O-470-E (26°,225HP)	M2828	M2829	M2830	X																	
O-470-E (26°,225HP)	M1878					X															
O-470-E (26°,225HP)	M1978	M2010	M2005							X											
O-470-G (24°,240HP)	M2828	M2829	M2830	X																	
O-470-G (24°,240HP)	M1878					X															

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-12	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
O-470-G (24°,240HP)	M1978	M2010	M2005								X									
O-470-G-C1 (24°,240HP)	M2828	M2829	M2830	X																
O-470-G-C1 (24°,240HP)	M1878					X														
O-470-G-C1 (24°,240HP)	M1978	M2010	M2005								X									
O-470-H (24°,240HP)	M2828	M2829	M2830	X																
O-470-H (24°,240HP)	M1878					X														
O-470-H (24°,240HP)	M1978	M2010	M2005								X									
O-470-J (20°,225HP)	M2828	M2829	M2830	X																
O-470-J (20°,225HP)	M1878					X														
O-470-J (20°,225HP)	M1978	M2010	M2005								X									
O-470-K (22°,230HP)	M2828	M2829	M2830	X																
O-470-K (22°,230HP)	M1878					X														
O-470-K (22°,230HP)	M1978	M2010	M2005								X									
O-470-K-C1 (22°,230HP)	M2828	M2829	M2830	X																
O-470-K-C1 (22°,230HP)	M1878					X														
O-470-K-C1 (22°,230HP)	M1978	M2010	M2005								X									
O-470-L (22°,230HP)	M2828	M2829	M2830	X																
O-470-L (22°,230HP)	M1878					X														
O-470-L (22°,230HP)	M1978	M2010	M2005								X									
O-470-L-C1 (22°,230HP)	M2828	M2829	M2830	X																
O-470-L-C1 (22°,230HP)	M1878					X														
O-470-L-C1 (22°,230HP)	M1978	M2010	M2005								X									
O-470-M (24°,240HP)	M2828	M2829	M2830	X																
O-470-M (24°,240HP)	M1878					X														
O-470-M (24°,240HP)	M1978	M2010	M2005								X									
O-470-M-C1 (24°,240HP)	M2828	M2829	M2830	X																
O-470-M-C1 (24°,240HP)	M1878					X														
O-470-M-C1 (24°,240HP)	M1978	M2010	M2005								X									
O-470-N (24°,240HP)	M2828	M2829	M2830	X																
O-470-N (24°,240HP)	M1878					X														
O-470-N (24°,240HP)	M1978	M2010	M2005								X									
O-470-P (24°,240HP)	M2828	M2829	M2830	X																
O-470-P (24°,240HP)	M1878					X														
O-470-P (24°,240HP)	M1978	M2010	M2005								X									
O-470-R (22°,230HP)	M2828	M2829	M2830	X																
O-470-R (22°,230HP)	M1878					X														
O-470-R (22°,230HP)	M1978	M2010	M2005								X									
O-470-S (22°,230HP)	M2828	M2829	M2830	X																
O-470-S (22°,230HP)	M1878					X														
O-470-S (22°,230HP)	M1978	M2010	M2005								X									
O-470-T (24°,230HP)	M2828	M2829	M2830	X																
O-470-T (24°,230HP)	M1878					X														
O-470-T (24°,230HP)	M1978	M2010	M2005								X									
O-470-U (24°,230HP)	M2828	M2829	M2830	X																
O-470-U (24°,230HP)	M1878					X														
O-470-U (24°,230HP)	M1978	M2010	M2005								X									

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-13	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
TSIO-470-B (22°, 260HP)	M1978	M2010	M2005					X			
TSIO-470-C (22°, 260HP)	M1978	M2010	M2005					X			
TSIO-470-D (22°, 260HP)	M1978	M2010	M2005					X			
TSIO-520-A (20°, 285HP)	M1878					X					
TSIO-520-A (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-AE (20°, 250HP)	M1978	M2010	M2005					X			
TSIO-520-B (20°, 285HP)	M1878					X					
TSIO-520-B (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-BB (20°, 285HP)	M1878					X					
TSIO-520-BB (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-C (20°, 285HP)	M1878					X					
TSIO-520-C (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-CE (20°, 325HP)	M1878					X					
TSIO-520-CE (20°, 325HP)	M1978	M2010	M2005					X			
TSIO-520-D (20°, 285HP)	M1878					X					
TSIO-520-D (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-DB (20°, 285HP)	M1878					X					
TSIO-520-DB (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-E (20°, 300HP)	M1878					X					
TSIO-520-E (20°, 300HP)	M1978	M2010	M2005					X			
TSIO-520-EB (20°, 300HP)	M1878					X					
TSIO-520-EB (20°, 300HP)	M1978	M2010	M2005					X			
TSIO-520-G (22°, 300HP)	M1878					X					
TSIO-520-G (22°, 300HP)	M1978	M2010	M2005					X			
TSIO-520-H (20°, 285HP)	M1878					X					
TSIO-520-H (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-J (20°, 310HP)	M1878					X					
TSIO-520-J (20°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-JB (20°, 310HP)	M1878					X					
TSIO-520-JB (20°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-K (20°, 285HP)	M1878					X					
TSIO-520-K (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-KB (20°, 285HP)	M1878					X					
TSIO-520-KB (20°, 285HP)	M1978	M2010	M2005					X			
TSIO-520-L (20°, 310HP)	M1878					X					
TSIO-520-L (20°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-LB (20°, 310HP)	M1878					X					
TSIO-520-LB (20°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-M (22°, 310HP)	M1878					X					
TSIO-520-M (22°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-N (20°, 310HP)	M1878					X					
TSIO-520-N (20°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-NB (20°, 310HP)	M1878					X					
TSIO-520-NB (20°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-P (22°, 310HP)	M1878					X					

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-14	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
TSIO-520-P (22°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-R (22°, 310HP)	M1878					X					
TSIO-520-R (22°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-T (22°, 310HP)	M1878					X					
TSIO-520-T (22°, 310HP)	M1978	M2010	M2005					X			
TSIO-520-U (22°, 300HP)	M1878					X					
TSIO-520-U (22°, 300HP)	M1978	M2010	M2005					X			
TSIO-520-UB (22°, 300HP)	M1878					X					
TSIO-520-UB (22°, 300HP)	M1978	M2010	M2005					X			
TSIO-520-VB (20°, 325HP)	M1878					X					
TSIO-520-VB (20°, 325HP)	M1978	M2010	M2005					X			
TSIO-520-WB (20°, 325HP)	M1878					X					
TSIO-520-WB (20°, 325HP)	M1978	M2010	M2005					X			

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
AEIO-320-D1B (25°, 160HP)	M4005	M2981	M2982	X							2
AEIO-320-D1B (25°, 160HP)	M2364	M1980	M1975				X				2
AEIO-320-D1B (25°, 160HP)	M2365	M2017	M2016					X			2
AEIO-320-D2B (25°, 160HP)	M4005	M2981	M2982	X							2
AEIO-320-D2B (25°, 160HP)	M2364	M1980	M1975				X				2
AEIO-320-D2B (25°, 160HP)	M2365	M2017	M2016					X			2
AEIO-320-E1A (25°, 150HP)	M4004	M2989	M2990	X							2
AEIO-320-E1A (25°, 150HP)	M2364	M1980	M1975				X				2
AEIO-320-E1A (25°, 150HP)	M2365	M2017	M2016					X			2
AEIO-320-E1B (25°, 150HP)	M4001	M1795	M2992	X							2
AEIO-320-E1B (25°, 150HP)	M2364	M1980	M1975				X				2
AEIO-320-E1B (25°, 150HP)	M2365	M2017	M2016					X			2
AEIO-320-E2A (25°, 150HP)	M4004	M2989	M2990	X							2
AEIO-320-E2A (25°, 150HP)	M2364	M1980	M1975				X				2
AEIO-320-E2A (25°, 150HP)	M2365	M2017	M2016					X			2
AEIO-320-E2B (25°, 150HP)	M4001	M1795	M2992	X							2
AEIO-320-E2B (25°, 150HP)	M2364	M1980	M1975				X				2
AEIO-320-E2B (25°, 150HP)	M2365	M2017	M2016					X			2
AEIO-360-A1A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1A (20°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1A (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1A (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1A (25°, 200HP)	M2364	M1980	M1975				X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-15	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
AEIO-360-A1A (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B (20°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1B (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B (25°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B6 (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B6 (20°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1B6 (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B6 (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B6 (25°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1B6 (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1D (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1D (20°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1D (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1D (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1D (25°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1D (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1E (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1E (20°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1E (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1E (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1E (25°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A1E (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1E6 (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1E6 (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A2A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A2A (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A2B (20°, 200HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-A2B (20°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A2B (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A2B (25°, 200HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-A2B (25°, 200HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-A2B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A2C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A2C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-B1B (25°, 180HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-B1B (25°, 180HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-B1B (25°, 180HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-B1D (25°, 180HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-B1F (25°, 180HP)	M4005	M2981	M2982	X							2, 3
AEIO-360-B1F (25°, 180HP)	M2364	M1980	M1975			X					2, 3
AEIO-360-B1F (25°, 180HP)	M2365	M2017	M2016					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-16	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		600	S4-20; S4-200		S6-20; S6-200		D2000; D3000	Notes
				6200; 6300	600		S4-1200	S6-1200				
AEIO-360-B1F6 (25°, 180HP)	M4001	M1795	M2992	X								2, 3
AEIO-360-B1F6 (25°, 180HP)	M2364	M1980	M1975				X					2, 3
AEIO-360-B1F6 (25°, 180HP)	M2365	M2017	M2016					X				2, 3
AEIO-360-B1G6 (25°, 180HP)	M4001	M1795	M2992	X								2, 3
AEIO-360-B1G6 (25°, 180HP)	M2364	M1980	M1975				X					2, 3
AEIO-360-B1G6 (25°, 180HP)	M2365	M2017	M2016					X				2, 3
AEIO-360-B2F (25°, 180HP)	M4005	M2981	M2982	X								2, 3
AEIO-360-B2F (25°, 180HP)	M2364	M1980	M1975				X					2, 3
AEIO-360-B2F (25°, 180HP)	M2365	M2017	M2016					X				2, 3
AEIO-360-B2F6 (25°, 180HP)	M4001	M1795	M2992	X								2, 3
AEIO-360-B4A (25°, 180HP)	M4004	M2989	M2990	X								2, 3
AEIO-360-B4A (25°, 180HP)	M2364	M1980	M1975				X					2, 3
AEIO-360-B4A (25°, 180HP)	M2365	M2017	M2016					X				2, 3
AEIO-360-H1A (25°, 180HP)	M4001	M1795	M2992	X								2, 3
AEIO-360-H1A (25°, 180HP)	M2364	M1980	M1975				X					2, 3
AEIO-360-H1A (25°, 180HP)	M2365	M2017	M2016					X				2, 3
AEIO-540-D4A5 (25°, 260HP)	M6014	M6027	M2956		X							
AEIO-540-D4A5 (25°, 260HP)	M6030	M6023	M6024		X							
AEIO-540-D4A5 (25°, 260HP)	M2121	M2123	M2122					X				
AEIO-540-D4A5 (25°, 260HP)	M2154	M2155	M2156						X			
AEIO-540-D4B5 (25°, 260HP)	M6000	M2961	M2962		X							
AEIO-540-D4B5 (25°, 260HP)	M6030	M6023	M6024		X							
AEIO-540-D4B5 (25°, 260HP)	M6001	M2959	M2960		X							
AEIO-540-D4B5 (25°, 260HP)	M2121	M2123	M2122					X				
AEIO-540-D4B5 (25°, 260HP)	M2154	M2155	M2156						X			
AEIO-540-D4C5 (25°, 260HP)	M6000	M2961	M2962		X							
AEIO-540-D4D5 (25°, 260HP)	M6014	M6027	M2956		X							
AEIO-540-L1B5 (20°, 300HP)	M6001	M2959	M2960		X							
AIO-320-A1B (25°, 160HP)	M4005	M2981	M2982	X								2
AIO-320-A1B (25°, 160HP)	M2364	M1980	M1975				X					2
AIO-320-A1B (25°, 160HP)	M2365	M2017	M2016					X				2
AIO-320-A2A (25°, 160HP)	M4007	M2977	M2976	X								2
AIO-320-A2B (25°, 160HP)	M4001	M1795	M2992	X								2
AIO-320-A2B (25°, 160HP)	M2364	M1980	M1975				X					2
AIO-320-A2B (25°, 160HP)	M2365	M2017	M2016					X				2
AIO-320-B1B (25°, 160HP)	M4005	M2981	M2982	X								2
AIO-320-B1B (25°, 160HP)	M2364	M1980	M1975				X					2
AIO-320-B1B (25°, 160HP)	M2365	M2017	M2016					X				2
AIO-320-C1B (25°, 160HP)	M4005	M2981	M2982	X								2
AIO-360-A1A (20°, 200HP)	M2364	M1980	M1975				X					2, 3
AIO-360-A1A (20°, 200HP)	M2365	M2017	M2016					X				2, 3
AIO-360-A1A (25°, 200HP)	M2364	M1980	M1975				X					2, 3
AIO-360-A1A (25°, 200HP)	M2365	M2017	M2016					X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-17	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
AIO-360-A1B (20°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A1B (25°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A1B (25°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A2B (20°,200HP)	M4001	M1795	M2992	X							2, 3
AIO-360-A2B (20°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A2B (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A2B (25°,200HP)	M4001	M1795	M2992	X							2, 3
AIO-360-A2B (25°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A2B (25°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-B1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-B1B (25°,200HP)	M2365	M2017	M2016					X			2, 3
GO-435-C2A (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2A2 (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2B (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2B1 (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2B2 (25°,260HP)	M2474	M2475	M2476					X			
GO-480-B (25°,270HP)	M2474	M2475	M2476					X			
GO-480-B1A6 (25°,270HP)	M2474	M2475	M2476					X			
GO-480-B1C (25°,270HP)	M2474	M2475	M2476					X			
GO-480-B1D (25°,270HP)	M2474	M2475	M2476					X			
GO-480-C1D6 (25°,295HP)	M2474	M2475	M2476					X			
GO-480-D1A (25°,275HP)	M2854	M2855	M2476					X			
GO-480-G1A6 (25°,295HP)	M2474	M2475	M2476					X			
GO-480-G1B6 (25°,295HP)	M2854	M2855	M2476					X			
GO-480-G1D6 (25°,295HP)	M2474	M2475	M2476					X			
GO-480-G1J6 (25°,295HP)	M2736	M2737	M2738					X			
GO-480-G1J6 (25°,295HP)	M2742	M2743	M2744						X		
GSO-480-B1J6 (25°,340HP)	M2748	M2749	M2750					X			
GSO-480-B1J6 (25°,340HP)	M2745	M2746	M2747						X		
HIO-360-A1A (25°,180HP)	M2817	M2818	M2819				X				2, 3
HIO-360-B1A (25°,180HP)	M2795	M2793	M2794				X				2, 3
HIO-360-C1A (25°,205HP)	M2795	M2793	M2794				X				2, 3
HIO-360-C1B (25°,205HP)	M2411	M2412	M2413					X			2, 3
HIO-360-D1A (20°,190HP)	M4007	M2977	M2976	X							2, 3
HIO-360-D1A (20°,190HP)	M2655	M2656	M2657					X			2, 3
HO-360-A1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
HO-360-B1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
HO-360-B1B (25°,180HP)	M2364	M1980	M1975				X				2, 3
HO-360-C1A (25°,180HP)	M2364	M1980	M1975				X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-18	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IGSO-480-A1A6 - 1/2" (25°,340HP)	M2244	M2246	M2245					X			
IGSO-480-A1A6 - 1/2" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1A6 - 13/16" (25°,340HP)	M2244	M2246	M2245					X			
IGSO-480-A1A6 - 13/16" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1B6 - 1/2" (25°,340HP)	M2244	M2246	M2245					X			
IGSO-480-A1B6 - 1/2" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1B6 - 13/16" (25°,340HP)	M2244	M2246	M2245					X			
IGSO-480-A1B6 - 13/16" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1E6 - 1/2" (25°,340HP)	M2244	M2246	M2245					X			
IGSO-480-A1E6 - 1/2" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1E6 - 13/16" (25°,340HP)	M2244	M2246	M2245					X			
IGSO-480-A1E6 - 13/16" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-540-A1D (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-A1E (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-A1F (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-B1A (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-B1C (25°,380HP)	M2259	M2261	M2260						X		
IO-320-A1A (25°,150HP)	M4000	M2975	M2976	X							2
IO-320-A2A (25°,150HP)	M4000	M2975	M2976	X							2
IO-320-B1A (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-B1A (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1A (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B1B (25°,160HP)	M4001	M1795	M2992	X							2
IO-320-B1B (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1B (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B1C (25°,160HP)	M4004	M2989	M2990	X							2
IO-320-B1C (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1C (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B1D (25°,160HP)	M4007	M2977	M2976	X							2
IO-320-B1D (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1D (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B2A (25°,160HP)	M4004	M2989	M2990	X							2

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-19	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-320-B2A (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-B2A (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-C1A - 1/2" (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-C1A - 1/2" (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-C1A - 1/2" (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-C1A - 13/16" (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-C1A - 13/16" (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-C1A - 13/16" (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-D1A (25°,160HP)	M4005	M2981	M2982	X							2
IO-320-D1A (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-D1A (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-D1B (25°,160HP)	M4005	M2981	M2982	X							2
IO-320-D1B (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-D1B (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-E1A (25°,150HP)	M4004	M2989	M2990	X							2
IO-320-E1A (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E1A (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-E1B (25°,150HP)	M4001	M1795	M2992	X							2
IO-320-E1B (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E1B (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-E2A (25°,150HP)	M4004	M2989	M2990	X							2
IO-320-E2A (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E2A (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-E2B (25°,150HP)	M4001	M1795	M2992	X							2
IO-320-E2B (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E2B (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-F1A (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-F1A (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-F1A (25°,160HP)	M2365	M2017	M2016					X			2
IO-360-A1A (20°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1A (20°,200HP)	M2402	M2403	M2404				X				2, 3
IO-360-A1A (20°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1A (25°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1A (25°,200HP)	M2402	M2403	M2404				X				2, 3
IO-360-A1A (25°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1B (20°,200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1B (20°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1B (20°,200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1B (20°,200HP)	M4007	M2977	M2976	X							2, 3
IO-360-A1B (20°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1B (25°,200HP)	M4012	M4019	M4020	X							2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-20	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
IO-360-A1B (25°,200HP)	M4004	M2989	M2990	X																2, 3
IO-360-A1B (25°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A1B (25°,200HP)	M4007	M2977	M2976	X																2, 3
IO-360-A1B (25°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1B (25°,200HP)	M2365	M2017	M2016								X									2, 3
IO-360-A1B6 (20°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A1B6 (20°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A1B6 (20°,200HP)	M4007	M2977	M2976	X																2, 3
IO-360-A1B6 (20°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1B6 (20°,200HP)	M2420	M2421	M2422								X									2, 3
IO-360-A1B6 (25°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A1B6 (25°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A1B6 (25°,200HP)	M4007	M2977	M2976	X																2, 3
IO-360-A1B6 (25°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1B6 (25°,200HP)	M2420	M2421	M2422								X									2, 3
IO-360-A1C (20°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A1C (20°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1C (20°,200HP)	M2365	M2017	M2016								X									2, 3
IO-360-A1C (25°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A1C (25°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1C (25°,200HP)	M2365	M2017	M2016								X									2, 3
IO-360-A1D (20°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A1D (20°,200HP)	M4004	M2989	M2990	X																2, 3
IO-360-A1D (20°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1D (20°,200HP)	M2420	M2421	M2422								X									2, 3
IO-360-A1D (25°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A1D (25°,200HP)	M4004	M2989	M2990	X																2, 3
IO-360-A1D (25°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1D (25°,200HP)	M2420	M2421	M2422								X									2, 3
IO-360-A1D6 (20°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A1D6 (20°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A1D6 (20°,200HP)	M2420	M2421	M2422								X									2, 3
IO-360-A1D6 (25°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A2A (20°,200HP)	M4004	M2989	M2990	X																2, 3
IO-360-A2A (20°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A2A (20°,200HP)	M2365	M2017	M2016								X									2, 3
IO-360-A2A (25°,200HP)	M4004	M2989	M2990	X																2, 3
IO-360-A2A (25°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A2A (25°,200HP)	M2365	M2017	M2016								X									2, 3
IO-360-A2B (20°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A2B (20°,200HP)	M4007	M2977	M2976	X																2, 3
IO-360-A2B (20°,200HP)	M4012	M4019	M4020	X																2, 3
IO-360-A2B (20°,200HP)	M2364	M1980	M1975						X											2, 3
IO-360-A2B (20°,200HP)	M2365	M2017	M2016								X									2, 3
IO-360-A2B (25°,200HP)	M4006	M2983	M2984	X																2, 3
IO-360-A2B (25°,200HP)	M4007	M2977	M2976	X																2, 3

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-21	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-360-A2B (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2B (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2C (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2C (20°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2C (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2C (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A3B6 (20°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A3B6 (25°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-B1A (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1A (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1B (25°, 180HP)	M4004	M2989	M2990	X							2, 3
IO-360-B1B (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1B (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1C (25°, 177HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1C (25°, 177HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1D (25°, 180HP)	M4004	M2989	M2990	X							2, 3
IO-360-B1D (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1D (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1E (25°, 180HP)	M4006	M2983	M2984	X							2, 3
IO-360-B1E (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1E (25°, 180HP)	M2423	M2424	M2425					X			2, 3
IO-360-B1F (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-360-B1F (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1F (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1F6 (25°, 180HP)	M4001	M1795	M2992	X							2, 3
IO-360-B2E-nd (25°, 180HP)	M4006	M2983	M2984	X							2, 3, 10
IO-360-B2E-nd (25°, 180HP)	M2364	M1980	M1975				X				2, 3, 10
IO-360-B2E-nd (25°, 180HP)	M2365	M2017	M2016					X			2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M4005	M2981	M2982	X							2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M2364	M1980	M1975				X				2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M2365	M2017	M2016					X			2, 3, 10
IO-360-B2F (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-360-B2F (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B2F (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B2F6 (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-360-B2F6 (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B2F6 (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B4A (25°, 180HP)	M4006	M2983	M2984	X							2, 3
IO-360-B4A (25°, 180HP)	M4004	M2989	M2990	X							2, 3
IO-360-B4A (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B4A (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-C1A (20°, 200HP)	M2364	M1980	M1975				X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-22	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		Notes
IO-360-C1A (20°,200HP)	M2365	M2017	M2016									X						2, 3
IO-360-C1A (25°,200HP)	M4004	M2989	M2990	X														2, 3
IO-360-C1A (25°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1A (25°,200HP)	M2365	M2017	M2016									X						2, 3
IO-360-C1B (20°,200HP)	M4012	M4019	M4020	X														2, 3
IO-360-C1B (20°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1B (20°,200HP)	M2365	M2017	M2016									X						2, 3
IO-360-C1B (25°,200HP)	M4012	M4019	M4020	X														2, 3
IO-360-C1B (25°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1B (25°,200HP)	M2365	M2017	M2016									X						2, 3
IO-360-C1C (20°,200HP)	M4027	M4021	M4022	X														2, 3
IO-360-C1C (20°,200HP)	M4013	M4009	M4010	X														2, 3
IO-360-C1C (20°,200HP)	M2658	M2659	M2660					X										2, 3
IO-360-C1C (20°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1C (25°,200HP)	M4027	M4021	M4022	X														2, 3
IO-360-C1C (25°,200HP)	M4007	M2977	M2976	X														2, 3
IO-360-C1C (25°,200HP)	M4013	M4009	M4010	X														2, 3
IO-360-C1C (25°,200HP)	M2658	M2659	M2660					X										2, 3
IO-360-C1C (25°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1C6 (20°,200HP)	M4027	M4021	M4022	X														2, 3
IO-360-C1C6 (20°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1C6 (20°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1C6 (25°,200HP)	M4027	M4021	M4022	X														2, 3
IO-360-C1C6 (25°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1C6 (25°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1D6 (20°,200HP)	M4012	M4019	M4020	X														2, 3
IO-360-C1D6 (20°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1D6 (20°,200HP)	M2365	M2017	M2016									X						2, 3
IO-360-C1D6 (25°,200HP)	M4012	M4019	M4020	X														2, 3
IO-360-C1D6 (25°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-C1D6 (25°,200HP)	M2365	M2017	M2016									X						2, 3
IO-360-C1E6 (20°,200HP)	M4027	M4021	M4022	X														2, 3
IO-360-C1E6 (20°,200HP)	M2658	M2659	M2660					X										2, 3
IO-360-C1E6 (20°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1E6 (25°,200HP)	M4027	M4021	M4022	X														2, 3
IO-360-C1E6 (25°,200HP)	M2658	M2659	M2660					X										2, 3
IO-360-C1E6 (25°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1F (20°,200HP)	M4007	M2977	M2976	X														2, 3
IO-360-C1F (20°,200HP)	M2658	M2659	M2660					X										2, 3
IO-360-C1F (20°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-C1F (25°,200HP)	M4007	M2977	M2976	X														2, 3
IO-360-C1F (25°,200HP)	M2658	M2659	M2660					X										2, 3
IO-360-C1F (25°,200HP)	M2423	M2424	M2425									X						2, 3
IO-360-D1A (20°,200HP)	M4007	M2977	M2976	X														2, 3
IO-360-D1A (20°,200HP)	M2364	M1980	M1975					X										2, 3
IO-360-D1A (20°,200HP)	M2365	M2017	M2016									X						2, 3

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-23	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600 SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200 D2000; D3000						Notes
IO-360-D1A (25°, 200HP)	M4007	M2977	M2976	X						2, 3
IO-360-D1A (25°, 200HP)	M2364	M1980	M1975				X			2, 3
IO-360-D1A (25°, 200HP)	M2365	M2017	M2016					X		2, 3
IO-360-E1A (25°, 180HP)	M4011	M1795	M2976	X						2, 3
IO-360-E1A (25°, 180HP)	M2364	M1980	M1975				X			2, 3
IO-360-E1A (25°, 180HP)	M2365	M2017	M2016					X		2, 3
IO-360-F1A (25°, 180HP)	M4006	M2983	M2984	X						2, 3
IO-360-F1A (25°, 180HP)	M2364	M1980	M1975				X			2, 3
IO-360-F1A (25°, 180HP)	M2365	M2017	M2016					X		2, 3
IO-360-K2A (20°, 200HP)	M4004	M2989	M2990	X						2, 3
IO-360-K2A (20°, 200HP)	M2364	M1980	M1975				X			2, 3
IO-360-K2A (20°, 200HP)	M2365	M2017	M2016					X		2, 3
IO-360-K2A (25°, 200HP)	M4004	M2989	M2990	X						2, 3
IO-360-K2A (25°, 200HP)	M2364	M1980	M1975				X			2, 3
IO-360-K2A (25°, 200HP)	M2365	M2017	M2016					X		2, 3
IO-360-L2A (25°, 160HP)	M4005	M2981	M2982	X						2, 3
IO-360-L2A (25°, 180HP)	M4005	M2981	M2982	X						2, 3
IO-540-A1A5 (20°, 290HP)	M6032	M6029	M6028		X					
IO-540-A1A5 (20°, 290HP)	M2121	M2123	M2122				X			
IO-540-A1A5 (20°, 290HP)	M2154	M2155	M2156					X		
IO-540-AA1A5 (20°, 270HP)	M6014	M6027	M2956		X					
IO-540-AA1A5 (20°, 270HP)	M2121	M2123	M2122				X			
IO-540-AA1A5 (20°, 270HP)	M2154	M2155	M2156					X		
IO-540-AA1B5 (20°, 270HP)	M6014	M6027	M2956		X					
IO-540-AB1A5 (23°, 230HP)	M6014	M6027	M2956		X					
IO-540-AC1A5 (20°, 300HP)	M6000	M2961	M2962		X					
IO-540-B1A5 (20°, 290HP)	M6032	M6029	M6028		X					
IO-540-B1A5 (20°, 290HP)	M2121	M2123	M2122				X			
IO-540-B1A5 (20°, 290HP)	M2154	M2155	M2156					X		
IO-540-B1B5 (20°, 290HP)	M6032	M6029	M6028		X					
IO-540-B1C5 (20°, 290HP)	M6032	M6029	M6028		X					
IO-540-B1C5 (20°, 290HP)	M2121	M2123	M2122				X			
IO-540-B1C5 (20°, 290HP)	M2154	M2155	M2156					X		
IO-540-C1B5 (25°, 250HP)	M6002	M2877	M2878		X					
IO-540-C1B5 (25°, 250HP)	M6014	M6027	M2956		X					
IO-540-C1B5 (25°, 250HP)	M2121	M2123	M2122				X			
IO-540-C1B5 (25°, 250HP)	M2154	M2155	M2156					X		
IO-540-C1C5 (25°, 250HP)	M6002	M2877	M2878		X					
IO-540-C1C5 (25°, 250HP)	M2121	M2123	M2122				X			
IO-540-C1C5 (25°, 250HP)	M2154	M2155	M2156					X		
IO-540-C2C (25°, 250HP)	M6002	M2877	M2878		X					
IO-540-C2C (25°, 250HP)	M2121	M2123	M2122				X			
IO-540-C2C (25°, 250HP)	M2154	M2155	M2156					X		
IO-540-C4B5 (25°, 250HP)	M6002	M2877	M2878		X					
IO-540-C4B5 (25°, 250HP)	M6014	M6027	M2956		X					

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-24	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-C4B5 (25°,250HP)	M2121	M2123	M2122					X			
IO-540-C4B5 (25°,250HP)	M2154	M2155	M2156						X		
IO-540-C4C5 (25°,250HP)	M6014	M6027	M2956	X							
IO-540-C4D5 (25°,250HP)	M6014	M6027	M2956	X							
IO-540-D4A5 (25°,260HP)	M6014	M6027	M2956	X							
IO-540-D4A5 (25°,260HP)	M2121	M2123	M2122					X			
IO-540-D4A5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-D4B5 (25°,260HP)	M6000	M2961	M2962	X							
IO-540-D4B5 (25°,260HP)	M2121	M2123	M2122					X			
IO-540-D4B5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-D4C5 (25°,260HP)	M6000	M2961	M2962	X							
IO-540-D4C5 (25°,260HP)	M2121	M2123	M2122					X			
IO-540-D4C5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-E1A5 (20°,290HP)	M6014	M6027	M2956	X							
IO-540-E1A5 (20°,290HP)	M6032	M6029	M6028	X							
IO-540-E1A5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-E1A5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-E1B5 (20°,290HP)	M6016	M6008	M6009	X							
IO-540-E1B5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-E1B5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-E1C5 (20°,290HP)	M6016	M6008	M6009	X							
IO-540-G1A5 (20°,290HP)	M6032	M6029	M6028	X							
IO-540-G1A5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1A5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1A5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1B5 (20°,290HP)	M6030	M6023	M6024	X							
IO-540-G1B5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1B5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1B5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1C5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1C5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1D5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1D5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1D5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1D5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1E5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1E5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1E5 (20°,290HP)	M6032	M6029	M6028	X							
IO-540-G1E5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1E5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1F5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1F5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1F5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1F5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-J4A5 (25°,250HP)	M6015	M6006	M6007	X							
IO-540-J4A5 (25°,250HP)	M2121	M2123	M2122					X			

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-25	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-J4A5 (25°,250HP)	M2453	M2454	M2455							X	
IO-540-J4A5 (25°,250HP)	M2154	M2155	M2156							X	
IO-540-K1A5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1A5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1A5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1A5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1A5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1B5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1B5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-K1B5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1B5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1B5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1C5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1C5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1C5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1C5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1D5 (20°,300HP)	M6032	M6029	M6028	X							
IO-540-K1D5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1D5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1E5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1E5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1E5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1E5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1F5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-K1F5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1F5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1F5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1G5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1G5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1G5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1G5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1H5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1H5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1H5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1H5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1J5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-K1J5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1J5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1J5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1K5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1K5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-K1K5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1K5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K2A5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-L1A5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-L1A5 (20°,300HP)	M2121	M2123	M2122				X				

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
526	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-L1A5 (20°,300HP)	M2453	M2454	M2455						X		
IO-540-L1A5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-L1C5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-L1C5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-L1C5 (20°,300HP)	M2453	M2454	M2455						X		
IO-540-L1C5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-M1A5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-M1A5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-M1A5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-M1C5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-N1A5 (25°,260HP)	M6002	M2877	M2878	X							
IO-540-N1A5 (25°,260HP)	M6030	M6023	M6024	X							
IO-540-N1A5 (25°,260HP)	M2121	M2123	M2122				X				
IO-540-P1A5 (20°,290HP)	M6002	M2877	M2878	X							
IO-540-P1A5 (20°,290HP)	M2121	M2123	M2122				X				
IO-540-P1A5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-R1A5 (25°,260HP)	M6002	M2877	M2878	X							
IO-540-R1A5 (25°,260HP)	M6030	M6023	M6024	X							
IO-540-R1A5 (25°,260HP)	M2121	M2123	M2122				X				
IO-540-R1A5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-S1A5 (20°,300HP)	M6031	M6025	M6026	X							
IO-540-S1A5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-S1A5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-T4B5 (25°,260HP)	M6000	M2961	M2962	X							
IO-540-W1A5 (23°,235HP)	M6002	M2877	M2878	X							
IVO-360-A1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
LIO-320-B1A (25°,160HP)	M4000	M2975	M2976	X							2
LIO-320-B1A (25°,160HP)	M2112	M1870	M1871				X				2
LIO-320-B1A (25°,160HP)	M2365	M2017	M2016					X			2
LIO-320-C1A (25°,160HP)	M4000	M2975	M2976	X							2
LIO-320-C1A (25°,160HP)	M2112	M1870	M1871				X				2
LIO-320-C1A (25°,160HP)	M2365	M2017	M2016					X			2
LIO-360-C1E6 (20°,200HP)	M4027	M4021	M4022	X							2, 3
LIO-360-C1E6 (20°,200HP)	M2658	M2659	M2660				X				2, 3
LIO-360-C1E6 (20°,200HP)	M2423	M2424	M2425					X			2, 3
LIO-360-C1E6 (25°,200HP)	M4027	M4021	M4022	X							2, 3
LIO-360-C1E6 (25°,200HP)	M2658	M2659	M2660				X				2, 3
LIO-360-C1E6 (25°,200HP)	M2423	M2424	M2425					X			2, 3
O-235-C1 (25°,115HP)	M4004	M2989	M2990	X							2
O-235-C1 (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C1 (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C1B (25°,115HP)	M4004	M2989	M2990	X							2

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-27	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-235-C1B (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C1B (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C1C (25°,115HP)	M4001	M1795	M2992	X							2
O-235-C1C (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C1C (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C2A (25°,115HP)	M4004	M2989	M2990	X							2
O-235-C2A (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C2A (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C2B (25°,115HP)	M4005	M2981	M2982	X							2
O-235-C2B (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C2B (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C2C (25°,115HP)	M4001	M1795	M2992	X							2
O-235-C2C (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C2C (25°,115HP)	M2365	M2017	M2016					X			2
O-235-E1 (25°,115HP)	M4001	M1795	M2992	X							2
O-235-E1 (25°,115HP)	M2364	M1980	M1975				X				2
O-235-E1 (25°,115HP)	M2365	M2017	M2016					X			2
O-235-E2A (25°,115HP)	M4004	M2989	M2990	X							2
O-235-E2A (25°,115HP)	M2364	M1980	M1975				X				2
O-235-E2A (25°,115HP)	M2365	M2017	M2016					X			2
O-235-E2B (25°,115HP)	M4001	M1795	M2992	X							2
O-235-E2B (25°,115HP)	M2364	M1980	M1975				X				2
O-235-E2B (25°,115HP)	M2365	M2017	M2016					X			2
O-235-F1 (25°,125HP)	M4001	M1795	M2992	X							2
O-235-F1 (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F1 (25°,125HP)	M2365	M2017	M2016					X			2
O-235-F1B (25°,125HP)	M4004	M2989	M2990	X							2
O-235-F1B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F1B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-F2A (25°,125HP)	M4004	M2989	M2990	X							2
O-235-F2A (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F2A (25°,125HP)	M2365	M2017	M2016					X			2
O-235-F2B (25°,125HP)	M4005	M2981	M2982	X							2
O-235-F2B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F2B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-G1 (25°,125HP)	M4004	M2989	M2990	X							2
O-235-G1 (25°,125HP)	M2364	M1980	M1975				X				2
O-235-G1 (25°,125HP)	M2365	M2017	M2016					X			2
O-235-G2A (25°,125HP)	M4004	M2989	M2990	X							2
O-235-G2A (25°,125HP)	M2364	M1980	M1975				X				2
O-235-G2A (25°,125HP)	M2365	M2017	M2016					X			2
O-235-G2B (25°,125HP)	M4001	M1795	M2992	X							2
O-235-G2B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-G2B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-H2C (25°,115HP)	M4001	M1795	M2992	X							2
O-235-H2C (25°,115HP)	M2364	M1980	M1975				X				2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-28	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-235-H2C (25°,115HP)	M2365	M2017	M2016					X			2
O-235-J2A (25°,125HP)	M4004	M2989	M2990	X							2
O-235-J2A (25°,125HP)	M2364	M1980	M1975				X				2
O-235-J2A (25°,125HP)	M2365	M2017	M2016					X			2
O-235-J2B (25°,125HP)	M4001	M1795	M2992	X							2
O-235-J2B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-J2B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-K2A (20°,118HP)	M4004	M2989	M2990	X							2
O-235-K2A (20°,118HP)	M2364	M1980	M1975				X				2
O-235-K2A (20°,118HP)	M2365	M2017	M2016					X			2
O-235-K2B (20°,118HP)	M4005	M2981	M2982	X							2
O-235-K2B (20°,118HP)	M2364	M1980	M1975				X				2
O-235-K2B (20°,118HP)	M2365	M2017	M2016					X			2
O-235-K2C (20°,118HP)	M4001	M1795	M2992	X							2
O-235-K2C (20°,118HP)	M2364	M1980	M1975				X				2
O-235-K2C (20°,118HP)	M2365	M2017	M2016					X			2
O-235-L2A (20°,118HP)	M4004	M2989	M2990	X							2
O-235-L2A (20°,118HP)	M2364	M1980	M1975				X				2
O-235-L2A (20°,118HP)	M2365	M2017	M2016					X			2
O-235-L2C (20°,118HP)	M4001	M1795	M2992	X							2
O-235-L2C (20°,118HP)	M2364	M1980	M1975				X				2
O-235-L2C (20°,118HP)	M2365	M2017	M2016					X			2
O-235-M1 (20°,118HP)	M4004	M2989	M2990	X							2
O-235-M1 (20°,118HP)	M2364	M1980	M1975				X				2
O-235-M1 (20°,118HP)	M2365	M2017	M2016					X			2
O-235-M2C (20°,118HP)	M4001	M1795	M2992	X							2
O-235-M2C (20°,118HP)	M2364	M1980	M1975				X				2
O-235-M2C (20°,118HP)	M2365	M2017	M2016					X			2
O-235-N2A (20°,116HP)	M4004	M2989	M2990	X							2
O-235-N2A (20°,116HP)	M2364	M1980	M1975				X				2
O-235-N2A (20°,116HP)	M2365	M2017	M2016					X			2
O-235-N2C (20°,116HP)	M4001	M1795	M2992	X							2
O-235-N2C (20°,116HP)	M2364	M1980	M1975				X				2
O-235-N2C (20°,116HP)	M2365	M2017	M2016					X			2
O-235-P1 (20°,116HP)	M4004	M2989	M2990	X							2
O-235-P1 (20°,116HP)	M2364	M1980	M1975				X				2
O-235-P1 (20°,116HP)	M2365	M2017	M2016					X			2
O-235-P2A (20°,116HP)	M4004	M2989	M2990	X							2
O-235-P2A (20°,116HP)	M2364	M1980	M1975				X				2
O-235-P2A (20°,116HP)	M2365	M2017	M2016					X			2
O-290-D (20°,125HP)	M4004	M2989	M2990	X							2
O-290-D2 (18°,135HP)	M4004	M2989	M2990	X							2
O-290-D2A (18°,135HP)	M2364	M1980	M1975				X				2
O-290-D2B (25°,135HP)	M2364	M1980	M1975				X				2
O-290-D2C (25°,135HP)	M2364	M1980	M1975				X				2

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-29	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-A1A (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-A1A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-A1A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A1B (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A1B (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-A1B (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A2A (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A2A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-A2A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A2B (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A2B (25°, 150HP)	M2402	M2403	M2404				X				2
O-320-A2C (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A2C (25°, 150HP)	M2402	M2403	M2404				X				2
O-320-A2C (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A2D (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-A2D (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-A2D (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A3A (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A3A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-A3A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A3B (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A3B (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-A3B (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-A3C (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-A3C (25°, 150HP)	M2402	M2403	M2404				X				2
O-320-A3C (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-B1A (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B1A (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-B1A (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-B1B (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B1B (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-B2A (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B2A (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-B2A (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-B2B (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B2B (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-B2B (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-B2C (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B2C (25°, 160HP)	M2402	M2403	M2404				X				2
O-320-B2D (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B3A (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B3A (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-B3A (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-B3B (25°, 160HP)	M4004	M2989	M2990	X							2
O-320-B3B (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-B3B (25°, 160HP)	M2365	M2017	M2016					X			2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-30	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
O-320-B3C (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B3C (25°,160HP)	M2402	M2403	M2404				X				2
O-320-B3C (25°,160HP)	M2365	M2017	M2016					X			2
O-320-C1A (25°,150HP)	M4001	M1795	M2992	X							2
O-320-C1A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C1A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C1B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-C1B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C1B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C2A (25°,150HP)	M4004	M2989	M2990	X							2
O-320-C2A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C2A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C2B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-C2B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C2B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C2C (25°,150HP)	M4004	M2989	M2990	X							2
O-320-C2C (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C2C (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C3A (25°,150HP)	M4001	M1795	M2992	X							2
O-320-C3A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C3A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C3B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-C3B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C3B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-C3C (25°,150HP)	M4004	M2989	M2990	X							2
O-320-C3C (25°,150HP)	M2364	M1980	M1975				X				2
O-320-C3C (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D1A (25°,150HP)	M4004	M2989	M2990	X							2
O-320-D1A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D1A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D1A (25°,160HP)	M4004	M2989	M2990	X							2
O-320-D1A (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D1A (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D1B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D1B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D1B (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D1B (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D1C (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D1C (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D1C (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D1C (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D1C (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D1C (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D1D (25°,150HP)	M4001	M1795	M2992	X							2
O-320-D1D (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D1D (25°,150HP)	M2365	M2017	M2016					X			2

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-31	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-D2C (25											
O-320-D1D (25°,160HP)	M4001	M1795	M2992	X							2
O-320-D1D (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D1D (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D1F (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D1F (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D1F (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D1F (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D1F (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D1F (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D2A (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D2A (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D2A (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D2A (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D2A (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D2A (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D2B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-D2B (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D2B (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D2B (25°,160HP)	M4004	M2989	M2990	X							2
O-320-D2B (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D2B (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D2C (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D2C (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D2C (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D2C (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D2C (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D2C (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D2F (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D2F (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D2F (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D2F (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D2F (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D2F (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D2G (25°,150HP)	M4001	M1795	M2992	X							2
O-320-D2G (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D2G (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D2G (25°,160HP)	M4001	M1795	M2992	X							2
O-320-D2G (25°,160HP)	M2364	M1980	M1975			X					2
O-320-D2G (25°,160HP)	M2365	M2017	M2016				X				2
O-320-D2H (25°,150HP)	M4001	M1795	M2992	X							2
O-320-D2H (25°,150HP)	M2364	M1980	M1975			X					2
O-320-D2H (25°,150HP)	M2365	M2017	M2016				X				2
O-320-D2H (25°,160HP)	M4001	M1795	M2992	X							2
O-320-D2H (25°,160HP)	M2364	M1980	M1975			X					2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-32	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-D2H (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-D2J (25°, 150HP)	M4002	M2513	M2512	X							2
O-320-D2J (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-D2J (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-D2J (25°, 160HP)	M4002	M2513	M2512	X							2
O-320-D2J (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-D2J (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-D3G (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-D3G (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-D3G (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-D3G (25°, 160HP)	M4001	M1795	M2992	X							2
O-320-D3G (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-D3G (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-E1A (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-E1A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1B (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1B (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1C (25°, 150HP)	M4005	M2981	M2982	X							2
O-320-E1C (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1C (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1F (25°, 150HP)	M4005	M2981	M2982	X							2
O-320-E1F (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1F (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1J (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-E1J (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1J (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2A (25°, 140HP)	M4004	M2989	M2990	X							2
O-320-E2A (25°, 140HP)	M2364	M1980	M1975				X				2
O-320-E2A (25°, 140HP)	M2365	M2017	M2016					X			2
O-320-E2A (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-E2A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2B (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-E2B (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2B (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2C (25°, 140HP)	M4007	M2977	M2976	X							2
O-320-E2C (25°, 140HP)	M2364	M1980	M1975				X				2
O-320-E2C (25°, 140HP)	M2365	M2017	M2016					X			2
O-320-E2C (25°, 150HP)	M4007	M2977	M2976	X							2
O-320-E2C (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2C (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2D (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-E2D (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2D (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2F (25°, 150HP)	M4005	M2981	M2982	X							2

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-33	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-E2F (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E2F (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E2G (25°,150HP)	M4001	M1795	M2992	X							2
O-320-E2G (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E2G (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E2H (25°,150HP)	M4004	M2989	M2990	X							2
O-320-E2H (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E2H (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E3D (25°,150HP)	M4001	M1795	M2992	X							2
O-320-E3D (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E3D (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E3H (25°,150HP)	M4005	M2981	M2982	X							2
O-320-E3H (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E3H (25°,150HP)	M2365	M2017	M2016					X			2
O-340-A1A (25°,170HP)	M2364	M1980	M1975				X				2
O-340-A2A (25°,170HP)	M2364	M1980	M1975				X				2
O-360-A1A-nd (25°,180HP)	M4006	M2983	M2984	X							2, 3, 10
O-360-A1A-nd (25°,180HP)	M2364	M1980	M1975				X				2, 3, 10
O-360-A1A-nd (25°,180HP)	M2365	M2017	M2016					X			2, 3, 10
O-360-A1A-wd (25°,180HP)	M4004	M2989	M2990	X							2, 3, 10
O-360-A1A-wd (25°,180HP)	M2364	M1980	M1975				X				2, 3, 10
O-360-A1A-wd (25°,180HP)	M2365	M2017	M2016					X			2, 3, 10
O-360-A1C (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1C (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1D (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A1D (25°,180HP)	M4014	M2975	M4010	X							2, 3
O-360-A1D (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1D (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1F (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1F (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1F (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1F6 (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1F6 (25°,180HP)	M2814	M2815	M2816					X			2, 3
O-360-A1G (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1G (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1G (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1G6 (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1G6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1G6 (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1H (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A1H (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1H (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1H6 (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-A1P (25°,180HP)	M4004	M2989	M2990	X							2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-34	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
O-360-A2A (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A2A (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A2A (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A2D (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A2D (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A2D (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A2E (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A2F (25°,180HP)	M4005	M2981	M2982	X																2, 3
O-360-A2F (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A2F (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A2G (25°,180HP)	M4006	M2983	M2984	X																2, 3
O-360-A2G (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A2G (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A2H (25°,180HP)	M4001	M1795	M2992	X																2, 3
O-360-A2H (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A2H (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A3A (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A3A (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A3A (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A3D (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A4A (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A4A (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A4A (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A4D (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A4G (25°,180HP)	M4006	M2983	M2984	X																2, 3
O-360-A4G (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A4G (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A4J (25°,180HP)	M4004	M2989	M2990	X																2, 3
O-360-A4J (25°,180HP)	M2450	M2451	M2452							X										2, 3
O-360-A4J (25°,180HP)	M2420	M2421	M2422								X									2, 3
O-360-A4K (25°,180HP)	M4001	M1795	M2992	X																2, 3
O-360-A4K (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A4K (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A4M (25°,180HP)	M4001	M1795	M2992	X																2, 3
O-360-A4M (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A4M (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A4N (25°,180HP)	M4002	M2513	M2512	X																2, 3
O-360-A4N (25°,180HP)	M2364	M1980	M1975							X										2, 3
O-360-A4N (25°,180HP)	M2365	M2017	M2016								X									2, 3
O-360-A4P (25°,180HP)	M4001	M1795	M2992	X																2, 3
O-360-B1A (25°,168HP)	M4001	M1795	M2992	X																2, 3
O-360-B1A (25°,168HP)	M2364	M1980	M1975							X										2, 3
O-360-B1A (25°,168HP)	M2365	M2017	M2016								X									2, 3
O-360-B1B (25°,168HP)	M4001	M1795	M2992	X																2, 3
O-360-B2A (25°,168HP)	M4004	M2989	M2990	X																2, 3
O-360-B2A (25°,168HP)	M2364	M1980	M1975							X										2, 3

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-35	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-360-B2A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-B2B (25°,168HP)	M4001	M1795	M2992	X							2, 3
O-360-B2C (25°,168HP)	M2402	M2403	M2404				X				2, 3
O-360-C1A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1C (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C1C (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1C (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1E (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C1E (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1E (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1F (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C1F (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1F (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1G (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C1G (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1G (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C2A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2B (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C2B (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2B (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2C (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C2C (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2C (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2D (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C2E (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C2E (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2E (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C4F (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C4P (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-D1A (25°,168HP)	M4001	M1795	M2992	X							2, 3
O-360-D1A (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-D1A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-D2A (25°,168HP)	M4004	M2989	M2990	X							2, 3
O-360-D2A (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-D2A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-D2B (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-F1A6 (25°,180HP)	M4002	M2513	M2512	X							2, 3
O-360-F1A6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-F1A6 (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-G1A6 (25°,180HP)	M4002	M2513	M2512	X							2, 3
O-360-G1A6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-G1A6 (25°,180HP)	M2365	M2017	M2016					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-36	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
O-360-J2A (25°, 145HP)	M2402	M2403	M2404							X										2, 3
O-540-A1A (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1A (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1A5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1A5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1A5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A1B5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1B5 (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A1B5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1B5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A1C5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1C5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1C5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A1D (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A1D (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1D (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A1D5 (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A1D5 (25°, 250HP)	M6031	M6025	M6026	X																
O-540-A1D5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1D5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1D5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A2B (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A2B (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A2B (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A3D5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A3D5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A3D5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A4A5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A4A5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A4A5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A4B5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A4B5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A4B5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-A4C5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A4D5 (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A4D5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A4D5 (25°, 250HP)	M2154	M2155	M2156										X							
O-540-B1A5 (25°, 235HP)	M6014	M6027	M2956	X																
O-540-B1A5 (25°, 235HP)	M2121	M2123	M2122								X									
O-540-B1A5 (25°, 235HP)	M2154	M2155	M2156										X							
O-540-B1B5 (25°, 235HP)	M2121	M2123	M2122								X									
O-540-B1B5 (25°, 235HP)	M2154	M2155	M2156										X							
O-540-B1D5 (25°, 235HP)	M6014	M6027	M2956	X																
O-540-B2A5 (25°, 235HP)	M6014	M6027	M2956	X																
O-540-B2A5 (25°, 235HP)	M2121	M2123	M2122								X									

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-37	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-540-B2A5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B2B5 (25°,235HP)	M6002	M2877	M2878	X							
O-540-B2B5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B2B5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B2B5-wd (25°,235HP)	M6004	M2877	M2956	X							10
O-540-B2B5-wd (25°,235HP)	M2121	M2123	M2122					X			10
O-540-B2B5-wd (25°,235HP)	M2154	M2155	M2156						X		10
O-540-B2C5 (25°,235HP)	M6000	M2961	M2962	X							
O-540-B2C5 (25°,235HP)	M2883	M2884	M2885	X							
O-540-B2C5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B2C5 (25°,235HP)	M2456	M2457	M2458						X		
O-540-B2C5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B2C5-wd (25°,235HP)	M6001	M2959	M2960	X							10
O-540-B2C5-wd (25°,235HP)	M2121	M2123	M2122					X			10
O-540-B2C5-wd (25°,235HP)	M2154	M2155	M2156						X		10
O-540-B4A5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B4A5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B4B5 (25°,235HP)	M6004	M2877	M2956	X							
O-540-B4B5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B4B5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B4B5-wd (25°,235HP)	M6004	M2877	M2956	X							10
O-540-B4B5-wd (25°,235HP)	M2121	M2123	M2122					X			10
O-540-B4B5-wd (25°,235HP)	M2154	M2155	M2156						X		10
O-540-D1A5 (25°,250HP)	M6014	M6027	M2956	X							
O-540-D1A5 (25°,250HP)	M6002	M2877	M2878	X							
O-540-D1A5 (25°,250HP)	M2121	M2123	M2122					X			
O-540-D1A5 (25°,250HP)	M2154	M2155	M2156						X		
O-540-E4A5 (25°,260HP)	M6014	M6027	M2956	X							
O-540-E4A5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-E4A5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-E4A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-E4B5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-E4B5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-E4B5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-E4B5-wd (25°,260HP)	M6004	M2877	M2956	X							10
O-540-E4B5-wd (25°,260HP)	M2121	M2123	M2122					X			10
O-540-E4B5-wd (25°,260HP)	M2154	M2155	M2156						X		10
O-540-E4C5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-E4C5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-E4C5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-F1A5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-F1B5 (25°,260HP)	M6014	M6027	M2956	X							
O-540-F1B5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-F1B5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-G1A5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-G1A5 (25°,260HP)	M2121	M2123	M2122					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-38	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-540-G1A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-G1A5-wd (25°,260HP)	M6001	M2959	M2960	X							10
O-540-G1A5-wd (25°,260HP)	M2121	M2123	M2122				X				10
O-540-G1A5-wd (25°,260HP)	M2154	M2155	M2156						X		10
O-540-G2A5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-G2A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-G2A5 (25°,260HP)	M2121	M2123	M2122				X				
O-540-G2A5-wd (25°,260HP)	M6000	M2961	M2962	X							10
O-540-G2A5-wd (25°,260HP)	M2121	M2123	M2122				X				10
O-540-G2A5-wd (25°,260HP)	M2154	M2155	M2156						X		10
O-540-H1A5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-H2A5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-H2A5 (25°,260HP)	M2121	M2123	M2122				X				
O-540-H2A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-J3A5 (23°,235HP)	M6002	M2877	M2878	X							
TIO-540-C1A (20°,250HP)	M2121	M2123	M2122					X			
TIO-540-C1A (20°,250HP)	M2790	M2791	M2792						X		
TVO-435-A1A (25°,260HP)	M2471	M2472	M2473					X			
TVO-435-B1A - 1/2" (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-B1A - 1/2" (25°,270HP)	M2709	M2710	M2711						X		
TVO-435-B1A - 13/16" (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-B1A - 13/16" (25°,270HP)	M2709	M2710	M2711						X		
TVO-435-D1A (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-D1B (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-F1A (25°,280HP)	M2712	M2713	M2714					X			
TVO-435-F1A (25°,280HP)	M2709	M2710	M2711						X		
TVO-435-G1A (25°,280HP)	M2712	M2713	M2714					X			
TVO-435-G1B (25°,280HP)	M2712	M2713	M2714					X			
VO-435-A1B - 1/2" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1B - 13/16" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1C - 1/2" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1C - 13/16" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1D - 1/2" (25°,260HP)	M2471	M2472	M2473					X			

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-39	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness								Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200		D2000; D3000
VO-435-A1D - 13/16" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1E - 1/2" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1E - 13/16" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1F - 1/2" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1F - 13/16" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-B1A - 1/2" (25°,265HP)	M2471	M2472	M2473						X			
VO-435-B1A - 13/16" (25°,265HP)	M2471	M2472	M2473						X			
VO-540-C1C3 (25°,305HP)	M2471	M2472	M2473						X			

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-40	G

Section 6.0

HARNESS APPLICATION (3/4”)

HARNESSES 3/4”

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-1/(6-2 Blank)	G

Franklin

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
4A-235-B31 (32°, 116HP)	M4049	M2096	M2095	X																
4A-235-B4 (26°, 125HP)	M4049	M2096	M2095	X																
6A-350-C1 (28°, 220HP)	M6089	M6087	M6088		X															9
6A-350-C1 (28°, 220HP)	M2769	M2770	M2771							X										9
6A-350-C1A (28°, 220HP)	M6089	M6087	M6088		X															9
6A-350-C1A (28°, 220HP)	M2769	M2770	M2771							X										9
6A-350-C2 (28°, 215HP)	M6089	M6087	M6088		X															9
6A-350-C2 (28°, 215HP)	M2769	M2770	M2771							X										9
6A-350-C2A (28°, 212HP)	M6089	M6087	M6088		X															9
6A-350-C2A (28°, 212HP)	M2769	M2770	M2771							X										9
6A-350-D1 (28°, 200HP)	M6089	M6087	M6088		X															9
6A-350-D1 (28°, 200HP)	M2769	M2770	M2771							X										9
6A-350-D1A (28°, 230HP)	M6089	M6087	M6088		X															9
6A-350-D1A (28°, 230HP)	M2769	M2770	M2771							X										9
6A-350-D1B (28°, 220HP)	M6089	M6087	M6088		X															9
6A-350-D1B (28°, 220HP)	M2769	M2770	M2771							X										9
6A4-150-B3 (28°, 150HP)	M2769	M2770	M2771								X									
6A4-150-B31 (28°, 150HP)	M2769	M2770	M2771								X									
6A4-150-B31 (28°, 150HP)	M6089	M6087	M6088		X															
6A4-150-B4 (28°, 150HP)	M2769	M2770	M2771								X									
6A4-150-B4 (28°, 150HP)	M6089	M6087	M6088		X															
6A4-165-B3 (32°, 165HP)	M2769	M2770	M2771								X									
6A4-165-B3 (32°, 165HP)	M6089	M6087	M6088		X															
6A4-165-B4 (32°, 165HP)	M2769	M2770	M2771								X									
6A4-165-B4 (32°, 165HP)	M6089	M6087	M6088		X															
6A4-165-B6 (32°, 165HP)	M2769	M2770	M2771								X									
6A4-165-B6 (32°, 165HP)	M6089	M6087	M6088		X															
6AS-335-A (30°, 260HP)	M2769	M2770	M2771								X									9
6AS-335-B (30°, 260HP)	M2769	M2770	M2771								X									9
6AS-350-A (25°, 250HP)	M2769	M2770	M2771								X									9
6AS-350-A1 (25°, 250HP)	M2769	M2770	M2771								X									9
6V-335-A (32°, 210HP)	M2769	M2770	M2771								X									9
6V-335-A (36°, 210HP)	M2769	M2770	M2771								X									9
6V-335-B (32°, 210HP)	M2769	M2770	M2771								X									9
6V4-200-C32 (36°, 200HP)	M2769	M2770	M2771									X								
6V4-200-C33 (36°, 200HP)	M2769	M2770	M2771									X								

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-3	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
C-125-2 (28°, 125HP)	M2336	M2338	M2337				X				
C-145-2 (26°, 145HP)	M2935	M2933	M2934	X							
C-145-2 (26°, 145HP)	M2318	M2320	M2319		X						
C-145-2 (26°, 145HP)	M2336	M2338	M2337				X				
C-145-2H (26°, 145HP)	M2935	M2933	M2934	X							
C-145-2H (26°, 145HP)	M2318	M2320	M2319		X						
C-145-2H (26°, 145HP)	M2336	M2338	M2337				X				
C-145-2HP (26°, 145HP)	M2935	M2933	M2934	X							
C-145-2HP (26°, 145HP)	M2318	M2320	M2319		X						
C-145-2HP (26°, 145HP)	M2336	M2338	M2337				X				
E-165-2 (26°, 165HP)	M6071	M6069	M6070	X							
E-165-2 (26°, 165HP)	M2339	M2340	M2341				X				
E-165-3 (26°, 165HP)	M6071	M6069	M6070	X							
E-165-3 (26°, 165HP)	M2339	M2340	M2341				X				
E-165-4 (26°, 165HP)	M6071	M6069	M6070	X							
E-165-4 (26°, 165HP)	M2339	M2340	M2341				X				
E-185-1 (26°, 205HP)	M6071	M6069	M6070	X							
E-185-1 (26°, 205HP)	M2339	M2340	M2341				X				
E-185-10 (26°, 205HP)	M6071	M6069	M6070	X							
E-185-10 (26°, 205HP)	M2339	M2340	M2341				X				
E-185-11 (26°, 205HP)	M6071	M6069	M6070	X							
E-185-11 (26°, 205HP)	M2339	M2340	M2341				X				
E-185-2 (26°, 185HP)	M6071	M6069	M6070	X							
E-185-2 (26°, 185HP)	M2339	M2340	M2341				X				
E-185-3 (26°, 205HP)	M6071	M6069	M6070	X							
E-185-3 (26°, 205HP)	M2339	M2340	M2341				X				
E-185-5 (26°, 185HP)	M6071	M6069	M6070	X							
E-185-5 (26°, 185HP)	M2339	M2340	M2341				X				
E-185-8 (26°, 205HP)	M6071	M6069	M6070	X							
E-185-8 (26°, 205HP)	M2339	M2340	M2341				X				
E-185-9 (26°, 205HP)	M6071	M6069	M6070	X							
E-185-9 (26°, 205HP)	M2339	M2340	M2341				X				
E-225-2 (26°, 225HP)	M6071	M6069	M6070	X							
E-225-2 (26°, 225HP)	M2339	M2340	M2341				X				
E-225-4 (26°, 225HP)	M6071	M6069	M6070	X							
E-225-4 (26°, 225HP)	M2339	M2340	M2341				X				
E-225-8 (26°, 225HP)	M6071	M6069	M6070	X							
E-225-8 (26°, 225HP)	M2339	M2340	M2341				X				
E-225-9 (26°, 225HP)	M6071	M6069	M6070	X							
E-225-9 (26°, 225HP)	M2339	M2340	M2341				X				

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-4	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000	Notes
GO-300-A (28°,175HP)	M2941	M2939	M2940	X															
GO-300-A (28°,175HP)	M2342					X													
GO-300-A (28°,175HP)	M2348	M2350	M2349							X									
GO-300-B (28°,175HP)	M2941	M2939	M2940	X															
GO-300-B (28°,175HP)	M2342					X													
GO-300-B (28°,175HP)	M2348	M2350	M2349							X									
GO-300-C (28°,175HP)	M2941	M2939	M2940	X															
GO-300-C (28°,175HP)	M2342					X													
GO-300-C (28°,175HP)	M2348	M2350	M2349							X									
GO-300-D (28°,175HP)	M2941	M2939	M2940	X															
GO-300-D (28°,175HP)	M2342					X													
GO-300-D (28°,175HP)	M2348	M2350	M2349							X									
GO-300-E (28°,175HP)	M2941	M2939	M2940	X															
GO-300-E (28°,175HP)	M2342					X													
GO-300-E (28°,175HP)	M2348	M2350	M2349							X									
GTSIO-520-C (22°,340HP)	M2100	M2115	M2110							X									
GTSIO-520-C (22°,340HP)	M1950	M1955	M1945										X						
GTSIO-520-D (20°,375HP)	M2100	M2115	M2110							X									
GTSIO-520-D (20°,375HP)	M1950	M1955	M1945										X						
GTSIO-520-E (20°,375HP)	M2100	M2115	M2110							X									
GTSIO-520-E (20°,375HP)	M1950	M1955	M1945										X						
GTSIO-520-F (20°,435HP)	M2100	M2115	M2110							X									
GTSIO-520-F (20°,435HP)	M1950	M1955	M1945										X						
GTSIO-520-H (20°,375HP)	M2100	M2115	M2110							X									
GTSIO-520-H (20°,375HP)	M1950	M1955	M1945										X						
GTSIO-520-K (20°,435HP)	M2100	M2115	M2110							X									
GTSIO-520-K (20°,435HP)	M1950	M1955	M1945										X						
GTSIO-520-L (24°,375HP)	M2100	M2115	M2110							X									
GTSIO-520-L (24°,375HP)	M1950	M1955	M1945										X						
GTSIO-520-M (24°,375HP)	M2100	M2115	M2110							X									
GTSIO-520-M (24°,375HP)	M1950	M1955	M1945										X						
GTSIO-520-N (24°,375HP)	M2100	M2115	M2110							X									
GTSIO-520-N (24°,375HP)	M1950	M1955	M1945										X						
IO-240-B (26°,125HP)	M4045	M4043	M4044	X															
IO-346-A (24°,165HP)	M2332	M2334	M2333							X									
IO-346-B (24°,165HP)	M2332	M2334	M2333							X									
IO-360-A (20°,210HP)	M2015	M2025	M2020								X								
IO-360-A (20°,210HP)	M2778	M2781	M2782		X														
IO-360-A (20°,210HP)	M2046	M2048	M2047										X						
IO-360-B (20°,180HP)	M2015	M2025	M2020							X									
IO-360-B (20°,180HP)	M2778	M2781	M2782		X														
IO-360-B (20°,180HP)	M2046	M2048	M2047										X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-5	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-360-C (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-C (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-C (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-CB (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-CB (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-CB (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-D (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-D (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-D (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-DB (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-DB (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-DB (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-E (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-E (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-E (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-ES (24°, 210HP)	M2015	M2025	M2020					X			
IO-360-ES (24°, 210HP)	M2778	M2781	M2782	X							
IO-360-ES (24°, 210HP)	M2046	M2048	M2047						X		
IO-360-G (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-G (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-G (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-GB (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-GB (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-GB (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-H (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-H (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-H (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-HB (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-HB (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-HB (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-J (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-J (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-J (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-JB (20°, 210HP)	M2015	M2025	M2020					X			
IO-360-JB (20°, 210HP)	M2778	M2781	M2782	X							
IO-360-JB (20°, 210HP)	M2046	M2048	M2047						X		
IO-360-K (20°, 195HP)	M2015	M2025	M2020					X			
IO-360-K (20°, 195HP)	M2778	M2781	M2782	X							
IO-360-K (20°, 195HP)	M2046	M2048	M2047						X		
IO-360-KB (20°, 195HP)	M2015	M2025	M2020					X			
IO-360-KB (20°, 195HP)	M2778	M2781	M2782	X							
IO-360-KB (20°, 195HP)	M2046	M2048	M2047						X		
IO-470-A (24°, 240HP)	M2381	M2380	M2379	X							
IO-470-A (24°, 240HP)	M1480				X						
IO-470-A (24°, 240HP)	M1990				X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-6	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-470-A (24°,240HP)	M1730	M1885	M1890					X			
IO-470-A (24°,240HP)	M2216	M2218	M2217						X		
IO-470-C (26°,250HP)	M2381	M2380	M2379	X							
IO-470-C (26°,250HP)	M1480				X						
IO-470-C (26°,250HP)	M1990				X						
IO-470-C (26°,250HP)	M1730	M1885	M1890					X			
IO-470-C (26°,250HP)	M2216	M2218	M2217						X		
IO-470-D (20°,260HP)	M2381	M2380	M2379	X							
IO-470-D (20°,260HP)	M1480				X						
IO-470-D (20°,260HP)	M1990				X						
IO-470-D (20°,260HP)	M1730	M1885	M1890					X			
IO-470-D (20°,260HP)	M2216	M2218	M2217						X		
IO-470-E (20°,260HP)	M2381	M2380	M2379	X							
IO-470-E (20°,260HP)	M1480				X						
IO-470-E (20°,260HP)	M1990				X						
IO-470-E (20°,260HP)	M1730	M1885	M1890					X			
IO-470-E (20°,260HP)	M2216	M2218	M2217						X		
IO-470-F (20°,260HP)	M2381	M2380	M2379	X							
IO-470-F (20°,260HP)	M1480				X						
IO-470-F (20°,260HP)	M1990				X						
IO-470-F (20°,260HP)	M1730	M1885	M1890					X			
IO-470-F (20°,260HP)	M2216	M2218	M2217						X		
IO-470-G (26°,250HP)	M2381	M2380	M2379	X							
IO-470-G (26°,250HP)	M1480				X						
IO-470-G (26°,250HP)	M1990				X						
IO-470-G (26°,250HP)	M1730	M1885	M1890					X			
IO-470-G (26°,250HP)	M2216	M2218	M2217						X		
IO-470-H (20°,260HP)	M2381	M2380	M2379	X							
IO-470-H (20°,260HP)	M1480				X						
IO-470-H (20°,260HP)	M1990				X						
IO-470-H (20°,260HP)	M1730	M1885	M1890					X			
IO-470-H (20°,260HP)	M2216	M2218	M2217						X		
IO-470-J (22°,225HP)	M2381	M2380	M2379	X							
IO-470-J (22°,225HP)	M1480				X						
IO-470-J (22°,225HP)	M1990				X						
IO-470-J (22°,225HP)	M1730	M1885	M1890					X			
IO-470-J (22°,225HP)	M2216	M2218	M2217						X		
IO-470-K (22°,225HP)	M2381	M2380	M2379	X							
IO-470-K (22°,225HP)	M1480				X						
IO-470-K (22°,225HP)	M1990				X						
IO-470-K (22°,225HP)	M1730	M1885	M1890					X			
IO-470-K (22°,225HP)	M2216	M2218	M2217						X		
IO-470-L (20°,260HP)	M2381	M2380	M2379	X							
IO-470-L (20°,260HP)	M1480				X						
IO-470-L (20°,260HP)	M1990				X						
IO-470-L (20°,260HP)	M1730	M1885	M1890					X			

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-7	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-470-L (20°,260HP)	M2216	M2218	M2217						X		
IO-470-LO (20°,260HP)	M2381	M2380	M2379	X							
IO-470-LO (20°,260HP)	M1480				X						
IO-470-LO (20°,260HP)	M1990				X						
IO-470-LO (20°,260HP)	M1730	M1885	M1890				X				
IO-470-LO (20°,260HP)	M2216	M2218	M2217						X		
IO-470-M (20°,260HP)	M2381	M2380	M2379	X							
IO-470-M (20°,260HP)	M1480				X						
IO-470-M (20°,260HP)	M1990				X						
IO-470-M (20°,260HP)	M1730	M1885	M1890				X				
IO-470-M (20°,260HP)	M2216	M2218	M2217						X		
IO-470-N (20°,260HP)	M2381	M2380	M2379	X							
IO-470-N (20°,260HP)	M1480				X						
IO-470-N (20°,260HP)	M1990				X						
IO-470-N (20°,260HP)	M1730	M1885	M1890				X				
IO-470-N (20°,260HP)	M2216	M2218	M2217						X		
IO-470-P (26°,250HP)	M2381	M2380	M2379	X							
IO-470-P (26°,250HP)	M1480				X						
IO-470-P (26°,250HP)	M1990				X						
IO-470-P (26°,250HP)	M1730	M1885	M1890				X				
IO-470-P (26°,250HP)	M2216	M2218	M2217						X		
IO-470-R (26°,250HP)	M2381	M2380	M2379	X							
IO-470-R (26°,250HP)	M1480				X						
IO-470-R (26°,250HP)	M1990				X						
IO-470-R (26°,250HP)	M1730	M1885	M1890				X				
IO-470-R (26°,250HP)	M2216	M2218	M2217						X		
IO-470-S (20°,260HP)	M2381	M2380	M2379	X							
IO-470-S (20°,260HP)	M1480				X						
IO-470-S (20°,260HP)	M1730	M1885	M1890				X				
IO-470-S (20°,260HP)	M2216	M2218	M2217						X		
IO-470-T (26°,250HP)	M2381	M2380	M2379	X							
IO-470-T (26°,250HP)	M1480				X						
IO-470-T (26°,250HP)	M1730	M1885	M1890				X				
IO-470-T (26°,250HP)	M2216	M2218	M2217						X		
IO-470-U (20°,260HP)	M2381	M2380	M2379	X							
IO-470-U (20°,260HP)	M1480				X						
IO-470-U (20°,260HP)	M1730	M1885	M1890				X				
IO-470-U (20°,260HP)	M2216	M2218	M2217						X		
IO-470-V (20°,260HP)	M2381	M2380	M2379	X							
IO-470-V (20°,260HP)	M1480				X						
IO-470-V (20°,260HP)	M1730	M1885	M1890				X				
IO-470-V (20°,260HP)	M2216	M2218	M2217						X		
IO-470-VO (20°,260HP)	M2381	M2380	M2379	X							
IO-470-VO (20°,260HP)	M1480				X						
IO-470-VO (20°,260HP)	M1730	M1885	M1890				X				
IO-470-VO (20°,260HP)	M2216	M2218	M2217						X		

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-8	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		600	6200; 6300		SA-20; SA-200	S6-20; S6-200	SA-1200	S6-1200	D2000; D3000	Notes
				X			X							
IO-520-A (22°,285HP)	M2381	M2380	M2379	X										
IO-520-A (22°,285HP)	M1480				X									
IO-520-A (22°,285HP)	M1990				X									
IO-520-A (22°,285HP)	M1730	M1885	M1890					X						
IO-520-A (22°,285HP)	M1740	M1940	M1935							X				
IO-520-B (22°,285HP)	M2381	M2380	M2379	X										
IO-520-B (22°,285HP)	M1480				X									
IO-520-B (22°,285HP)	M1990				X									
IO-520-B (22°,285HP)	M1730	M1885	M1890					X						
IO-520-B (22°,285HP)	M1740	M1940	M1935							X				
IO-520-BA (22°,285HP)	M2381	M2380	M2379	X										
IO-520-BA (22°,285HP)	M1480				X									
IO-520-BA (22°,285HP)	M1990				X									
IO-520-BA (22°,285HP)	M1730	M1885	M1890					X						
IO-520-BA (22°,285HP)	M1740	M1940	M1935							X				
IO-520-BB (22°,285HP)	M2381	M2380	M2379	X										
IO-520-BB (22°,285HP)	M1480				X									
IO-520-BB (22°,285HP)	M1990				X									
IO-520-BB (22°,285HP)	M1730	M1885	M1890					X						
IO-520-BB (22°,285HP)	M1740	M1940	M1935							X				
IO-520-C (22°,285HP)	M2381	M2380	M2379	X										
IO-520-C (22°,285HP)	M1480				X									
IO-520-C (22°,285HP)	M1990				X									
IO-520-C (22°,285HP)	M1730	M1885	M1890					X						
IO-520-C (22°,285HP)	M1740	M1940	M1935							X				
IO-520-CB (22°,285HP)	M2381	M2380	M2379	X										
IO-520-CB (22°,285HP)	M1480				X									
IO-520-CB (22°,285HP)	M1990				X									
IO-520-CB (22°,285HP)	M1730	M1885	M1890					X						
IO-520-CB (22°,285HP)	M1740	M1940	M1935							X				
IO-520-D (22°,300HP)	M2381	M2380	M2379	X										
IO-520-D (22°,300HP)	M1480				X									
IO-520-D (22°,300HP)	M1990				X									
IO-520-D (22°,300HP)	M1730	M1885	M1890					X						
IO-520-D (22°,300HP)	M1740	M1940	M1935							X				
IO-520-E (22°,300HP)	M2381	M2380	M2379	X										
IO-520-E (22°,300HP)	M1480				X									
IO-520-E (22°,300HP)	M1990				X									
IO-520-E (22°,300HP)	M1730	M1885	M1890					X						
IO-520-E (22°,300HP)	M1740	M1940	M1935							X				
IO-520-F (22°,300HP)	M2381	M2380	M2379	X										
IO-520-F (22°,300HP)	M1480				X									
IO-520-F (22°,300HP)	M1990				X									
IO-520-F (22°,300HP)	M1730	M1885	M1890					X						
IO-520-F (22°,300HP)	M1740	M1940	M1935							X				
IO-520-J (22°,285HP)	M2381	M2380	M2379	X										

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-9	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
IO-520-J (22°,285HP)	M1480				X						
IO-520-J (22°,285HP)	M1990				X						
IO-520-J (22°,285HP)	M1730	M1885	M1890				X				
IO-520-J (22°,285HP)	M1740	M1940	M1935					X			
IO-520-K (22°,300HP)	M2381	M2380	M2379	X							
IO-520-K (22°,300HP)	M1480				X						
IO-520-K (22°,300HP)	M1990				X						
IO-520-K (22°,300HP)	M1730	M1885	M1890				X				
IO-520-K (22°,300HP)	M1740	M1940	M1935					X			
IO-520-L (22°,300HP)	M2381	M2380	M2379	X							
IO-520-L (22°,300HP)	M1480				X						
IO-520-L (22°,300HP)	M1990				X						
IO-520-L (22°,300HP)	M1730	M1885	M1890				X				
IO-520-L (22°,300HP)	M1740	M1940	M1935					X			
IO-520-M (22°,285HP)	M2381	M2380	M2379	X							
IO-520-M (22°,285HP)	M1480				X						
IO-520-M (22°,285HP)	M1990				X						
IO-520-M (22°,285HP)	M1730	M1885	M1890				X				
IO-520-M (22°,285HP)	M1740	M1940	M1935					X			
IO-520-MB (22°,285HP)	M2381	M2380	M2379	X							
IO-520-MB (22°,285HP)	M1480				X						
IO-520-MB (22°,285HP)	M1990				X						
IO-520-MB (22°,285HP)	M1730	M1885	M1890				X				
IO-520-MB (22°,285HP)	M1740	M1940	M1935					X			
IO-520-N (22°,300HP)	M2381	M2380	M2379	X							
IO-520-N (22°,300HP)	M1480				X						
IO-520-N (22°,300HP)	M1990				X						
IO-520-N (22°,300HP)	M1730	M1885	M1890				X				
IO-520-N (22°,300HP)	M1740	M1940	M1935					X			
IO-520-NB (22°,300HP)	M2381	M2380	M2379	X							
IO-520-NB (22°,300HP)	M1480				X						
IO-520-NB (22°,300HP)	M1990				X						
IO-520-NB (22°,300HP)	M1730	M1885	M1890				X				
IO-520-NB (22°,300HP)	M1740	M1940	M1935					X			
IO-550-A (22°,300HP)	M2381	M2380	M2379	X							
IO-550-A (22°,300HP)	M1740	M1940	M1935					X			
IO-550-B (22°,300HP)	M1740	M1940	M1935					X			
IO-550-B (22°,300HP)	M2381	M2380	M2379	X							
IO-550-C (22°,300HP)	M1740	M1940	M1935					X			
IO-550-C (22°,300HP)	M2381	M2380	M2379	X							
IO-550-D (22°,300HP)	M1740	M1940	M1935					X			
IO-550-D (22°,300HP)	M2381	M2380	M2379	X							
IO-550-E (22°,300HP)	M1740	M1940	M1935					X			
IO-550-F (22°,300HP)	M1740	M1940	M1935					X			
IO-550-F (22°,300HP)	M2381	M2380	M2379	X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-10	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
IO-550-G (22°,280HP)	M1740	M1940	M1935						X		
IO-550-L (22°,300HP)	M1740	M1940	M1935						X		
IO-550-L (22°,300HP)	M2381	M2380	M2379	X							
IO-550-N (22°,310HP)	M1740	M1940	M1935						X		
LTSIO-360-E (20°,200HP)	M2015	M2025	M2020					X			
LTSIO-360-E (20°,200HP)	M2046	M2048	M2047						X		
LTSIO-360-EB (20°,200HP)	M2015	M2025	M2020					X			
LTSIO-360-EB (20°,200HP)	M2046	M2048	M2047						X		
LTSIO-360-KB (20°,220HP)	M2015	M2025	M2020					X			
LTSIO-360-KB (20°,220HP)	M2046	M2048	M2047						X		
LTSIO-360-RB (22°,220HP)	M2015	M2025	M2020					X			
LTSIO-360-RB (22°,220HP)	M2046	M2048	M2047						X		
LTSIO-520-AE (20°,250HP)	M1730	M1885	M1890					X			
LTSIO-520-AE (20°,250HP)	M1740	M1940	M1935						X		
O-300-A (26°,145HP)	M2935	M2933	M2934	X							
O-300-A (26°,145HP)	M2318	M2320	M2319		X						
O-300-A (26°,145HP)	M2336	M2338	M2337					X			
O-300-B (26°,145HP)	M2935	M2933	M2934	X							
O-300-B (26°,145HP)	M2318	M2320	M2319		X						
O-300-B (26°,145HP)	M2336	M2338	M2337					X			
O-300-C (26°,145HP)	M2935	M2933	M2934	X							
O-300-C (26°,145HP)	M2318	M2320	M2319		X						
O-300-C (26°,145HP)	M2336	M2338	M2337					X			
O-300-D (26°,145HP)	M2935	M2933	M2934	X							
O-300-D (26°,145HP)	M2318	M2320	M2319		X						
O-300-D (26°,145HP)	M2336	M2338	M2337					X			
O-300-E (26°,145HP)	M2935	M2933	M2934	X							
O-300-E (26°,145HP)	M2318	M2320	M2319		X						
O-300-E (26°,145HP)	M2336	M2338	M2337					X			
O-470-11 (26°,213HP)	M6071	M6069	M6070	X							
O-470-11 (26°,213HP)	M2339	M2340	M2341					X			
O-470-11B (26°,213HP)	M6071	M6069	M6070	X							
O-470-11B (26°,213HP)	M2339	M2340	M2341					X			
O-470-11B-C1 (26°,213HP)	M6071	M6069	M6070	X							
O-470-11B-C1 (26°,213HP)	M2339	M2340	M2341					X			
O-470-11-C1 (26°,213HP)	M6071	M6069	M6070	X							
O-470-11-C1 (26°,213HP)	M2339	M2340	M2341					X			
O-470-13 (26°,225HP)	M6071	M6069	M6070	X							
O-470-13 (26°,225HP)	M2339	M2340	M2341					X			
O-470-13A (26°,225HP)	M6071	M6069	M6070	X							
O-470-13A (26°,225HP)	M2339	M2340	M2341					X			
O-470-15 (26°,213HP)	M6071	M6069	M6070	X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-11	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
O-470-15 (26°,213HP)	M2339	M2340	M2341					X			
O-470-4 (26°,225HP)	M6071	M6069	M6070	X							
O-470-4 (26°,225HP)	M2339	M2340	M2341					X			
O-470-A (26°,225HP)	M2381	M2380	M2379	X							
O-470-A (26°,225HP)	M1480				X						
O-470-A (26°,225HP)	M1990				X						
O-470-A (26°,225HP)	M1730	M1885	M1890				X				
O-470-A (26°,225HP)	M1740	M1940	M1935						X		
O-470-B (24°,240HP)	M2381	M2380	M2379	X							
O-470-B (24°,240HP)	M1480				X						
O-470-B (24°,240HP)	M1990				X						
O-470-B (24°,240HP)	M1730	M1885	M1890				X				
O-470-B (24°,240HP)	M1740	M1940	M1935						X		
O-470-B-C1 (24°,240HP)	M2381	M2380	M2379	X							
O-470-B-C1 (24°,240HP)	M1480				X						
O-470-B-C1 (24°,240HP)	M1990				X						
O-470-B-C1 (24°,240HP)	M1730	M1885	M1890				X				
O-470-B-C1 (24°,240HP)	M1740	M1940	M1935						X		
O-470-E (26°,225HP)	M2381	M2380	M2379	X							
O-470-E (26°,225HP)	M1480				X						
O-470-E (26°,225HP)	M1990				X						
O-470-E (26°,225HP)	M1730	M1885	M1890				X				
O-470-E (26°,225HP)	M1740	M1940	M1935						X		
O-470-G (24°,240HP)	M2381	M2380	M2379	X							
O-470-G (24°,240HP)	M1480				X						
O-470-G (24°,240HP)	M1990				X						
O-470-G (24°,240HP)	M1730	M1885	M1890				X				
O-470-G (24°,240HP)	M1740	M1940	M1935						X		
O-470-G-C1 (24°,240HP)	M2381	M2380	M2379	X							
O-470-G-C1 (24°,240HP)	M1480				X						
O-470-G-C1 (24°,240HP)	M1990				X						
O-470-G-C1 (24°,240HP)	M1730	M1885	M1890				X				
O-470-G-C1 (24°,240HP)	M1740	M1940	M1935						X		
O-470-H (24°,240HP)	M2381	M2380	M2379	X							
O-470-H (24°,240HP)	M1480				X						
O-470-H (24°,240HP)	M1990				X						
O-470-H (24°,240HP)	M1730	M1885	M1890				X				
O-470-H (24°,240HP)	M1740	M1940	M1935						X		
O-470-J (20°,225HP)	M2381	M2380	M2379	X							
O-470-J (20°,225HP)	M1480				X						
O-470-J (20°,225HP)	M1990				X						
O-470-J (20°,225HP)	M1730	M1885	M1890				X				
O-470-J (20°,225HP)	M1740	M1940	M1935						X		
O-470-K (22°,230HP)	M2381	M2380	M2379	X							
O-470-K (22°,230HP)	M1480				X						
O-470-K (22°,230HP)	M1990				X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-12	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-470-K (22°,230HP)	M1730	M1885	M1890					X			
O-470-K (22°,230HP)	M1740	M1940	M1935						X		
O-470-K-C1 (22°,230HP)	M2381	M2380	M2379	X							
O-470-K-C1 (22°,230HP)	M1480				X						
O-470-K-C1 (22°,230HP)	M1990				X						
O-470-K-C1 (22°,230HP)	M1730	M1885	M1890					X			
O-470-K-C1 (22°,230HP)	M1740	M1940	M1935						X		
O-470-L (22°,230HP)	M2381	M2380	M2379	X							
O-470-L (22°,230HP)	M1480				X						
O-470-L (22°,230HP)	M1990				X						
O-470-L (22°,230HP)	M1730	M1885	M1890					X			
O-470-L (22°,230HP)	M1740	M1940	M1935						X		
O-470-L-C1 (22°,230HP)	M2381	M2380	M2379	X							
O-470-L-C1 (22°,230HP)	M1480				X						
O-470-L-C1 (22°,230HP)	M1990				X						
O-470-L-C1 (22°,230HP)	M1730	M1885	M1890					X			
O-470-L-C1 (22°,230HP)	M1740	M1940	M1935						X		
O-470-M (24°,240HP)	M2381	M2380	M2379	X							
O-470-M (24°,240HP)	M1480				X						
O-470-M (24°,240HP)	M1990				X						
O-470-M (24°,240HP)	M1730	M1885	M1890					X			
O-470-M (24°,240HP)	M1740	M1940	M1935						X		
O-470-M-C1 (24°,240HP)	M2381	M2380	M2379	X							
O-470-M-C1 (24°,240HP)	M1480				X						
O-470-M-C1 (24°,240HP)	M1990				X						
O-470-M-C1 (24°,240HP)	M1730	M1885	M1890					X			
O-470-M-C1 (24°,240HP)	M1740	M1940	M1935						X		
O-470-N (24°,240HP)	M2381	M2380	M2379	X							
O-470-N (24°,240HP)	M1480				X						
O-470-N (24°,240HP)	M1990				X						
O-470-N (24°,240HP)	M1730	M1885	M1890					X			
O-470-N (24°,240HP)	M1740	M1940	M1935						X		
O-470-P (24°,240HP)	M2381	M2380	M2379	X							
O-470-P (24°,240HP)	M1480				X						
O-470-P (24°,240HP)	M1990				X						
O-470-P (24°,240HP)	M1730	M1885	M1890					X			
O-470-P (24°,240HP)	M1740	M1940	M1935						X		
O-470-R (22°,230HP)	M2381	M2380	M2379	X							
O-470-R (22°,230HP)	M1480				X						
O-470-R (22°,230HP)	M1990				X						
O-470-R (22°,230HP)	M1730	M1885	M1890					X			
O-470-R (22°,230HP)	M1740	M1940	M1935						X		
O-470-S (22°,230HP)	M2381	M2380	M2379	X							
O-470-S (22°,230HP)	M1480				X						
O-470-S (22°,230HP)	M1990				X						
O-470-S (22°,230HP)	M1730	M1885	M1890					X			

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-13	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-470-S (22°,230HP)	M1740	M1940	M1935						X		
O-470-T (24°,230HP)	M2381	M2380	M2379	X							
O-470-T (24°,230HP)	M1480				X						
O-470-T (24°,230HP)	M1990				X						
O-470-T (24°,230HP)	M1730	M1885	M1890				X				
O-470-T (24°,230HP)	M1740	M1940	M1935						X		
O-470-U (24°,230HP)	M2381	M2380	M2379	X							
O-470-U (24°,230HP)	M1480				X						
O-470-U (24°,230HP)	M1990				X						
O-470-U (24°,230HP)	M1730	M1885	M1890				X				
O-470-U (24°,230HP)	M1740	M1940	M1935						X		
TSIO-360-A (20°,210HP)	M2015	M2025	M2020				X				
TSIO-360-A (20°,210HP)	M2778	M2781	M2782	X							
TSIO-360-A (20°,210HP)	M2046	M2048	M2047						X		
TSIO-360-AB (20°,210HP)	M2015	M2025	M2020				X				
TSIO-360-AB (20°,210HP)	M2778	M2781	M2782	X							
TSIO-360-AB (20°,210HP)	M2046	M2048	M2047						X		
TSIO-360-B (20°,210HP)	M2015	M2025	M2020				X				
TSIO-360-B (20°,210HP)	M2778	M2781	M2782	X							
TSIO-360-B (20°,210HP)	M2046	M2048	M2047						X		
TSIO-360-BB (20°,210HP)	M2015	M2025	M2020				X				
TSIO-360-BB (20°,210HP)	M2778	M2781	M2782	X							
TSIO-360-BB (20°,210HP)	M2046	M2048	M2047						X		
TSIO-360-C (20°,225HP)	M2015	M2025	M2020				X				
TSIO-360-C (20°,225HP)	M2778	M2781	M2782	X							
TSIO-360-C (20°,225HP)	M2046	M2048	M2047						X		
TSIO-360-CB (20°,225HP)	M2015	M2025	M2020				X				
TSIO-360-CB (20°,225HP)	M2778	M2781	M2782	X							
TSIO-360-CB (20°,225HP)	M2046	M2048	M2047						X		
TSIO-360-D (20°,225HP)	M2015	M2025	M2020				X				
TSIO-360-D (20°,225HP)	M2778	M2781	M2782	X							
TSIO-360-D (20°,225HP)	M2046	M2048	M2047						X		
TSIO-360-DB (20°,225HP)	M2015	M2025	M2020				X				
TSIO-360-DB (20°,225HP)	M2778	M2781	M2782	X							
TSIO-360-DB (20°,225HP)	M2046	M2048	M2047						X		
TSIO-360-E (20°,200HP)	M2015	M2025	M2020				X				
TSIO-360-E (20°,200HP)	M2778	M2781	M2782	X							
TSIO-360-E (20°,200HP)	M2046	M2048	M2047						X		
TSIO-360-EB (20°,200HP)	M2015	M2025	M2020				X				
TSIO-360-EB (20°,200HP)	M2778	M2781	M2782	X							
TSIO-360-EB (20°,200HP)	M2046	M2048	M2047						X		
TSIO-360-F (20°,200HP)	M2015	M2025	M2020				X				
TSIO-360-F (20°,200HP)	M2778	M2781	M2782	X							
TSIO-360-F (20°,200HP)	M2046	M2048	M2047						X		
TSIO-360-FB (20°,200HP)	M2015	M2025	M2020				X				

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-14	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
TSIO-360-FB (20°, 200HP)	M2778	M2781	M2782	X							
TSIO-360-FB (20°, 200HP)	M2046	M2048	M2047						X		
TSIO-360-G (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-G (20°, 210HP)	M2778	M2781	M2782	X							
TSIO-360-G (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-GB (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-GB (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-H (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-H (20°, 210HP)	M2778	M2781	M2782	X							
TSIO-360-H (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-HB (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-HB (20°, 210HP)	M2778	M2781	M2782	X							
TSIO-360-HB (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-JB (20°, 225HP)	M2015	M2025	M2020					X			
TSIO-360-JB (20°, 225HP)	M2778	M2781	M2782	X							
TSIO-360-JB (20°, 225HP)	M2046	M2048	M2047						X		
TSIO-360-KB (20°, 220HP)	M2778	M2781	M2782	X							
TSIO-360-LB (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-LB (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-MB (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-MB (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-NB (20°, 210HP)	M2015	M2025	M2020					X			
TSIO-360-NB (20°, 210HP)	M2046	M2048	M2047						X		
TSIO-360-PB (20°, 200HP)	M2015	M2025	M2020					X			
TSIO-360-PB (20°, 200HP)	M2046	M2048	M2047						X		
TSIO-360-RB (22°, 220HP)	M2015	M2025	M2020					X			
TSIO-360-RB (22°, 220HP)	M2046	M2048	M2047						X		
TSIO-360-SB (20°, 220HP)	M2015	M2025	M2020					X			
TSIO-360-SB (20°, 220HP)	M2046	M2048	M2047						X		
TSIO-470-B (22°, 260HP)	M1730	M1885	M1890					X			
TSIO-470-B (22°, 260HP)	M1740	M1940	M1935						X		
TSIO-470-C (22°, 260HP)	M1730	M1885	M1890					X			
TSIO-470-C (22°, 260HP)	M1740	M1940	M1935						X		
TSIO-470-D (22°, 260HP)	M1730	M1885	M1890					X			
TSIO-470-D (22°, 260HP)	M1740	M1940	M1935						X		
TSIO-520-A (20°, 285HP)	M2381	M2380	M2379	X							
TSIO-520-A (20°, 285HP)	M2780	M2785	M2786	X							
TSIO-520-A (20°, 285HP)	M1480				X						
TSIO-520-A (20°, 285HP)	M1990				X						
TSIO-520-A (20°, 285HP)	M1730	M1885	M1890					X			
TSIO-520-A (20°, 285HP)	M1740	M1940	M1935						X		
TSIO-520-AE (20°, 250HP)	M2780	M2785	M2786	X							
TSIO-520-AE (20°, 250HP)	M1730	M1885	M1890					X			
TSIO-520-AE (20°, 250HP)	M1740	M1940	M1935						X		

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
615	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		S4-20; S4-200		S6-20; S6-200		S4-1200		S6-1200		D2000; D3000		Notes
TSIO-520-AF (22°, 310HP)	M2787	M2788	M2789	X																
TSIO-520-AF (22°, 310HP)	M1740	M1940	M1935											X						
TSIO-520-B (20°, 285HP)	M2381	M2380	M2379	X																
TSIO-520-B (20°, 285HP)	M2779	M2783	M2784	X																
TSIO-520-B (20°, 285HP)	M1480					X														
TSIO-520-B (20°, 285HP)	M1990					X														
TSIO-520-B (20°, 285HP)	M1730	M1885	M1890							X										
TSIO-520-B (20°, 285HP)	M1740	M1940	M1935											X						
TSIO-520-BB (20°, 285HP)	M2381	M2380	M2379	X																
TSIO-520-BB (20°, 285HP)	M2779	M2783	M2784	X																
TSIO-520-BB (20°, 285HP)	M1480					X														
TSIO-520-BB (20°, 285HP)	M1990					X														
TSIO-520-BB (20°, 285HP)	M1730	M1885	M1890							X										
TSIO-520-BB (20°, 285HP)	M1740	M1940	M1935											X						
TSIO-520-BE (24°, 310HP)	M2787	M2788	M2789	X																
TSIO-520-BE (24°, 310HP)	M1990					X														
TSIO-520-BE (24°, 310HP)	M1480					X														
TSIO-520-BE (24°, 310HP)	M1730	M1885	M1890							X										
TSIO-520-BE (24°, 310HP)	M1740	M1940	M1935											X						
TSIO-520-C (20°, 285HP)	M2381	M2380	M2379	X																
TSIO-520-C (20°, 285HP)	M2779	M2783	M2784	X																
TSIO-520-C (20°, 285HP)	M1480					X														
TSIO-520-C (20°, 285HP)	M1990					X														
TSIO-520-C (20°, 285HP)	M1730	M1885	M1890							X										
TSIO-520-C (20°, 285HP)	M1740	M1940	M1935											X						
TSIO-520-CE (20°, 325HP)	M2806	M2804	M2805	X																
TSIO-520-CE (20°, 325HP)	M1990					X														
TSIO-520-CE (20°, 325HP)	M1480					X														
TSIO-520-CE (20°, 325HP)	M1730	M1885	M1890							X										
TSIO-520-CE (20°, 325HP)	M1740	M1940	M1935											X						
TSIO-520-D (20°, 285HP)	M2381	M2380	M2379	X																
TSIO-520-D (20°, 285HP)	M2779	M2783	M2784	X																
TSIO-520-D (20°, 285HP)	M1480					X														
TSIO-520-D (20°, 285HP)	M1990					X														
TSIO-520-D (20°, 285HP)	M1730	M1885	M1890							X										
TSIO-520-D (20°, 285HP)	M1740	M1940	M1935											X						
TSIO-520-DB (20°, 285HP)	M2381	M2380	M2379	X																
TSIO-520-DB (20°, 285HP)	M2779	M2783	M2784	X																
TSIO-520-DB (20°, 285HP)	M1480					X														
TSIO-520-DB (20°, 285HP)	M1990					X														
TSIO-520-DB (20°, 285HP)	M1730	M1885	M1890							X										
TSIO-520-DB (20°, 285HP)	M1740	M1940	M1935											X						
TSIO-520-E (20°, 300HP)	M2381	M2380	M2379	X																
TSIO-520-E (20°, 300HP)	M2779	M2783	M2784	X																
TSIO-520-E (20°, 300HP)	M1480					X														
TSIO-520-E (20°, 300HP)	M1990					X														

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-16	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		600	S4-20; S4-200		S6-20; S6-200		D2000; D3000	Notes
				6200; 6300	600		S4-1200	S6-1200				
TSIO-520-E (20°, 300HP)	M1730	M1885	M1890					X				
TSIO-520-E (20°, 300HP)	M1740	M1940	M1935						X			
TSIO-520-EB (20°, 300HP)	M2381	M2380	M2379	X								
TSIO-520-EB (20°, 300HP)	M2779	M2783	M2784	X								
TSIO-520-EB (20°, 300HP)	M1480				X							
TSIO-520-EB (20°, 300HP)	M1990				X							
TSIO-520-EB (20°, 300HP)	M1730	M1885	M1890				X					
TSIO-520-EB (20°, 300HP)	M1740	M1940	M1935						X			
TSIO-520-G (22°, 300HP)	M2381	M2380	M2379	X								
TSIO-520-G (22°, 300HP)	M2779	M2783	M2784	X								
TSIO-520-G (22°, 300HP)	M1480				X							
TSIO-520-G (22°, 300HP)	M1990				X							
TSIO-520-G (22°, 300HP)	M1730	M1885	M1890				X					
TSIO-520-G (22°, 300HP)	M1740	M1940	M1935						X			
TSIO-520-H (20°, 285HP)	M2381	M2380	M2379	X								
TSIO-520-H (20°, 285HP)	M2779	M2783	M2784	X								
TSIO-520-H (20°, 285HP)	M1480				X							
TSIO-520-H (20°, 285HP)	M1990				X							
TSIO-520-H (20°, 285HP)	M1730	M1885	M1890				X					
TSIO-520-H (20°, 285HP)	M1740	M1940	M1935						X			
TSIO-520-J (20°, 310HP)	M2381	M2380	M2379	X								
TSIO-520-J (20°, 310HP)	M2779	M2783	M2784	X								
TSIO-520-J (20°, 310HP)	M1480				X							
TSIO-520-J (20°, 310HP)	M1990				X							
TSIO-520-J (20°, 310HP)	M1730	M1885	M1890				X					
TSIO-520-J (20°, 310HP)	M1740	M1940	M1935						X			
TSIO-520-JB (20°, 310HP)	M2381	M2380	M2379	X								
TSIO-520-JB (20°, 310HP)	M2779	M2783	M2784	X								
TSIO-520-JB (20°, 310HP)	M1480				X							
TSIO-520-JB (20°, 310HP)	M1990				X							
TSIO-520-JB (20°, 310HP)	M1730	M1885	M1890				X					
TSIO-520-JB (20°, 310HP)	M1740	M1940	M1935						X			
TSIO-520-K (20°, 285HP)	M2381	M2380	M2379	X								
TSIO-520-K (20°, 285HP)	M2779	M2783	M2784	X								
TSIO-520-K (20°, 285HP)	M1480				X							
TSIO-520-K (20°, 285HP)	M1990				X							
TSIO-520-K (20°, 285HP)	M1730	M1885	M1890				X					
TSIO-520-K (20°, 285HP)	M1740	M1940	M1935						X			
TSIO-520-KB (20°, 285HP)	M2381	M2380	M2379	X								
TSIO-520-KB (20°, 285HP)	M2779	M2783	M2784	X								
TSIO-520-KB (20°, 285HP)	M1480				X							
TSIO-520-KB (20°, 285HP)	M1990				X							
TSIO-520-KB (20°, 285HP)	M1730	M1885	M1890				X					
TSIO-520-KB (20°, 285HP)	M1740	M1940	M1935						X			
TSIO-520-L (20°, 310HP)	M2381	M2380	M2379	X								
TSIO-520-L (20°, 310HP)	M2779	M2783	M2784	X								

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-17	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
TSIO-520-L (20°, 310HP)	M1480					X					
TSIO-520-L (20°, 310HP)	M1990					X					
TSIO-520-L (20°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-L (20°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-LB (20°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-LB (20°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-LB (20°, 310HP)	M1480					X					
TSIO-520-LB (20°, 310HP)	M1990					X					
TSIO-520-LB (20°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-LB (20°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-M (22°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-M (22°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-M (22°, 310HP)	M1480					X					
TSIO-520-M (22°, 310HP)	M1990					X					
TSIO-520-M (22°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-M (22°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-N (20°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-N (20°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-N (20°, 310HP)	M1480					X					
TSIO-520-N (20°, 310HP)	M1990					X					
TSIO-520-N (20°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-N (20°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-NB (20°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-NB (20°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-NB (20°, 310HP)	M1480					X					
TSIO-520-NB (20°, 310HP)	M1990					X					
TSIO-520-NB (20°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-NB (20°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-P (22°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-P (22°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-P (22°, 310HP)	M1480					X					
TSIO-520-P (22°, 310HP)	M1990					X					
TSIO-520-P (22°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-P (22°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-R (22°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-R (22°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-R (22°, 310HP)	M1480					X					
TSIO-520-R (22°, 310HP)	M1990					X					
TSIO-520-R (22°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-R (22°, 310HP)	M1740	M1940	M1935						X		
TSIO-520-T (22°, 310HP)	M2381	M2380	M2379	X							
TSIO-520-T (22°, 310HP)	M2779	M2783	M2784	X							
TSIO-520-T (22°, 310HP)	M1480					X					
TSIO-520-T (22°, 310HP)	M1990					X					
TSIO-520-T (22°, 310HP)	M1730	M1885	M1890					X			
TSIO-520-T (22°, 310HP)	M1740	M1940	M1935						X		

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-18	G

Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
TSIO-520-U (22°, 300HP)	M2381	M2380	M2379	X																
TSIO-520-U (22°, 300HP)	M2779	M2783	M2784	X																
TSIO-520-U (22°, 300HP)	M1480						X													
TSIO-520-U (22°, 300HP)	M1990						X													
TSIO-520-U (22°, 300HP)	M1730	M1885	M1890							X										
TSIO-520-U (22°, 300HP)	M1740	M1940	M1935										X							
TSIO-520-UB (22°, 300HP)	M2381	M2380	M2379	X																
TSIO-520-UB (22°, 300HP)	M2779	M2783	M2784	X																
TSIO-520-UB (22°, 300HP)	M1480						X													
TSIO-520-UB (22°, 300HP)	M1990						X													
TSIO-520-UB (22°, 300HP)	M1730	M1885	M1890							X										
TSIO-520-UB (22°, 300HP)	M1740	M1940	M1935										X							
TSIO-520-VB (20°, 325HP)	M2381	M2380	M2379	X																
TSIO-520-VB (20°, 325HP)	M2779	M2783	M2784	X																
TSIO-520-VB (20°, 325HP)	M1480						X													
TSIO-520-VB (20°, 325HP)	M1990						X													
TSIO-520-VB (20°, 325HP)	M1730	M1885	M1890							X										
TSIO-520-VB (20°, 325HP)	M1740	M1940	M1935										X							
TSIO-520-WB (20°, 325HP)	M2381	M2380	M2379	X																
TSIO-520-WB (20°, 325HP)	M2779	M2783	M2784	X																
TSIO-520-WB (20°, 325HP)	M1480						X													
TSIO-520-WB (20°, 325HP)	M1990						X													
TSIO-520-WB (20°, 325HP)	M1730	M1885	M1890							X										
TSIO-520-WB (20°, 325HP)	M1740	M1940	M1935										X							
TSIO-550-A (24°, 360HP)	M1730	M1885	M1890							X										
TSIO-550-A (24°, 360HP)	M2779	M2783	M2784	X																
TSIO-550-B (24°, 350HP)	M1730	M1885	M1890							X										
TSIO-550-B (24°, 350HP)	M2779	M2783	M2784	X																
TSIO-550-C (24°, 310HP)	M1730	M1885	M1890							X										
TSIO-550-C (24°, 310HP)	M2779	M2783	M2784	X																
TSIO-550-E (24°, 350HP)	M1730	M1885	M1890							X										
TSIO-550-E (24°, 350HP)	M2779	M2783	M2784	X																

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-19	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
AEIO-320-D1B (25°, 160HP)	M2508	M2506	M2507	X							2
AEIO-320-D1B (25°, 160HP)	M2360	M2362	M2361				X				2
AEIO-320-D1B (25°, 160HP)	M2235	M2237	M2236					X			2
AEIO-320-D2B (25°, 160HP)	M2508	M2506	M2507	X							2
AEIO-320-D2B (25°, 160HP)	M2360	M2362	M2361				X				2
AEIO-320-D2B (25°, 160HP)	M2235	M2237	M2236					X			2
AEIO-320-E1A (25°, 150HP)	M2508	M2506	M2507	X							2
AEIO-320-E1A (25°, 150HP)	M2360	M2362	M2361				X				2
AEIO-320-E1A (25°, 150HP)	M2235	M2237	M2236					X			2
AEIO-320-E1B (25°, 150HP)	M2508	M2506	M2507	X							2
AEIO-320-E1B (25°, 150HP)	M2360	M2362	M2361				X				2
AEIO-320-E1B (25°, 150HP)	M2235	M2237	M2236					X			2
AEIO-320-E2A (25°, 150HP)	M2508	M2506	M2507	X							2
AEIO-320-E2A (25°, 150HP)	M2360	M2362	M2361				X				2
AEIO-320-E2A (25°, 150HP)	M2235	M2237	M2236					X			2
AEIO-320-E2B (25°, 150HP)	M2508	M2506	M2507	X							2
AEIO-320-E2B (25°, 150HP)	M2360	M2362	M2361				X				2
AEIO-320-E2B (25°, 150HP)	M2235	M2237	M2236					X			2
AEIO-360-A1A (20°, 200HP)	M4029	M4025	M4026	X							2, 3
AEIO-360-A1A (20°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1A (20°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1A (25°, 200HP)	M4029	M4025	M4026	X							2, 3
AEIO-360-A1A (25°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1A (25°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1B (20°, 200HP)	M4029	M4025	M4026	X							2, 3
AEIO-360-A1B (20°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1B (20°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1B (25°, 200HP)	M4029	M4025	M4026	X							2, 3
AEIO-360-A1B (25°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1B (25°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1B6 (20°, 200HP)	M4029	M4025	M4026	X							2, 3
AEIO-360-A1B6 (20°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1B6 (20°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1B6 (25°, 200HP)	M4029	M4025	M4026	X							2, 3
AEIO-360-A1B6 (25°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1B6 (25°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1C (20°, 200HP)	M2508	M2506	M2507	X							2, 3
AEIO-360-A1C (25°, 200HP)	M2508	M2506	M2507	X							2, 3
AEIO-360-A1D (20°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1D (20°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1D (25°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1D (25°, 200HP)	M2235	M2237	M2236					X			2, 3
AEIO-360-A1E (20°, 200HP)	M2508	M2506	M2507	X							2, 3
AEIO-360-A1E (20°, 200HP)	M2360	M2362	M2361				X				2, 3
AEIO-360-A1E (20°, 200HP)	M2235	M2237	M2236					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-20	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		Notes
AEIO-360-A1E (25°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A1E (25°, 200HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-A1E (25°, 200HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-A1E6 (20°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A1E6 (25°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A2A (20°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A2A (25°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A2B (20°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A2B (20°, 200HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-A2B (20°, 200HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-A2B (25°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A2B (25°, 200HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-A2B (25°, 200HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-A2C (20°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-A2C (25°, 200HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B1B (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B1B (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-B1B (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-B1D (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B1F (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B1F (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-B1F (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-B1F6 (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B1F6 (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-B1F6 (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-B1G6 (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B1G6 (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-B1G6 (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-B2F (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B2F (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-B2F (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-B2F6 (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B4A (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-B4A (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-B4A (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-360-H1A (25°, 180HP)	M2508	M2506	M2507	X														2, 3
AEIO-360-H1A (25°, 180HP)	M2360	M2362	M2361							X								2, 3
AEIO-360-H1A (25°, 180HP)	M2235	M2237	M2236									X						2, 3
AEIO-540-D4A5 (25°, 260HP)	M2120	M2117	M2118									X						
AEIO-540-D4A5 (25°, 260HP)	M2157	M2158	M2159											X				
AEIO-540-D4B5 (25°, 260HP)	M2120	M2117	M2118									X						
AEIO-540-D4B5 (25°, 260HP)	M2157	M2158	M2159											X				
AEIO-540-D4C5 (25°, 260HP)	M2899	M2900	M2901			X												

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-21	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
AIO-320-A1A (25°,160HP)	M2492	M2493	M2494					X			2
AIO-320-A1B (25°,160HP)	M2508	M2506	M2507	X							2
AIO-320-A1B (25°,160HP)	M2492	M2493	M2494					X			2
AIO-320-A1B (25°,160HP)	M2360	M2362	M2361			X					2
AIO-320-A1B (25°,160HP)	M2235	M2237	M2236					X			2
AIO-320-A2A (25°,160HP)	M2508	M2506	M2507	X							2
AIO-320-A2B (25°,160HP)	M2508	M2506	M2507	X							2
AIO-320-A2B (25°,160HP)	M2360	M2362	M2361			X					2
AIO-320-A2B (25°,160HP)	M2235	M2237	M2236					X			2
AIO-320-B1B (25°,160HP)	M2508	M2506	M2507	X							2
AIO-320-B1B (25°,160HP)	M2360	M2362	M2361			X					2
AIO-320-B1B (25°,160HP)	M2235	M2237	M2236					X			2
AIO-320-C1B (25°,160HP)	M2508	M2506	M2507	X							2
AIO-360-A1A (20°,200HP)	M2360	M2362	M2361			X					2, 3
AIO-360-A1A (20°,200HP)	M4029	M4025	M4026	X							2, 3
AIO-360-A1A (20°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-A1A (25°,200HP)	M2360	M2362	M2361			X					2, 3
AIO-360-A1A (25°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-A1B (20°,200HP)	M2360	M2362	M2361			X					2, 3
AIO-360-A1B (20°,200HP)	M4029	M4025	M4026	X							2, 3
AIO-360-A1B (20°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-A1B (25°,200HP)	M2360	M2362	M2361			X					2, 3
AIO-360-A1B (25°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-A2A (20°,200HP)	M4029	M4025	M4026	X							2, 3
AIO-360-A2A (25°,200HP)	M4029	M4025	M4026	X							2, 3
AIO-360-A2B (20°,200HP)	M2508	M2506	M2507	X							2, 3
AIO-360-A2B (20°,200HP)	M2360	M2362	M2361			X					2, 3
AIO-360-A2B (20°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-A2B (25°,200HP)	M2508	M2506	M2507	X							2, 3
AIO-360-A2B (25°,200HP)	M2360	M2362	M2361			X					2, 3
AIO-360-A2B (25°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-B1B (20°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-B1B (20°,200HP)	M4029	M4025	M4026	X							2, 3
AIO-360-B1B (20°,200HP)	M2492	M2493	M2494					X			2, 3
AIO-360-B1B (25°,200HP)	M2235	M2237	M2236					X			2, 3
AIO-360-B1B (25°,200HP)	M4029	M4025	M4026	X							2, 3
AIO-360-B1B (25°,200HP)	M2492	M2493	M2494					X			2, 3
GO-435-C2A (25°,260HP)	M2682	M2683	M2684					X			
GO-435-C2A2 (25°,260HP)	M2682	M2683	M2684					X			
GO-435-C2B1 (25°,260HP)	M2682	M2683	M2684					X			
GO-435-C2B2 (25°,260HP)	M2682	M2683	M2684					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-22	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200		SA-1200 S6-1200	D2000; D3000	Notes
GO-480-B (25°,270HP)	M2682	M2683	M2684				X				
GO-480-B1C (25°,270HP)	M2682	M2683	M2684				X				
GO-480-B1D (25°,270HP)	M2682	M2683	M2684				X				
GO-480-C1D6 (25°,295HP)	M2682	M2683	M2684				X				
GO-480-D1A (25°,275HP)	M2850	M2849	M2684				X				
GO-480-G1A6 (25°,295HP)	M2682	M2683	M2684				X				
GO-480-G1B6 (25°,295HP)	M2850	M2849	M2684				X				
GO-480-G1D6 (25°,295HP)	M2682	M2683	M2684				X				
GO-480-G1D6 (25°,295HP)	M2688	M2689	M2690						X		
GO-480-G1J6 (25°,295HP)	M2739	M2740	M2741				X				
GO-480-G1J6 (25°,295HP)	M2489	M2490	M2491						X		
GSO-480-B1B3 (25°,340HP)	M2809	M2807	M2808				X				
GSO-480-B1J6 (25°,340HP)	M2751	M2752	M2753				X				
GSO-480-B1J6 (25°,340HP)	M2486	M2487	M2488						X		
HIO-360-A1A (25°,180HP)	M2859	M2861	M2860			X					2, 3
HIO-360-B1A (25°,180HP)	M2856	M2858	M2857			X					2, 3
HIO-360-C1A (25°,205HP)	M2856	M2858	M2857			X					2, 3
HIO-360-E1AD (20°,190HP)	M2944								X		2, 3
HIO-360-E1BD (20°,190HP)	M2944								X		2, 3
HIO-360-F1AD (20°,190HP)	M2944								X		2, 3
HO-360-A1A (25°,180HP)	M2360	M2362	M2361			X					2, 3
HO-360-B1A (25°,180HP)	M2360	M2362	M2361			X					2, 3
HO-360-B1B (25°,180HP)	M2360	M2362	M2361			X					2, 3
HO-360-C1A (25°,180HP)	M2360	M2362	M2361			X					2, 3
IGSO-480-A1A6 - 1/2" (25°,340HP)	M2247	M2249	M2248				X				
IGSO-480-A1A6 - 1/2" (25°,340HP)	M2280	M2282	M2281						X		
IGSO-480-A1A6 - 13/16" (25°,340HP)	M2247	M2249	M2248				X				
IGSO-480-A1A6 - 13/16" (25°,340HP)	M2280	M2282	M2281						X		
IGSO-480-A1B6 - 1/2" (25°,340HP)	M2247	M2249	M2248				X				
IGSO-480-A1B6 - 1/2" (25°,340HP)	M2280	M2282	M2281						X		
IGSO-480-A1B6 - 13/16" (25°,340HP)	M2247	M2249	M2248				X				
IGSO-480-A1B6 - 13/16" (25°,340HP)	M2280	M2282	M2281						X		
IGSO-480-A1E6 - 1/2" (25°,340HP)	M2247	M2249	M2248				X				

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-23	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IGSO-480-A1E6 - 1/2" (25°,340HP)	M2280	M2282	M2281						X		
IGSO-480-A1E6 - 13/16" (25°,340HP)	M2247	M2249	M2248					X			
IGSO-480-A1E6 - 13/16"	M2280	M2282	M2281						X		
IGSO-540-A1D (25°,380HP)	M2289	M2291	M2290					X			
IGSO-540-A1D (25°,380HP)	M2292	M2294	M2293					X			
IGSO-540-A1D (25°,380HP)	M2256	M2258	M2257						X		
IGSO-540-A1E (25°,380HP)	M2289	M2291	M2290					X			
IGSO-540-A1E (25°,380HP)	M2292	M2294	M2293					X			
IGSO-540-A1E (25°,380HP)	M2256	M2258	M2257						X		
IGSO-540-A1F (25°,380HP)	M2289	M2291	M2290					X			
IGSO-540-A1F (25°,380HP)	M2292	M2294	M2293					X			
IGSO-540-A1F (25°,380HP)	M2256	M2258	M2257						X		
IGSO-540-B1A (25°,380HP)	M2289	M2291	M2290					X			
IGSO-540-B1A (25°,380HP)	M2292	M2294	M2293					X			
IGSO-540-B1A (25°,380HP)	M2256	M2258	M2257						X		
IGSO-540-B1C (25°,380HP)	M2289	M2291	M2290					X			
IGSO-540-B1C (25°,380HP)	M2292	M2294	M2293					X			
IGSO-540-B1C (25°,380HP)	M2256	M2258	M2257						X		
IO-320-A1A (25°,150HP)	M2508	M2506	M2507	X							2
IO-320-A2A (25°,150HP)	M2508	M2506	M2507	X							2
IO-320-B1A (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-B1A (25°,160HP)	M2360	M2362	M2361			X					2
IO-320-B1A (25°,160HP)	M2235	M2237	M2236					X			2
IO-320-B1B (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-B1B (25°,160HP)	M2360	M2362	M2361			X					2
IO-320-B1B (25°,160HP)	M2235	M2237	M2236					X			2
IO-320-B1C (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-B1C (25°,160HP)	M2360	M2362	M2361			X					2
IO-320-B1C (25°,160HP)	M2235	M2237	M2236					X			2
IO-320-B1D (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-B1D (25°,160HP)	M2360	M2362	M2361			X					2
IO-320-B1D (25°,160HP)	M2235	M2237	M2236					X			2
IO-320-B2A (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-B2A (25°,160HP)	M2360	M2362	M2361			X					2
IO-320-B2A (25°,160HP)	M2235	M2237	M2236					X			2
IO-320-C1A - 1/2" (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-C1A - 1/2" (25°,160HP)	M2360	M2362	M2361			X					2
IO-320-C1A - 1/2" (25°,160HP)	M2235	M2237	M2236					X			2
IO-320-C1A - 13/16" (25°,160HP)	M2508	M2506	M2507	X							2
IO-320-C1A - 13/16" (25°,160HP)	M2360	M2362	M2361			X					2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-24	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-320-C1A - 13/16" (25°, 160HP)	M2235	M2237	M2236					X			2
IO-320-D1A (25°, 160HP)	M2508	M2506	M2507	X							2
IO-320-D1A (25°, 160HP)	M2360	M2362	M2361			X					2
IO-320-D1A (25°, 160HP)	M2235	M2237	M2236					X			2
IO-320-D1B (25°, 160HP)	M2508	M2506	M2507	X							2
IO-320-D1B (25°, 160HP)	M2360	M2362	M2361			X					2
IO-320-D1B (25°, 160HP)	M2235	M2237	M2236					X			2
IO-320-E1A (25°, 150HP)	M2508	M2506	M2507	X							2
IO-320-E1A (25°, 150HP)	M2360	M2362	M2361			X					2
IO-320-E1A (25°, 150HP)	M2235	M2237	M2236					X			2
IO-320-E1B (25°, 150HP)	M2508	M2506	M2507	X							2
IO-320-E1B (25°, 150HP)	M2360	M2362	M2361			X					2
IO-320-E1B (25°, 150HP)	M2235	M2237	M2236					X			2
IO-320-E2A (25°, 150HP)	M2508	M2506	M2507	X							2
IO-320-E2A (25°, 150HP)	M2360	M2362	M2361			X					2
IO-320-E2A (25°, 150HP)	M2235	M2237	M2236					X			2
IO-320-E2B (25°, 150HP)	M2508	M2506	M2507	X							2
IO-320-E2B (25°, 150HP)	M2360	M2362	M2361			X					2
IO-320-E2B (25°, 150HP)	M2235	M2237	M2236					X			2
IO-320-F1A (25°, 160HP)	M2508	M2506	M2507	X							2
IO-320-F1A (25°, 160HP)	M2360	M2362	M2361			X					2
IO-320-F1A (25°, 160HP)	M2235	M2237	M2236					X			2
IO-360-A1A (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1A (20°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1A (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1A (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1A (25°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1A (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1B (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1B (20°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1B (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1B (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1B (25°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1B (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1B6 (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1B6 (20°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1B6 (20°, 200HP)	M2641	M2642	M2643					X			2, 3
IO-360-A1B6 (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1B6 (25°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1B6 (25°, 200HP)	M2641	M2642	M2643					X			2, 3
IO-360-A1B6D (25°, 200HP)	M2915									X	2, 3
IO-360-A1C (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1C (20°, 200HP)	M2360	M2362	M2361			X					2, 3
IO-360-A1C (20°, 200HP)	M2235	M2237	M2236					X			2, 3

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-25	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-360-A1C (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1C (25°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A1C (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1D (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1D (20°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A1D (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1D (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1D (25°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A1D (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1D6 (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A1D6 (20°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A1D6 (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A1D6 (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A2A (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A2A (20°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A2A (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A2A (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A2A (25°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A2A (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A2B (20°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A2B (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A2B (25°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A2B (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A2C (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A2C (20°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A2C (20°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A2C (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A2C (25°, 200HP)	M2360	M2362	M2361				X				2, 3
IO-360-A2C (25°, 200HP)	M2235	M2237	M2236					X			2, 3
IO-360-A3B6 (20°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A3B6 (25°, 200HP)	M2508	M2506	M2507	X							2, 3
IO-360-A3B6D (25°, 200HP)	M2916								X		2, 3
IO-360-B1A (25°, 180HP)	M2360	M2362	M2361				X				2, 3
IO-360-B1A (25°, 180HP)	M2235	M2237	M2236					X			2, 3
IO-360-B1B (25°, 180HP)	M2508	M2506	M2507	X							2, 3
IO-360-B1B (25°, 180HP)	M2360	M2362	M2361				X				2, 3
IO-360-B1B (25°, 180HP)	M2235	M2237	M2236					X			2, 3
IO-360-B1C (25°, 177HP)	M2360	M2362	M2361				X				2, 3
IO-360-B1C (25°, 177HP)	M2235	M2237	M2236					X			2, 3
IO-360-B1D (25°, 180HP)	M2508	M2506	M2507	X							2, 3
IO-360-B1D (25°, 180HP)	M2360	M2362	M2361				X				2, 3
IO-360-B1D (25°, 180HP)	M2235	M2237	M2236					X			2, 3
IO-360-B1E (25°, 180HP)	M2508	M2506	M2507	X							2, 3
IO-360-B1E (25°, 180HP)	M2360	M2362	M2361				X				2, 3
IO-360-B1E (25°, 180HP)	M2235	M2237	M2236					X			2, 3
IO-360-B1F (25°, 180HP)	M2508	M2506	M2507	X							2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-26	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		D2000; D3000		Notes
IO-360-B1F (25°, 180HP)	M2360	M2362	M2361																	2, 3
IO-360-B1F (25°, 180HP)	M2235	M2237	M2236																	2, 3
IO-360-B1F6 (25°, 180HP)	M2508	M2506	M2507	X																2, 3
IO-360-B2E-nd (25°, 180HP)	M2508	M2506	M2507	X																2, 3, 10
IO-360-B2E-nd (25°, 180HP)	M2360	M2362	M2361																	2, 3, 10
IO-360-B2E-nd (25°, 180HP)	M2235	M2237	M2236																	2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M2360	M2362	M2361																	2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M2235	M2237	M2236																	2, 3, 10
IO-360-B2F (25°, 180HP)	M2508	M2506	M2507	X																2, 3
IO-360-B2F (25°, 180HP)	M2360	M2362	M2361																	2, 3
IO-360-B2F (25°, 180HP)	M2235	M2237	M2236																	2, 3
IO-360-B2F6 (25°, 180HP)	M2508	M2506	M2507	X																2, 3
IO-360-B2F6 (25°, 180HP)	M2360	M2362	M2361																	2, 3
IO-360-B2F6 (25°, 180HP)	M2235	M2237	M2236																	2, 3
IO-360-B4A (25°, 180HP)	M2508	M2506	M2507	X																2, 3
IO-360-B4A (25°, 180HP)	M2360	M2362	M2361																	2, 3
IO-360-B4A (25°, 180HP)	M2235	M2237	M2236																	2, 3
IO-360-C1A (20°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1A (20°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1A (20°, 200HP)	M2235	M2237	M2236																	2, 3
IO-360-C1A (25°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1A (25°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1A (25°, 200HP)	M2235	M2237	M2236																	2, 3
IO-360-C1B (20°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1B (20°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1B (20°, 200HP)	M2616	M2617	M2618																	2, 3
IO-360-C1B (25°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1B (25°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1B (25°, 200HP)	M2616	M2617	M2618																	2, 3
IO-360-C1C (20°, 200HP)	M2661	M2662	M2663																	2, 3
IO-360-C1C (20°, 200HP)	M2616	M2617	M2618																	2, 3
IO-360-C1C (25°, 200HP)	M2661	M2662	M2663																	2, 3
IO-360-C1C (25°, 200HP)	M2616	M2617	M2618																	2, 3
IO-360-C1C6 (20°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1C6 (20°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1C6 (25°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1C6 (25°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1D6 (20°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1D6 (20°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1D6 (20°, 200HP)	M2235	M2237	M2236																	2, 3
IO-360-C1D6 (25°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1D6 (25°, 200HP)	M2360	M2362	M2361																	2, 3
IO-360-C1D6 (25°, 200HP)	M2235	M2237	M2236																	2, 3
IO-360-C1E6 (20°, 200HP)	M2508	M2506	M2507	X																2, 3
IO-360-C1E6 (20°, 200HP)	M2661	M2662	M2663																	2, 3
IO-360-C1E6 (20°, 200HP)	M2616	M2617	M2618																	2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-27	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness							Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200 S6-1200		D2000; D3000
IO-360-C1E6 (25°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-C1E6 (25°,200HP)	M2661	M2662	M2663				X				2, 3
IO-360-C1E6 (25°,200HP)	M2616	M2617	M2618					X			2, 3
IO-360-C1F (20°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-C1F (20°,200HP)	M2661	M2662	M2663				X				2, 3
IO-360-C1F (20°,200HP)	M2616	M2617	M2618					X			2, 3
IO-360-C1F (25°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-C1F (25°,200HP)	M2661	M2662	M2663				X				2, 3
IO-360-C1F (25°,200HP)	M2616	M2617	M2618					X			2, 3
IO-360-D1A (20°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-D1A (20°,200HP)	M2360	M2362	M2361				X				2, 3
IO-360-D1A (20°,200HP)	M2616	M2617	M2618					X			2, 3
IO-360-D1A (25°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-D1A (25°,200HP)	M2360	M2362	M2361				X				2, 3
IO-360-D1A (25°,200HP)	M2616	M2617	M2618					X			2, 3
IO-360-E1A (25°,180HP)	M2508	M2506	M2507	X							2, 3
IO-360-E1A (25°,180HP)	M2360	M2362	M2361				X				2, 3
IO-360-E1A (25°,180HP)	M2235	M2237	M2236					X			2, 3
IO-360-F1A (25°,180HP)	M2508	M2506	M2507	X							2, 3
IO-360-F1A (25°,180HP)	M2360	M2362	M2361				X				2, 3
IO-360-F1A (25°,180HP)	M2235	M2237	M2236					X			2, 3
IO-360-J1A6D (20°,200HP)	M2915								X		2, 3
IO-360-J1A6D (25°,200HP)	M2915								X		2, 3
IO-360-J1AD (20°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-J1AD (25°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-K2A (20°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-K2A (20°,200HP)	M2360	M2362	M2361				X				2, 3
IO-360-K2A (20°,200HP)	M2235	M2237	M2236					X			2, 3
IO-360-K2A (25°,200HP)	M2508	M2506	M2507	X							2, 3
IO-360-K2A (25°,200HP)	M2360	M2362	M2361				X				2, 3
IO-360-K2A (25°,200HP)	M2235	M2237	M2236					X			2, 3
IO-360-L2A (25°,160HP)	M2508	M2506	M2507	X							2, 3
IO-360-L2A (25°,180HP)	M2508	M2506	M2507	X							2, 3
IO-540-A1A5 (20°,290HP)	M6042	M6043	M2888		X						
IO-540-A1A5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-A1A5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-AA1A5 (20°,270HP)	M6018	M6012	M6013		X						
IO-540-AA1A5 (20°,270HP)	M2120	M2117	M2118					X			
IO-540-AA1A5 (20°,270HP)	M2157	M2158	M2159						X		
IO-540-AA1B5 (20°,270HP)	M6018	M6012	M6013		X						
IO-540-AC1A5 (20°,300HP)	M6018	M6012	M6013		X						
IO-540-B1A5 (20°,290HP)	M6042	M6043	M2888		X						
IO-540-B1A5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-B1A5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-B1B5 (20°,290HP)	M6042	M6043	M2888		X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-28	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-B1C5 (20°,290HP)	M6042	M6043	M2888	X							
IO-540-B1C5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-B1C5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-C1B5 (25°,250HP)	M2896	M2897	M2898	X							
IO-540-C1B5 (25°,250HP)	M6042	M6043	M2888	X							
IO-540-C1B5 (25°,250HP)	M2120	M2117	M2118					X			
IO-540-C1B5 (25°,250HP)	M2157	M2158	M2159						X		
IO-540-C1C5 (25°,250HP)	M2896	M2897	M2898	X							
IO-540-C1C5 (25°,250HP)	M2120	M2117	M2118					X			
IO-540-C1C5 (25°,250HP)	M2157	M2158	M2159						X		
IO-540-C2C (25°,250HP)	M2896	M2897	M2898	X							
IO-540-C2C (25°,250HP)	M2120	M2117	M2118					X			
IO-540-C2C (25°,250HP)	M2157	M2158	M2159						X		
IO-540-C4B5 (25°,250HP)	M2896	M2897	M2898	X							
IO-540-C4B5 (25°,250HP)	M6042	M6043	M2888	X							
IO-540-C4B5 (25°,250HP)	M2120	M2117	M2118					X			
IO-540-C4B5 (25°,250HP)	M2157	M2158	M2159						X		
IO-540-C4C5 (25°,250HP)	M6042	M6043	M2888	X							
IO-540-C4D5 (25°,250HP)	M6042	M6043	M2888	X							
IO-540-D4A5 (25°,260HP)	M6042	M6043	M2888	X							
IO-540-D4A5 (25°,260HP)	M2120	M2117	M2118					X			
IO-540-D4A5 (25°,260HP)	M2157	M2158	M2159						X		
IO-540-D4B5 (25°,260HP)	M2899	M2900	M2901	X							
IO-540-D4B5 (25°,260HP)	M2120	M2117	M2118					X			
IO-540-D4B5 (25°,260HP)	M2157	M2158	M2159						X		
IO-540-D4C5 (25°,260HP)	M2899	M2900	M2901	X							
IO-540-D4C5 (25°,260HP)	M2120	M2117	M2118					X			
IO-540-D4C5 (25°,260HP)	M2157	M2158	M2159						X		
IO-540-E1A5 (20°,290HP)	M2896	M2897	M2898	X							
IO-540-E1A5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-E1A5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-E1B5 (20°,290HP)	M2896	M2897	M2898	X							
IO-540-E1B5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-E1B5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-E1C5 (20°,290HP)	M2896	M2897	M2898	X							
IO-540-G1A5 (20°,290HP)	M2896	M2897	M2898	X							
IO-540-G1A5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-G1A5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-G1B5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-G1B5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-G1C5 (20°,290HP)	M2899	M2900	M2901	X							
IO-540-G1D5 (20°,290HP)	M6003	M2963	M2964	X							
IO-540-G1D5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-G1D5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-G1E5 (20°,290HP)	M6003	M2963	M2964	X							
IO-540-G1E5 (20°,290HP)	M2120	M2117	M2118					X			

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-29	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-G1E5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-G1F5 (20°,290HP)	M6003	M2963	M2964	X							
IO-540-G1F5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-G1F5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-J4A5 (25°,250HP)	M6017	M6010	M6011	X							
IO-540-J4A5 (25°,250HP)	M2120	M2117	M2118					X			
IO-540-J4A5 (25°,250HP)	M2157	M2158	M2159						X		
IO-540-K1A5 (20°,300HP)	M2899	M2900	M2901	X							
IO-540-K1A5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1A5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1A5D (20°,300HP)	M2919									X	
IO-540-K1B5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1B5 (20°,300HP)	M6003	M2963	M2964	X							
IO-540-K1B5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1B5 (20°,300HP)	M2899	M2900	M2901	X							
IO-540-K1C5 (20°,300HP)	M6018	M6012	M6013	X							
IO-540-K1C5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1C5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1D5 (20°,300HP)	M2896	M2897	M2898	X							
IO-540-K1D5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1D5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1E5 (20°,300HP)	M6003	M2963	M2964	X							
IO-540-K1E5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1E5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1F5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1F5 (20°,300HP)	M6018	M6012	M6013	X							
IO-540-K1F5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1F5D (20°,300HP)	M2919									X	
IO-540-K1G5 (20°,300HP)	M6003	M2963	M2964	X							
IO-540-K1G5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1G5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1G5D (20°,300HP)	M2919									X	
IO-540-K1H5 (20°,300HP)	M6003	M2963	M2964	X							
IO-540-K1H5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1H5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1J5 (20°,300HP)	M6018	M6012	M6013	X							
IO-540-K1J5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1J5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K1K5 (20°,300HP)	M6003	M2963	M2964	X							
IO-540-K1K5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-K1K5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-K2A5 (20°,300HP)	M2899	M2900	M2901	X							
IO-540-L1A5 (20°,300HP)	M6003	M2963	M2964	X							
IO-540-L1A5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-L1A5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-L1C5 (20°,300HP)	M6003	M2963	M2964	X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-30	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-L1C5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-L1C5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-M1A5 (20°,300HP)	M6017	M6010	M6011	X							
IO-540-M1A5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-M1A5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-M1C5 (20°,300HP)	M6017	M6010	M6011	X							
IO-540-N1A5 (25°,260HP)	M2120	M2117	M2118					X			
IO-540-P1A5 (20°,290HP)	M6018	M6012	M6013	X							
IO-540-P1A5 (20°,290HP)	M2120	M2117	M2118					X			
IO-540-P1A5 (20°,290HP)	M2157	M2158	M2159						X		
IO-540-R1A5 (25°,260HP)	M2120	M2117	M2118					X			
IO-540-R1A5 (25°,260HP)	M2157	M2158	M2159						X		
IO-540-S1A5 (20°,300HP)	M6018	M6012	M6013	X							
IO-540-S1A5 (20°,300HP)	M2120	M2117	M2118					X			
IO-540-S1A5 (20°,300HP)	M2157	M2158	M2159						X		
IO-540-T4A5D (25°,260HP)	M2919									X	
IO-540-T4B5 (25°,260HP)	M2899	M2900	M2901	X							
IO-540-T4B5D (25°,260HP)	M2919									X	
IO-540-W1A5 (23°,235HP)	M2896	M2897	M2898	X							
IO-540-W1A5D (23°,235HP)	M2919									X	
IO-540-W3A5D (23°,235HP)	M2919									X	
IVO-360-A1A (25°,180HP)	M4033	M4031	M4032				X				2, 3
LIO-320-B1A (25°,160HP)	M2508	M2506	M2507	X							2
LIO-320-B1A (25°,160HP)	M2360	M2362	M2361				X				2
LIO-320-B1A (25°,160HP)	M2235	M2237	M2236					X			2
LIO-320-C1A (25°,160HP)	M2508	M2506	M2507	X							2
LIO-320-C1A (25°,160HP)	M2360	M2362	M2361				X				2
LIO-320-C1A (25°,160HP)	M2235	M2237	M2236					X			2
LIO-360-C1E6 (20°,200HP)	M2661	M2662	M2663				X				2, 3
LIO-360-C1E6 (20°,200HP)	M2616	M2617	M2618					X			2, 3
LIO-360-C1E6 (25°,200HP)	M2661	M2662	M2663				X				2, 3
LIO-360-C1E6 (25°,200HP)	M2616	M2617	M2618					X			2, 3
LO-360-A1G6D (25°,180HP)	M2915									X	2, 3
LO-360-E1A6D (25°,180HP)	M2917									X	2, 3
LTIO-540-F2BD (20°,325HP)	M2918									X	
LTIO-540-J2B (20°,350HP)	M6057	M6058	M6059	X							
LTIO-540-J2BD (20°,350HP)	M2918									X	
LTIO-540-N2BD (20°,350HP)	M2918									X	
LTIO-540-R2AD (20°,350HP)	M2918									X	
LTIO-540-V2AD (20°,350HP)	M2995									X	

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-31	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-235-C1 (25°,115HP)	M2508	M2506	M2507	X							2
O-235-C1 (25°,115HP)	M2360	M2362	M2361				X				2
O-235-C1 (25°,115HP)	M2235	M2237	M2236					X			2
O-235-C1B (25°,115HP)	M2508	M2506	M2507	X							2
O-235-C1B (25°,115HP)	M2360	M2362	M2361				X				2
O-235-C1B (25°,115HP)	M2235	M2237	M2236					X			2
O-235-C1C (25°,115HP)	M2508	M2506	M2507	X							2
O-235-C1C (25°,115HP)	M2360	M2362	M2361				X				2
O-235-C1C (25°,115HP)	M2235	M2237	M2236					X			2
O-235-C2A (25°,115HP)	M2508	M2506	M2507	X							2
O-235-C2A (25°,115HP)	M2360	M2362	M2361				X				2
O-235-C2A (25°,115HP)	M2235	M2237	M2236					X			2
O-235-C2B (25°,115HP)	M2508	M2506	M2507	X							2
O-235-C2B (25°,115HP)	M2360	M2362	M2361				X				2
O-235-C2B (25°,115HP)	M2235	M2237	M2236					X			2
O-235-C2C (25°,115HP)	M2508	M2506	M2507	X							2
O-235-C2C (25°,115HP)	M2360	M2362	M2361				X				2
O-235-C2C (25°,115HP)	M2235	M2237	M2236					X			2
O-235-E1 (25°,115HP)	M2508	M2506	M2507	X							2
O-235-E1 (25°,115HP)	M2360	M2362	M2361				X				2
O-235-E1 (25°,115HP)	M2235	M2237	M2236					X			2
O-235-E2A (25°,115HP)	M2508	M2506	M2507	X							2
O-235-E2A (25°,115HP)	M2360	M2362	M2361				X				2
O-235-E2A (25°,115HP)	M2235	M2237	M2236					X			2
O-235-E2B (25°,115HP)	M2508	M2506	M2507	X							2
O-235-E2B (25°,115HP)	M2360	M2362	M2361				X				2
O-235-E2B (25°,115HP)	M2235	M2237	M2236					X			2
O-235-F1 (25°,125HP)	M2508	M2506	M2507	X							2
O-235-F1 (25°,125HP)	M2360	M2362	M2361				X				2
O-235-F1 (25°,125HP)	M2235	M2237	M2236					X			2
O-235-F1B (25°,125HP)	M2508	M2506	M2507	X							2
O-235-F1B (25°,125HP)	M2360	M2362	M2361				X				2
O-235-F1B (25°,125HP)	M2235	M2237	M2236					X			2
O-235-F2A (25°,125HP)	M2508	M2506	M2507	X							2
O-235-F2A (25°,125HP)	M2360	M2362	M2361				X				2
O-235-F2A (25°,125HP)	M2235	M2237	M2236					X			2
O-235-F2B (25°,125HP)	M2508	M2506	M2507	X							2
O-235-F2B (25°,125HP)	M2360	M2362	M2361				X				2
O-235-F2B (25°,125HP)	M2235	M2237	M2236					X			2
O-235-G1 (25°,125HP)	M2508	M2506	M2507	X							2
O-235-G1 (25°,125HP)	M2360	M2362	M2361				X				2
O-235-G1 (25°,125HP)	M2235	M2237	M2236					X			2
O-235-G2A (25°,125HP)	M2508	M2506	M2507	X							2
O-235-G2A (25°,125HP)	M2360	M2362	M2361				X				2
O-235-G2A (25°,125HP)	M2235	M2237	M2236					X			2
O-235-G2B (25°,125HP)	M2508	M2506	M2507	X							2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-32	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-235-G2B (25°, 125HP)	M2360	M2362	M2361				X				2
O-235-G2B (25°, 125HP)	M2235	M2237	M2236					X			2
O-235-H2C (25°, 115HP)	M2508	M2506	M2507	X							2
O-235-H2C (25°, 115HP)	M2360	M2362	M2361				X				2
O-235-H2C (25°, 115HP)	M2235	M2237	M2236					X			2
O-235-J2A (25°, 125HP)	M2508	M2506	M2507	X							2
O-235-J2A (25°, 125HP)	M2360	M2362	M2361				X				2
O-235-J2A (25°, 125HP)	M2235	M2237	M2236					X			2
O-235-J2B (25°, 125HP)	M2508	M2506	M2507	X							2
O-235-J2B (25°, 125HP)	M2360	M2362	M2361				X				2
O-235-J2B (25°, 125HP)	M2235	M2237	M2236					X			2
O-235-K2A (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-K2A (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-K2A (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-K2B (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-K2B (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-K2B (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-K2C (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-K2C (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-K2C (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-L2A (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-L2A (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-L2A (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-L2C (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-L2C (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-L2C (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-M1 (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-M1 (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-M1 (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-M2C (20°, 118HP)	M2508	M2506	M2507	X							2
O-235-M2C (20°, 118HP)	M2360	M2362	M2361				X				2
O-235-M2C (20°, 118HP)	M2235	M2237	M2236					X			2
O-235-N2A (20°, 116HP)	M2508	M2506	M2507	X							2
O-235-N2A (20°, 116HP)	M2360	M2362	M2361				X				2
O-235-N2A (20°, 116HP)	M2235	M2237	M2236					X			2
O-235-N2C (20°, 116HP)	M2508	M2506	M2507	X							2
O-235-N2C (20°, 116HP)	M2360	M2362	M2361				X				2
O-235-N2C (20°, 116HP)	M2235	M2237	M2236					X			2
O-235-P1 (20°, 116HP)	M2508	M2506	M2507	X							2
O-235-P1 (20°, 116HP)	M2360	M2362	M2361				X				2
O-235-P1 (20°, 116HP)	M2235	M2237	M2236					X			2
O-235-P2A (20°, 116HP)	M2508	M2506	M2507	X							2
O-235-P2A (20°, 116HP)	M2360	M2362	M2361				X				2
O-235-P2A (20°, 116HP)	M2235	M2237	M2236					X			2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-33	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-290-D (20°, 125HP)	M2508	M2506	M2507	X							2
O-290-D2 (18°, 135HP)	M2360	M2362	M2361				X				2
O-290-D2A (18°, 135HP)	M2360	M2362	M2361				X				2
O-290-D2B (25°, 135HP)	M2360	M2362	M2361				X				2
O-290-D2C (25°, 135HP)	M2360	M2362	M2361				X				2
O-320-A1A (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A1A (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A1A (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A1B (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A1B (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A1B (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A2A (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A2A (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A2A (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A2B (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A2B (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A2C (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A2C (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A2C (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A2D (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A2D (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A2D (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A3A (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A3A (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A3A (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A3B (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A3B (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A3B (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-A3C (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-A3C (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-A3C (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-B1A (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-B1A (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-B1A (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-B1B (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-B1B (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-B2A (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-B2A (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-B2A (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-B2B (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-B2B (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-B2B (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-B2C (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-B2C (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-B2D (25°, 160HP)	M2508	M2506	M2507	X							2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-34	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		54-20; 54-200		56-20; 56-200		Notes
				600				SA-1200	S6-1200	D2000; D3000		
O-320-B3A (25°, 160HP)	M2508	M2506	M2507	X								2
O-320-B3A (25°, 160HP)	M2360	M2362	M2361				X					2
O-320-B3A (25°, 160HP)	M2235	M2237	M2236					X				2
O-320-B3B (25°, 160HP)	M2508	M2506	M2507	X								2
O-320-B3B (25°, 160HP)	M2360	M2362	M2361				X					2
O-320-B3B (25°, 160HP)	M2235	M2237	M2236					X				2
O-320-B3C (25°, 160HP)	M2508	M2506	M2507	X								2
O-320-B3C (25°, 160HP)	M2360	M2362	M2361				X					2
O-320-B3C (25°, 160HP)	M2235	M2237	M2236					X				2
O-320-C1A (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C1A (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C1A (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C1B (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C1B (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C1B (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C2A (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C2A (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C2A (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C2B (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C2B (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C2B (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C2C (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C2C (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C2C (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C3A (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C3A (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C3A (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C3B (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C3B (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C3B (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-C3C (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-C3C (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-C3C (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-D1A (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-D1A (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-D1A (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-D1A (25°, 160HP)	M2508	M2506	M2507	X								2
O-320-D1A (25°, 160HP)	M2360	M2362	M2361				X					2
O-320-D1A (25°, 160HP)	M2235	M2237	M2236					X				2
O-320-D1B (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-D1B (25°, 150HP)	M2235	M2237	M2236					X				2
O-320-D1B (25°, 160HP)	M2360	M2362	M2361				X					2
O-320-D1B (25°, 160HP)	M2235	M2237	M2236					X				2
O-320-D1C (25°, 150HP)	M2508	M2506	M2507	X								2
O-320-D1C (25°, 150HP)	M2360	M2362	M2361				X					2
O-320-D1C (25°, 150HP)	M2235	M2237	M2236					X				2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-35	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-D1C (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D1C (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D1C (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D1D (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D1D (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D1D (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D1D (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D1D (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D1D (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D1F (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D1F (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D1F (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D1F (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D1F (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D1F (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2A (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D2A (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2A (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2A (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2A (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2A (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2B (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D2B (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2B (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2B (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2B (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2B (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2C (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D2C (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2C (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2C (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2C (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2C (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2F (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D2F (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2F (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2F (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2F (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2F (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2G (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D2G (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2G (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2G (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2G (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2G (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2H (25°, 150HP)	M2508	M2506	M2507	X							2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-36	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-D2H (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2H (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2H (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2H (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2H (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D2J (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D2J (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D2J (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D2J (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D2J (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D2J (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-D3G (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-D3G (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-D3G (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-D3G (25°, 160HP)	M2508	M2506	M2507	X							2
O-320-D3G (25°, 160HP)	M2360	M2362	M2361				X				2
O-320-D3G (25°, 160HP)	M2235	M2237	M2236					X			2
O-320-E1A (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E1A (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E1A (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E1B (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E1B (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E1C (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E1C (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E1C (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E1F (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E1F (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E1F (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E1J (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E1J (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E1J (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E2A (25°, 140HP)	M2508	M2506	M2507	X							2
O-320-E2A (25°, 140HP)	M2360	M2362	M2361				X				2
O-320-E2A (25°, 140HP)	M2235	M2237	M2236					X			2
O-320-E2A (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2A (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2A (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E2B (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2B (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2B (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E2C (25°, 140HP)	M2508	M2506	M2507	X							2
O-320-E2C (25°, 140HP)	M2360	M2362	M2361				X				2
O-320-E2C (25°, 140HP)	M2235	M2237	M2236					X			2
O-320-E2C (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2C (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2C (25°, 150HP)	M2235	M2237	M2236					X			2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-37	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-E2D (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2D (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2D (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E2F (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2F (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2F (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E2G (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2G (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2G (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E2H (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E2H (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E2H (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E3D (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E3D (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E3D (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-E3H (25°, 150HP)	M2508	M2506	M2507	X							2
O-320-E3H (25°, 150HP)	M2360	M2362	M2361				X				2
O-320-E3H (25°, 150HP)	M2235	M2237	M2236					X			2
O-320-H2AD (25°, 160HP)	M2917								X		2
O-340-A1A (25°, 170HP)	M2360	M2362	M2361				X				2
O-340-A2A (25°, 170HP)	M2360	M2362	M2361				X				2
O-360-A1AD (25°, 180HP)	M2915								X		2, 3
O-360-A1A-nd (25°, 180HP)	M2508	M2506	M2507	X							2, 3, 10
O-360-A1A-nd (25°, 180HP)	M2360	M2362	M2361				X				2, 3, 10
O-360-A1A-nd (25°, 180HP)	M2235	M2237	M2236					X			2, 3, 10
O-360-A1A-wd (25°, 180HP)	M2508	M2506	M2507	X							2, 3, 10
O-360-A1A-wd (25°, 180HP)	M2360	M2362	M2361				X				2, 3, 10
O-360-A1A-wd (25°, 180HP)	M2235	M2237	M2236					X			2, 3, 10
O-360-A1C (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-A1C (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-A1D (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-A1D (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-A1F (25°, 180HP)	M2508	M2506	M2507	X							2, 3
O-360-A1F (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-A1F (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-A1F6 (25°, 180HP)	M2508	M2506	M2507	X							2, 3
O-360-A1F6 (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-A1F6D (25°, 180HP)	M2916								X		2, 3
O-360-A1G (25°, 180HP)	M2508	M2506	M2507	X							2, 3
O-360-A1G (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-A1G (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-A1G6 (25°, 180HP)	M2508	M2506	M2507	X							2, 3
O-360-A1G6 (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-A1G6 (25°, 180HP)	M2235	M2237	M2236					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-38	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300		6200; 6300		600		SA-20; SA-200		S6-20; S6-200		SA-1200		S6-1200		Notes
O-360-A1G6D (25°,180HP)	M2915																X	2, 3
O-360-A1H (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A1H (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A1H (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A1H6 (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A1LD (25°,180HP)	M2915																X	2, 3
O-360-A1P (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A2A (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A2A (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A2A (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A2D (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A2D (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A2E (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A2F (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A2F (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A2F (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A2G (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A2G (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A2G (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A2H (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A2H (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A2H (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A3A (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A3A (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A3A (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A3AD (25°,180HP)	M2915																X	2, 3
O-360-A3D (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4A (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4A (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A4A (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A4D (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4G (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4G (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A4G (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A4J (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4J (25°,180HP)	M2613	M2614	M2615					X										2, 3
O-360-A4J (25°,180HP)	M2641	M2642	M2643							X								2, 3
O-360-A4K (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4K (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A4K (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A4M (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4M (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A4M (25°,180HP)	M2235	M2237	M2236							X								2, 3
O-360-A4N (25°,180HP)	M2508	M2506	M2507	X														2, 3
O-360-A4N (25°,180HP)	M2360	M2362	M2361					X										2, 3
O-360-A4N (25°,180HP)	M2235	M2237	M2236							X								2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-39	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
O-360-A4P (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-A5AD (25°,180HP)	M2915									X	2, 3
O-360-B1A (25°,168HP)	M2508	M2506	M2507	X							2, 3
O-360-B1A (25°,168HP)	M2360	M2362	M2361				X				2, 3
O-360-B1A (25°,168HP)	M2235	M2237	M2236					X			2, 3
O-360-B1B (25°,168HP)	M2508	M2506	M2507	X							2, 3
O-360-B2A (25°,168HP)	M2508	M2506	M2507	X							2, 3
O-360-B2A (25°,168HP)	M2360	M2362	M2361				X				2, 3
O-360-B2A (25°,168HP)	M2235	M2237	M2236					X			2, 3
O-360-B2B (25°,168HP)	M2508	M2506	M2507	X							2, 3
O-360-C1A (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C1A (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C1A (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C1C (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C1C (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C1C (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C1E (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C1E (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C1E (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C1F (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C1F (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C1F (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C1G (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C1G (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C1G (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C2A (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C2A (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C2A (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C2B (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C2B (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C2B (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C2C (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C2C (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C2C (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C2D (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C2E (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C2E (25°,180HP)	M2360	M2362	M2361				X				2, 3
O-360-C2E (25°,180HP)	M2235	M2237	M2236					X			2, 3
O-360-C4F (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-C4P (25°,180HP)	M2508	M2506	M2507	X							2, 3
O-360-D1A (25°,168HP)	M2508	M2506	M2507	X							2, 3
O-360-D1A (25°,168HP)	M2360	M2362	M2361				X				2, 3
O-360-D1A (25°,168HP)	M2235	M2237	M2236					X			2, 3
O-360-D2A (25°,168HP)	M2508	M2506	M2507	X							2, 3
O-360-D2A (25°,168HP)	M2360	M2362	M2361				X				2, 3
O-360-D2A (25°,168HP)	M2235	M2237	M2236					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-40	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-360-D2B (25°, 168HP)	M2360	M2362	M2361				X				2, 3
O-360-E1A6D (25°, 180HP)	M2917									X	2, 3
O-360-F1A6 (25°, 180HP)	M2508	M2506	M2507	X							2, 3
O-360-F1A6 (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-F1A6 (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-G1A6 (25°, 180HP)	M2508	M2506	M2507	X							2, 3
O-360-G1A6 (25°, 180HP)	M2360	M2362	M2361				X				2, 3
O-360-G1A6 (25°, 180HP)	M2235	M2237	M2236					X			2, 3
O-360-J2A (25°, 145HP)	M2360	M2362	M2361				X				2, 3
O-540-A1A (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A1A (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A1A5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A1A5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A1A5 (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A1B5 (25°, 250HP)	M6042	M6043	M2888		X						
O-540-A1B5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A1B5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A1B5 (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A1C5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A1C5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A1C5 (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A1D (25°, 250HP)	M6042	M6043	M2888		X						
O-540-A1D (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A1D (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A1D5 (25°, 250HP)	M6042	M6043	M2888		X						
O-540-A1D5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A1D5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A1D5 (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A2B (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A2B (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A2B (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A3D5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A3D5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A3D5 (25°, 250HP)	M2157	M2158	M2159						X		
O-540-A4A5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A4A5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A4B5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A4B5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A4C5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A4D5 (25°, 250HP)	M2896	M2897	M2898		X						
O-540-A4D5 (25°, 250HP)	M2120	M2117	M2118					X			
O-540-A4D5 (25°, 250HP)	M2157	M2158	M2159						X		
O-540-B1A5 (25°, 235HP)	M2896	M2897	M2898		X						
O-540-B1A5 (25°, 235HP)	M2120	M2117	M2118					X			
O-540-B1A5 (25°, 235HP)	M2157	M2158	M2159						X		

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-41	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-540-B1B5 (25°,235HP)	M2120	M2117	M2118				X				
O-540-B1B5 (25°,235HP)	M2157	M2158	M2159					X			
O-540-B1D5 (25°,235HP)	M2896	M2897	M2898	X							
O-540-B2A5 (25°,235HP)	M6042	M6043	M2888	X							
O-540-B2A5 (25°,235HP)	M2120	M2117	M2118				X				
O-540-B2A5 (25°,235HP)	M2157	M2158	M2159					X			
O-540-B2B5 (25°,235HP)	M2896	M2897	M2898	X							
O-540-B2B5 (25°,235HP)	M2120	M2117	M2118				X				
O-540-B2B5 (25°,235HP)	M2157	M2158	M2159					X			
O-540-B2B5-wd (25°,235HP)	M2896	M2897	M2898	X							10
O-540-B2B5-wd (25°,235HP)	M2120	M2117	M2118				X				10
O-540-B2B5-wd (25°,235HP)	M2157	M2158	M2159					X			10
O-540-B2C5 (25°,235HP)	M2896	M2897	M2898	X							
O-540-B2C5 (25°,235HP)	M2899	M2900	M2901	X							
O-540-B2C5 (25°,235HP)	M2120	M2117	M2118				X				
O-540-B2C5 (25°,235HP)	M2157	M2158	M2159					X			
O-540-B2C5-wd (25°,235HP)	M2896	M2897	M2898	X							10
O-540-B2C5-wd (25°,235HP)	M2120	M2117	M2118				X				10
O-540-B2C5-wd (25°,235HP)	M2157	M2158	M2159					X			10
O-540-B4A5 (25°,235HP)	M2120	M2117	M2118				X				
O-540-B4A5 (25°,235HP)	M2157	M2158	M2159					X			
O-540-B4B5 (25°,235HP)	M2896	M2897	M2898	X							
O-540-B4B5 (25°,235HP)	M2120	M2117	M2118				X				
O-540-B4B5 (25°,235HP)	M2157	M2158	M2159					X			
O-540-B4B5-wd (25°,235HP)	M2896	M2897	M2898	X							10
O-540-B4B5-wd (25°,235HP)	M2120	M2117	M2118				X				10
O-540-B4B5-wd (25°,235HP)	M2157	M2158	M2159					X			10
O-540-D1A5 (25°,250HP)	M6042	M6043	M2888	X							
O-540-D1A5 (25°,250HP)	M2896	M2897	M2898	X							
O-540-D1A5 (25°,250HP)	M2120	M2117	M2118				X				
O-540-D1A5 (25°,250HP)	M2157	M2158	M2159					X			
O-540-E4A5 (25°,260HP)	M6042	M6043	M2888	X							
O-540-E4A5 (25°,260HP)	M2896	M2897	M2898	X							
O-540-E4A5 (25°,260HP)	M2120	M2117	M2118				X				
O-540-E4A5 (25°,260HP)	M2157	M2158	M2159					X			
O-540-E4B5 (25°,260HP)	M2896	M2897	M2898	X							
O-540-E4B5 (25°,260HP)	M2120	M2117	M2118				X				
O-540-E4B5 (25°,260HP)	M2157	M2158	M2159					X			
O-540-E4B5-wd (25°,260HP)	M2896	M2897	M2898	X							10
O-540-E4B5-wd (25°,260HP)	M2120	M2117	M2118				X				10
O-540-E4B5-wd (25°,260HP)	M2157	M2158	M2159					X			10
O-540-E4C5 (25°,260HP)	M2899	M2900	M2901	X							
O-540-E4C5 (25°,260HP)	M2798	M2796	M2797				X				
O-540-E4C5 (25°,260HP)	M2157	M2158	M2159					X			
O-540-F1A5 (25°,260HP)	M2896	M2897	M2898	X							
O-540-F1B5 (25°,260HP)	M6042	M6043	M2888	X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-42	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-540-F1B5 (25°,260HP)	M2120	M2117	M2118					X			
O-540-F1B5 (25°,260HP)	M2157	M2158	M2159						X		
O-540-G1A5 (25°,260HP)	M2899	M2900	M2901	X							
O-540-G1A5 (25°,260HP)	M2120	M2117	M2118					X			
O-540-G1A5 (25°,260HP)	M2157	M2158	M2159						X		
O-540-G1A5-wd (25°,260HP)	M2899	M2900	M2901	X							10
O-540-G1A5-wd (25°,260HP)	M2120	M2117	M2118					X			10
O-540-G1A5-wd (25°,260HP)	M2157	M2158	M2159						X		10
O-540-G2A5 (25°,260HP)	M2899	M2900	M2901	X							
O-540-G2A5 (25°,260HP)	M2157	M2158	M2159						X		
O-540-G2A5 (25°,260HP)	M2120	M2117	M2118					X			
O-540-G2A5-wd (25°,260HP)	M2899	M2900	M2901	X							10
O-540-G2A5-wd (25°,260HP)	M2120	M2117	M2118					X			10
O-540-G2A5-wd (25°,260HP)	M2157	M2158	M2159						X		10
O-540-H1A5 (25°,260HP)	M2899	M2900	M2901	X							
O-540-H1B5D (25°,260HP)	M2919									X	
O-540-H2A5 (25°,260HP)	M2896	M2897	M2898	X							
O-540-H2A5 (25°,260HP)	M2120	M2117	M2118					X			
O-540-H2A5 (25°,260HP)	M2157	M2158	M2159						X		
O-540-H2B5D (25°,260HP)	M2919									X	
O-540-J1A5D (23°,235HP)	M2919									X	
O-540-J3A5 (23°,235HP)	M2896	M2897	M2898	X							
O-540-J3A5D (23°,235HP)	M2919									X	
O-540-J3C5D (25°,235HP)	M2919									X	
O-540-L3C5D (25°,235HP)	M2919									X	
TIGO-541-D1B (20°,450HP)	M2890	M2891	M2892						X		
TIGO-541-E1A (20°,425HP)	M2890	M2891	M2892						X		
TIO-540-A1A (20°,310HP)	M2037	M2041	M2039						X		
TIO-540-A1B (20°,310HP)	M2037	M2041	M2039						X		
TIO-540-A2A (20°,310HP)	M2037	M2041	M2039						X		
TIO-540-A2B (20°,310HP)	M2037	M2041	M2039						X		
TIO-540-A2B (20°,310HP)	M6044	M2965	M2966	X							
TIO-540-A2C (20°,310HP)	M2037	M2041	M2039						X		
TIO-540-A2C (20°,310HP)	M6044	M2965	M2966	X							
TIO-540-AE2A (20°,350HP)	M6044	M2965	M2966	X							
TIO-540-AF1A (20°,270HP)	M6044	M2965	M2966	X							
TIO-540-AG1A (20°,270HP)	M6044	M2965	M2966	X							
TIO-540-C1A (20°,250HP)	M2120	M2117	M2118					X			
TIO-540-C1A (20°,250HP)	M2851	M2853	M2852						X		
TIO-540-F2BD (20°,325HP)	M2918									X	
TIO-540-J2B (20°,350HP)	M6057	M6058	M6059	X							
TIO-540-J2BD (20°,350HP)	M2918									X	
TIO-540-N2BD (20°,350HP)	M2918									X	
TIO-540-R2AD (20°,350HP)	M2918									X	

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-43	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
TIO-540-S1AD (20°,300HP)	M2997									X	
TIO-540-U2A (20°,350HP)	M6044	M2965	M2966	X							
TIO-540-V2AD (20°,350HP)	M2995									X	
TIO-540-W2A (20°,350HP)	M6005	M2965	M2966	X							
TIO-540-W2B (20°,350HP)	M6044	M2965	M2966	X							
TIO-541-A1A (20°,310HP)	M2628	M2629	M2630							X	
TIO-541-E1A4 (20°,380HP)	M2628	M2629	M2630							X	
TIO-541-E1B4 (20°,380HP)	M2628	M2629	M2630							X	
TIO-541-E1C4 (20°,380HP)	M2628	M2629	M2630							X	
TIVO-540-A2A (25°,315HP)	M2480	M2481	M2482					X			
TO-360-C1A6D (20°,210HP)	M2942									X	2, 3
TVO-435-A1A (25°,260HP)	M2865	M2866	M2867					X			
TVO-435-B1A - 1/2" (25°,270HP)	M2865	M2866	M2867					X			
TVO-435-B1A - 1/2" (25°,270HP)	M2447	M2448	M2449							X	
TVO-435-B1A - 13/16" (25°,270HP)	M2865	M2866	M2867					X			
TVO-435-B1A - 13/16" (25°,270HP)	M2447	M2448	M2449							X	
TVO-435-B1B (25°,270HP)	M2447	M2448	M2449							X	
TVO-435-D1A (25°,270HP)	M2447	M2448	M2449							X	
TVO-435-D1B (25°,270HP)	M2865	M2866	M2867					X			
TVO-435-F1A (25°,280HP)	M2865	M2866	M2867					X			
TVO-435-F1A (25°,280HP)	M2447	M2448	M2449							X	
TVO-435-G1A (25°,280HP)	M2447	M2448	M2449							X	
TVO-435-G1B (25°,280HP)	M2865	M2866	M2867					X			
VO-435-A1B - 1/2" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1B - 13/16" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1C - 1/2" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1C - 13/16" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1D - 1/2" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1D - 13/16" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1E - 1/2" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1E - 13/16" (25°,260HP)	M2483	M2484	M2485					X			
VO-435-A1F - 1/2" (25°,260HP)	M2865	M2866	M2867					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-44	G

Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
VO-435-A1F - 13/16" (25°,260HP)	M2865	M2866	M2867					X			
VO-435-B1A - 1/2" (25°,265HP)	M2865	M2866	M2867					X			
VO-435-B1A - 1/2" (25°,265HP)	M2447	M2448	M2449						X		
VO-435-B1A - 13/16" (25°,265HP)	M2865	M2866	M2867					X			
VO-435-B1A - 13/16" (25°,265HP)	M2447	M2448	M2449						X		
VO-540-A1A (25°,310HP)	M2480	M2481	M2482					X			
VO-540-B1A (25°,305HP)	M2480	M2481	M2482					X			
VO-540-B1B (25°,305HP)	M2480	M2481	M2482					X			
VO-540-B1B3 (25°,305HP)	M2831	M2832	M2833					X			
VO-540-B1C (25°,305HP)	M2480	M2481	M2482					X			
VO-540-B1D (25°,305HP)	M2480	M2481	M2482					X			
VO-540-B1F (25°,305HP)	M2480	M2481	M2482					X			
VO-540-B2A (25°,305HP)	M2480	M2481	M2482					X			
VO-540-B2D (25°,305HP)	M2480	M2481	M2482					X			
VO-540-C1A (25°,315HP)	M2480	M2481	M2482					X			
VO-540-C1B (25°,315HP)	M2480	M2481	M2482					X			
VO-540-C1C3 (25°,305HP)	M2715	M2716	M2717					X			
VO-540-C2A (25°,315HP)	M2480	M2481	M2482					X			
VO-540-C2C (25°,315HP)	M2697	M2698	M2699						X		

HARNESSES 3/4"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

Unison Industries
 530 Blackhawk Park Avenue
 Rockford, Illinois, U.S.A. 61104
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
6-45/(6-46 Blank)	G

